

Table A6. Urine bioassay counting ($\text{d m}^{-1} \text{L}^{-1}$) data for plutonium from Rongelap adults.*****

Collection dates, disintegration rates, and urine volumes ^a						
Subject No.	3/24/1954			3/25/1954		
	dis min^{-1} L^{-1}	1σ	Urine volume (mL)	dis min^{-1} L^{-1}	1σ	Urine volume (mL)
1	1	2	965	0	2.5	670
4	0	2.5	—	—	na	—
7	0	2.5	—	0	2.5	—
9	1	2	—	0	2.5	—
10	0	2.5	—	1	2	—
11	0	2.5	—	0	2.5	—
12	0	2.5	—	1	2	—
14	4	2.5	—	0	2.5	—
16	0	2.5	955	0	2.5	800
18	—	na	—	5	4.5	—
19	0	2.5	—	—	na	—
22	7	2.5	—	0	2.5	—
25	0	2.5	—	—	na	—
26	1	2	—	0	2.5	—
28	0	2.5	810	0	2.5	785
29	1	2	565	0	2.5	845
30	—	na	—	0	2.5	—
32	—	na	—	3	2.5	—
33	—	na	70	2	4	210
34	0	2.5	685	0	2.5	895
35	0	2.5	250	—	na	155
37	0	2.5	550	0	2.5	385
39	—	na	175	—	—	—
40	0	2.5	700	0	2.5	650
41	1	2	950	12	3	985
43	0	2.5	720	0	2.5	775
44	—	na	—	—	na	90
45	0	2.5	680	0	2.5	935
46	—	na	—	0	2.5	205
47	0	2.5	975	0	2.5	540
49	17	3	980	—	na	130
50	1	2	765	100	8	770
51	8	2.5	320	0	2.5	230
52	—	na	—	0	2.5	285
53	3.5	2.5	530	—	na	105
55	0	2.5	400	0	2.5	720
56	—	na	—	0	2.5	595
57	—	na	360	0	2.5	830
58	3	2.5	665	0	2.5	640
59	0	2.5	800	0	2.5	430
60	4.5	2.5	900	—	na	150
61	0	2.5	250	0	2.5	480
62	0	2.5	560	0	2.5	755
63	0	2.5	840	2.5	2	420
64	2	2	685	1	2	550
66	0	2.5	785	7	2.5	950
67	0	2.5	500	—	na	—
68	3	2.5	940	1	2	590
69	1.5	2.5	160	—	na	—
70	—	na	—	7.5	2.5	750
71	0	2.5	225	0	2.5	210
72	—	na	—	0	2.5	265
73	1	2	450	—	—	—
74	—	na	380	0	2.5	630
75	0	2.5	300	—	na	—
76	0	2.5	980	0	2.5	470
77	—	na	—	2.5	2	965
78	0	2.5	640	0	2.5	340
79	0	2.5	915	0	2.5	480
80	2.5	2	690	0	2.5	560
81	6	2.5	815	0	2.5	450
82	—	na	—	1	2	205

^a Dash (—) indicates no data; “na” means not applicable.