Doxepin Rinse Versus Placebo in the Treatment of Acute Oral Mucositis Pain in Patients Receiving Head and Neck Radiotherapy With or Without Chemotherapy: A Phase III, Randomized Double-blind Trial (NCCTG N09C6 [Alliance])

Leenstra, et al.

Questionnaire after 5 minutes, Day 1 and Optional Day 2

This page is to be completed 5 MINUTES after you rinsed with the oral solution for one minute and spit it out.

		-								
	nt Tim er time i		oxes a	and circ	le AM d	or PM.)	For ex	kample		10 : 30 (AM) PM
] :		AM	/ PM	
	a scal					ber be	st desc	cribes	your N	OUTH PAIN due to
0 No pa	1 in	2	3	4	5	6	7	8	9	10 Worst pain imaginable or possible
	a scal swallov									HROAT PAIN(i.e., pain
0 No pa	1 in	2	3	4	5	6	7	8	9	10 Worst pain imaginable or possible
	a scal			-					any S1	TINGING OR BURNING
0 No sti or bur		2	3	4	5	6	7	8	9	10 Worst stinging or burning possible
	a scal E now?			•		ber be	st desc	cribes	the TA	STE OF THE ORAL
0 Accep	1 otable	2	3	4	5	6	7	8	9	10 Terrible
	a scal			I0, wha	ıt numi	ber be	st desc	cribes	your D	ROWSINESS now?
0	1	2	3	4	5	6	7	8	9	10

No	
drowsiness	

Extreme drowsiness, leading to sleep

6. Have you noticed any other side effects from the oral	rinse? (circle 'No' or 'Yes') No Yes
If yes, please explain	

After 15 minutes from the time you rinsed your mouth (10 minutes from now), please complete the next questionnaire page.