

## Supplemental Material

Table S2: Subjects, cases and crude rate (cases per 10,000 person-years) by histological subtype of lung cancer in the study cohort (1958-1999).

	All lung cancer			NOS		Major 3 types	
	subjects	case	rate	case	rate	case	rate
<b>City</b>							
<b>Hiroshima</b>	<b>73,414</b>	1,280	6.42	352	1.77	826	4.14
<b>Nagasaki</b>	<b>31,990</b>	523	6.47	150	1.85	334	4.13
<b>Attained age (years)</b>							
<b>0-39</b>		7	0.10	1	0.01	4	0.06
<b>40-49</b>		38	0.76	8	0.16	26	0.52
<b>50-59</b>		221	3.72	35	0.59	168	2.83
<b>60-69</b>		514	9.65	89	1.67	377	7.08
<b>70-79</b>		623	17.98	179	5.17	390	11.26
<b>80+</b>		400	25.73	190	12.22	195	12.54
<b>Age at exposure (years)</b>							
<b>0-9</b>	<b>22,681</b>	76	1.09	5	0.07	65	0.94
<b>10-19</b>	<b>23,057</b>	250	3.47	27	0.37	193	2.68
<b>20-39</b>	<b>30,073</b>	734	7.98	191	2.08	493	5.36
<b>40+</b>	<b>29,593</b>	743	15.87	279	5.96	409	8.74
<b>Calendar years</b>							
<b>1958-69</b>		388	3.44	107	0.95	252	2.23
<b>1970-79</b>		444	6.33	147	2.09	252	3.59
<b>1980-89</b>		503	8.81	132	2.31	336	5.88
<b>1990-99</b>		468	11.68	116	2.90	320	7.99