

Gene	Known function in germ cell development in <i>Drosophila</i>	Orthologs	Known funtion of orthologs in germ cell development
CycA	maintenance of GSC[1] Cystocyte cell cycle[2]	Ccna1; Ccna2(mouse)	Male meiosis [3,4] Suggested role in female meiosis [5]
CycB	PGC and GSC proliferation [6]	cyb-1 ( <i>C.elegans</i> ) ccnb1 ( <i>D. rerio</i> ) Ccnb1 (mouse)	Meiosis [7] Oocyte maturation [8] Meiosis [9]
dsx	Sex determination [10]	dmrt genes	Sex determination [11]
nos	Germline formation [12] GSC maintenance [13] GSC differentiation [14]	nanos genes	Germ cell development [15–18]
ovo	Germ line sex determination [19] Female germ line development [20]	Ovoll1; Ovol2 (mouse)	Spermatogenezis [21,22]
pbl	Male meiosis [23]	Ect2 (mouse)	Oocyte meiosis [24]
Su(var)205	-	Cbx1; Cbx3 (mouse)	Spermatogenesis [25] PGC cell cycle [26]
orb	localization and transcription of osk mRNA [27,28] Spermatogenezis [29]	CPEB ( <i>Xenopus</i> )	Oocyte maturation [30,31]
Phf7	Sex determination [32]	NYD-SP6/Phf7 (mouse)	Spermatogenezis [33]
bel	Germ line viability [34]	DDXY (human)	Spermatogenezis [35,36]
nclb	GSC maintenance in males [37]	-	-
spir	osk localization in oocyte [38]	Spire1, Spire2 (mouse)	Meiosis [39]
neur	GSC maintenance [40]	-	-
mael	Oocyte development [41,42] GSC differentiation [43]	-	-
pgc	PGC development [44,45]	-	-
zpg	Germ cell differentiation [46,47]	inx-13 ( <i>C.elegans</i> )	Oocyte maturation [48]
mei-P26	Germ cell differentiation [49–51]	-	-
Tre1	Germ cell migration [52]	-	-
scra	Spermatocyte development [53,54]	ani-1, ani-2 ( <i>C.elegans</i> )	Ooocyte maturation, meiosis [55]

## Supplementary References

1. Chen D, Wang Q, Huang H, Xia L, Jiang X, et al. (2009) Effete-mediated degradation of Cyclin A is essential for the maintenance of germline stem cells in *Drosophila*. *Development* 136: 4133–4142. doi:10.1242/dev.039032.
2. Lilly MA, de Cuevas M, Spradling AC (2000) Cyclin A associates with the fusome during germline cyst formation in the *Drosophila* ovary. *Dev Biol* 218: 53–63. doi:10.1006/dbio.1999.9570.
3. Liu D, Matzuk MM, Sung WK, Guo Q, Wang P, et al. (1998) Cyclin A1 is required for meiosis in the male mouse. *Nat Genet* 20: 377–380. doi:10.1038/3855.
4. Wolgemuth DJ, Lele KM, Jobanputra V, Salazar G (2004) The A-type cyclins and the meiotic cell cycle in mammalian male germ cells. *Int J Androl* 27: 192–199. doi:10.1111/j.1365-2605.2004.00480.x.
5. Persson JL, Zhang Q, Wang XY, Ravnik SE, Muhlrad S, et al. (2005) Distinct roles for the mammalian A-type cyclins during oogenesis. *Reproduction* 130: 411–422. doi:10.1530/rep.1.00719.
6. Wang Z, Lin H (2005) The division of *Drosophila* germline stem cells and their precursors requires a specific cyclin. *Curr Biol* 15: 328–333. doi:10.1016/j.cub.2005.02.016.
7. Van der Voet M, Lorson MA, Srinivasan DG, Bennett KL, van den Heuvel S (2009) *C. elegans* mitotic cyclins have distinct as well as overlapping functions in chromosome segregation. *Cell Cycle* 8: 4091–4102.
8. Kondo T, Yanagawa T, Yoshida N, Yamashita M (1997) Introduction of cyclin B induces activation of the maturation-promoting factor and breakdown of germinal vesicle in growing zebrafish oocytes unresponsive to the maturation-inducing hormone. *Dev Biol* 190: 142–152. doi:10.1006/dbio.1997.8673.
9. Polanski Z, Ledan E, Brunet S, Louvet S, Verlhac MH, et al. (1998) Cyclin synthesis controls the progression of meiotic maturation in mouse oocytes. *Development* 125: 4989–4997.
10. Shukla JN, Nagaraju J (2010) Doublesex: a conserved downstream gene controlled by diverse upstream regulators. *J Genet* 89: 341–356.
11. Kopp A (2012) Dmrt genes in the development and evolution of sexual dimorphism. *Trends Genet* 28: 175–184. doi:10.1016/j.tig.2012.02.002.

12. Kobayashi S, Yamada M, Asaoka M, Kitamura T (1996) Essential role of the posterior morphogen nanos for germline development in *Drosophila*. *Nature* 380: 708–711. doi:10.1038/380708a0.
13. Bhat KM (1999) The posterior determinant gene nanos is required for the maintenance of the adult germline stem cells during *Drosophila* oogenesis. *Genetics* 151: 1479–1492.
14. Forbes A, Lehmann R (1998) Nanos and Pumilio have critical roles in the development and function of *Drosophila* germline stem cells. *Development* 125: 679–690.
15. Köprunner M, Thisse C, Thisse B, Raz E (2001) A zebrafish nanos-related gene is essential for the development of primordial germ cells. *Genes Dev* 15: 2877–2885. doi:10.1101/gad.212401.
16. Tsuda M, Sasaoka Y, Kiso M, Abe K, Haraguchi S, et al. (2003) Conserved role of nanos proteins in germ cell development. *Science* 301: 1239–1241. doi:10.1126/science.1085222.
17. Julaton VTA, Reijo Pera RA (2011) NANOS3 function in human germ cell development. *Hum Mol Genet* 20: 2238–2250. doi:10.1093/hmg/ddr114.
18. Lai F, Singh A, King ML (2012) Xenopus Nanos1 is required to prevent endoderm gene expression and apoptosis in primordial germ cells. *Development* 139: 1476–1486. doi:10.1242/dev.079608.
19. Oliver B, Pauli D, Mahowald AP (1990) Genetic evidence that the ovo locus is involved in *Drosophila* germ line sex determination. *Genetics* 125: 535–550.
20. Mével-Ninio M, Terracol R, Kafatos FC (1991) The ovo gene of *Drosophila* encodes a zinc finger protein required for female germ line development. *EMBO J* 10: 2259–2266.
21. Dai X, Schonbaum C, Degenstein L, Bai W, Mahowald A, et al. (1998) The ovo gene required for cuticle formation and oogenesis in flies is involved in hair formation and spermatogenesis in mice. *Genes Dev* 12: 3452–3463.
22. Li B, Dai Q, Li L, Nair M, Mackay DR, et al. (2002) Ovol2, a mammalian homolog of *Drosophila* ovo: gene structure, chromosomal mapping, and aberrant expression in blind-sterile mice. *Genomics* 80: 319–325.
23. Giansanti MG, Farkas RM, Bonaccorsi S, Lindsley DL, Wakimoto BT, et al. (2004) Genetic dissection of meiotic cytokinesis in *Drosophila* males. *Mol Biol Cell* 15: 2509–2522. doi:10.1091/mbc.E03-08-0603.
24. Elbaz J, Reizel Y, Nevo N, Galiani D, Dekel N (2010) Epithelial cell transforming protein 2 (ECT2) depletion blocks polar body extrusion and generates mouse oocytes containing two metaphase II spindles. *Endocrinology* 151: 755–765. doi:10.1210/en.2009-0830.

25. Abe K, Naruse C, Kato T, Nishiuchi T, Saitou M, et al. (2011) Loss of heterochromatin protein 1 gamma reduces the number of primordial germ cells via impaired cell cycle progression in mice. *Biol Reprod* 85: 1013–1024. doi:10.1095/biolreprod.111.091512.
26. Brown JP, Bullwinkel J, Baron-Lühr B, Billur M, Schneider P, et al. (2010) HP1gamma function is required for male germ cell survival and spermatogenesis. *Epigenetics Chromatin* 3: 9. doi:10.1186/1756-8935-3-9.
27. Chang JS, Tan L, Schedl P (1999) The Drosophila CPEB homolog, orb, is required for oskar protein expression in oocytes. *Dev Biol* 215: 91–106. doi:10.1006/dbio.1999.9444.
28. Castagnetti S, Ephrussi A (2003) Orb and a long poly(A) tail are required for efficient oskar translation at the posterior pole of the Drosophila oocyte. *Development* 130: 835–843.
29. Xu S, Hafer N, Agunwamba B, Schedl P (2012) The CPEB protein Orb2 has multiple functions during spermatogenesis in *Drosophila melanogaster*. *PLoS Genet* 8: e1003079. doi:10.1371/journal.pgen.1003079.
30. Hake LE, Richter JD (1994) CPEB is a specificity factor that mediates cytoplasmic polyadenylation during *Xenopus* oocyte maturation. *Cell* 79: 617–627.
31. Standart N, Minshall N (2008) Translational control in early development: CPEB, P-bodies and germinal granules. *Biochem Soc Trans* 36: 671–676. doi:10.1042/BST0360671.
32. Yang SY, Baxter EM, Van Doren M (2012) Phf7 controls male sex determination in the Drosophila germline. *Dev Cell* 22: 1041–1051. doi:10.1016/j.devcel.2012.04.013.
33. Xiao J, Xu M, Li J, Chang Chan H, Lin M, et al. (2002) NYD-SP6, a novel gene potentially involved in regulating testicular development/spermatogenesis. *Biochem Biophys Res Commun* 291: 101–110. doi:10.1006/bbrc.2002.6396.
34. Johnstone O, Deuring R, Bock R, Linder P, Fuller MT, et al. (2005) Belle is a Drosophila DEAD-box protein required for viability and in the germ line. *Dev Biol* 277: 92–101. doi:10.1016/j.ydbio.2004.09.009.
35. Foresta C, Ferlin A, Moro E (2000) Deletion and expression analysis of AZFa genes on the human Y chromosome revealed a major role for DBY in male infertility. *Hum Mol Genet* 9: 1161–1169.
36. Ditton HJ, Zimmer J, Kamp C, Rajpert-De Meyts E, Vogt PH (2004) The AZFa gene DBY (DDX3Y) is widely transcribed but the protein is limited to the male germ cells by translation control. *Hum Mol Genet* 13: 2333–2341. doi:10.1093/hmg/ddh240.

37. Casper AL, Baxter K, Van Doren M (2011) no child left behind encodes a novel chromatin factor required for germline stem cell maintenance in males but not females. *Development* 138: 3357–3366. doi:10.1242/dev.067942.
38. Clark I, Giniger E, Ruohola-Baker H, Jan LY, Jan YN (1994) Transient posterior localization of a kinesin fusion protein reflects anteroposterior polarity of the *Drosophila* oocyte. *Curr Biol* 4: 289–300.
39. Pfender S, Kuznetsov V, Pleiser S, Kerkhoff E, Schuh M (2011) Spire-type actin nucleators cooperate with Formin-2 to drive asymmetric oocyte division. *Curr Biol* 21: 955–960. doi:10.1016/j.cub.2011.04.029.
40. Ward EJ, Shcherbata HR, Reynolds SH, Fischer KA, Hatfield SD, et al. (2006) Stem Cells Signal to the Niche through the Notch Pathway in the *Drosophila* Ovary. *Current Biology* 16: 2352–2358. doi:10.1016/j.cub.2006.10.022.
41. Clegg NJ, Frost DM, Larkin MK, Subrahmanyam L, Bryant Z, et al. (1997) maelstrom is required for an early step in the establishment of *Drosophila* oocyte polarity: posterior localization of grk mRNA. *Development* 124: 4661–4671.
42. Clegg NJ, Findley SD, Mahowald AP, Ruohola-Baker H (2001) Maelstrom is required to position the MTOC in stage 2-6 *Drosophila* oocytes. *Dev Genes Evol* 211: 44–48.
43. Pek JW, Lim AK, Kai T (2009) *Drosophila* maelstrom ensures proper germline stem cell lineage differentiation by repressing microRNA-7. *Dev Cell* 17: 417–424. doi:10.1016/j.devcel.2009.07.017.
44. Nakamura A, Amikura R, Mukai M, Kobayashi S, Lasko PF (1996) Requirement for a noncoding RNA in *Drosophila* polar granules for germ cell establishment. *Science* 274: 2075–2079.
45. Deshpande G, Calhoun G, Schedl P (2004) Overlapping mechanisms function to establish transcriptional quiescence in the embryonic *Drosophila* germline. *Development* 131: 1247–1257. doi:10.1242/dev.01004.
46. Tazuke SI, Schulz C, Gilboa L, Fogarty M, Mahowald AP, et al. (2002) A germline-specific gap junction protein required for survival of differentiating early germ cells. *Development* 129: 2529–2539.
47. Gilboa L, Forbes A, Tazuke SI, Fuller MT, Lehmann R (2003) Germ line stem cell differentiation in *Drosophila* requires gap junctions and proceeds via an intermediate state. *Development* 130: 6625–6634. doi:10.1242/dev.00853.
48. Whitten SJ, Miller MA (2007) The role of gap junctions in *Caenorhabditis elegans* oocyte maturation and fertilization. *Dev Biol* 301: 432–446. doi:10.1016/j.ydbio.2006.08.038.

49. Page SL, McKim KS, Deneen B, Van Hook TL, Hawley RS (2000) Genetic studies of mei-P26 reveal a link between the processes that control germ cell proliferation in both sexes and those that control meiotic exchange in *Drosophila*. *Genetics* 155: 1757–1772.
50. Inesco ML, Bailey AS, Kim J, Olivares GH, Wapinski OL, et al. (2012) A self-limiting switch based on translational control regulates the transition from proliferation to differentiation in an adult stem cell lineage. *Cell Stem Cell* 11: 689–700. doi:10.1016/j.stem.2012.08.012.
51. Li Y, Maines JZ, Tastan OY, McKearin DM, Buszczak M (2012) Mei-P26 regulates the maintenance of ovarian germline stem cells by promoting BMP signaling. *Development* 139: 1547–1556. doi:10.1242/dev.077412.
52. Kunwar PS, Starz-Gaiano M, Bainton RJ, Heberlein U, Lehmann R (2003) Tre1, a G protein-coupled receptor, directs transepithelial migration of *Drosophila* germ cells. *PLoS Biol* 1: E80. doi:10.1371/journal.pbio.0000080.
53. Hime GR, Brill JA, Fuller MT (1996) Assembly of ring canals in the male germ line from structural components of the contractile ring. *J Cell Sci* 109 ( Pt 12): 2779–2788.
54. Goldbach P, Wong R, Beise N, Sarpal R, Trimble WS, et al. (2010) Stabilization of the actomyosin ring enables spermatocyte cytokinesis in *Drosophila*. *Mol Biol Cell* 21: 1482–1493. doi:10.1091/mbc.E09-08-0714.
55. Maddox AS, Habermann B, Desai A, Oegema K (2005) Distinct roles for two *C. elegans* anillin in the gonad and early embryo. *Development* 132: 2837–2848. doi:10.1242/dev.01828.