## Patient's demographic and clinical characteristics, primary outcome data availability

Characteristic	Primary outcome	Primary outcome	р
	data available	data not available	
	(n=209)	(n=24)	
Gender, (%), male	92 (44.0)	9 (37.5)	0.350
General Medical Service* status,	121/207	12/24	0.281
(%) in receipt of			
Employment status, (%)	90 (43.3)	15 (62.5)	0.058
Working			
Smoking status, (%) current user	64 (52.9)	9 (37.5)	0.649
Alcohol use, (%) current user	87 (41.6)	12 (50.0)	0.587
Study group, (%) PACT	108 (51.7)	4 (16.7)	0.002
intervention			
Age, years, median (IQR)	64 (54-76)	58 (50-65)	0.034
Length of stay, days, median (IQR)	7 (4-12)	6 (3-12)	0.454
Charlson Co-morbidity index,	2 (1-3)	2 (1-3)	0.740
median (IQR)			
Number of medicines <sup>\$</sup> , median	10 (7-12)	9.5 (5-14)	0.940
(IQR)			

IQR, Inter-quartile Range; NS, not statistically significant at 0.05.

\* General Medical Service refers to government support for healthcare including GP visits and prescribed medication, eligibility is largely based on income.

\$ Relates to the total number of medications prescribed before admission and those added during admission that

remained active at discharge, exclusive of medications commenced and stopped within the hospital episode.