

SUPPORTING INFORMATION

Development and Bioorthogonal Activation of Palladium-Labile Prodrugs of Gemcitabine

J. T. Weiss,^a J. C. Dawson,^a C. Fraser,^a W. Rybski,^{a,b} C. Torres-Sánchez,^c E. E. Patton,^{a,b} N. O. Carragher^a and A. Unciti-Broceta^{a,*}

^a Edinburgh Cancer Research UK Centre, MRC Institute of Genetics and Molecular Medicine, University of Edinburgh, Crewe Road South, Edinburgh EH4 2XR, UK.


^b MRC Human Genetics Unit, MRC Institute of Genetics and Molecular Medicine, University of Edinburgh, Crewe Road South, Edinburgh EH4 2XR, UK.

^c Wolfson School of Mechanical and Manufacturing Engineering, Loughborough University, Loughborough LE11 3TU, UK.


LIST OF CONTENTS:

1. NMR spectra of carbonate prodrugs 2a,p,b	Pages 2-7
Compound 2a	Page 2
Compound 2p	Page 4
Compound 2b	Page 6
1. NMR spectra of carbamate prodrugs 5a,p,b	Pages 8-13
Compound 5a	Page 8
Compound 5p	Page 10
Compound 5b	Page 12
1. NMR spectra of carbamate prodrugs 8a,p,b	Pages 14-19
Compound 8a	Page 14
Compound 8p	Page 16
Compound 8b	Page 18


¹H NMR (500 MHz, d-DMSO) of compound 2a




¹³C NMR (126 MHz, d-DMSO) of compound **2a**




¹H NMR (500 MHz, d-DMSO) of compound **2p**




¹³C NMR (126 MHz, d-DMSO) of compound **2p**




¹H NMR (500 MHz, d-DMSO) of compound **2b**




¹³C NMR (126 MHz, d-DMSO) of compound **2b**




¹H NMR (500 MHz, d-DMSO) of compound 5a




¹³C NMR (126 MHz, d-DMSO) of compound **5a**




¹H NMR (500 MHz, d-DMSO) of compound **5p**




¹³C NMR (126 MHz, d-DMSO) of compound **5p**




¹H NMR (500 MHz, d-DMSO) of compound **5b**




¹³C NMR (126 MHz, d-DMSO) of compound **5b**




¹H NMR (500 MHz, d-MeOD) of compound **8a**




¹³C NMR (126 MHz, d-MeOD) of compound **8a**




¹H NMR (500 MHz, d-MeOD) of compound **8p**



¹³C NMR (126 MHz, d-MeOD) of compound **8p**



¹H NMR (500 MHz, d-DMSO) of compound **8b**



¹³C NMR (126 MHz, d-DMSO) of compound **8b**

