

SUPPLEMENT TABLE S4. A COMPARISON OF CLINICOPATHOLOGICAL FEATURES IN FTC PATIENTS ACCORDING TO THE *RAS* MUTATION STATUS

	<i>Total</i>	<i>Wild</i>	<i>RAS mutant</i>	<i>p-Value</i>
Patient, n/total (%)	56/56 (100)	25/56 (45)	31/56 (55)	-
Age, mean (range)	56.8 (34–82)	56.1 (34–80)	57.5 (34–82)	0.16
Sex, female	48/56 (86)	20/25 (80)	28/31 (90)	0.45
Tumor				
mean size ± SD, cm (range)	4.4 ± 2.5 (0.5–15.0)	4.6 ± 2.7 (0.5–12.0)	4.2 ± 2.5 (1.7–15.0)	0.27
Widely invasive FTC	11/56 (20)	4/25 (16)	7/31 (23)	0.74
Lymph node metastasis	3/56 (5)	2/25 (8)	1/31 (3)	0.52
Distant metastasis	28/56 (50)	11/25 (44)	17/31 (55)	0.59
RAI treatment	48/56 (86)	22/25 (88)	26/31 (84)	0.72
Mortality	9/56 (16)	5/25 (20)	4/31 (13)	0.72

n, number; SD, standard deviation; RAI, radioactive iodine.