

Supplemental data

Figure 1: Outcome (OS, EFS, RFS) in CIA patients with or without transplant




Table 1. Multivariate Cox's regression for OS

Parameter	Hazard Ratio	95% CI	P value
CIA vs. IA	0.53	0.29-0.97	0.039
Age (≤ 40 vs. >40)	0.41	0.22-0.76	0.005
Cytogenetic (Intermediate vs. Diploid)	2.12	1.15-3.89	0.016
Cytogenetic (Unfavorable vs. Diploid)	3.39	1.95-5.88	<0.001
Platelets	0.99	0.989-0.998	0.007
Peripheral blood blasts (%)	1.01	1.00-1.02	0.008
Bone marrow neutrophils (%)	1.02	0.99-1.05	0.120

Table 2. Multivariate Cox's regression for EFS

Parameter	Hazard Ratio	95% CI	P value
CIA vs. IA	0.40	0.22-0.73	0.003
Age (≤ 40 vs. >40)	0.46	0.25-0.85	0.014
Cytogenetic (Intermediate vs. Diploid)	1.74	0.94-3.21	0.078
Cytogenetic (Unfavorable vs. Diploid)	3.16	1.81-5.52	<0.001
Platelets	0.99	0.99-1.00	0.037
Peripheral blood blasts (%)	1.01	1.01-1.02	0.001
Bone marrow neutrophils (%)	1.03	1.00-1.05	0.021

