

	FORWARD	REVERSE
	5'→3'	5'→3'
<i>TBP</i>	TGCACAGGAGCCAAGAGTGAA	CACATCACAGCTCCCCACCA
<i>HMBS</i>	AAGTGCAGCAAGGACCAG	TTACGAGCAGTGATGCCTACCAAC
<i>β-ACTIN</i>	TGGAGAAAATCTGGCACCACACC	GATGGGCACAGTGTGGGTGACCC
<i>GLI1</i>	GGCACCATCCATTTCTACA	CCTGCATTGCCAGTCATTT
<i>GLI2</i>	AGCAGCAGCAACTGTCTGAG	CACATGAGCCGTGTCCAG
<i>PTCH1</i>	CCACAGAAGCGCTCCTACA	CTGTAATTTGCCCCCTTCC
<i>ASCL2</i>	GCGTTCCGCCTACTCGT	GGCTTCCGGGGCTGAG
<i>LGR5</i>	GGAGCATTCACTGGCCTTTA	CTGGACGGGGATTTCTGTTA
<i>OLFM4</i>	GGACTTCGAGCTGATCAAGG	CGACAGGGGTGTTTTGATCT
<i>AXIN2</i>	CTCCTTATCGTGTGGGCAGT	CCAACTCCAGCTTCAGCTTT
<i>EPHB2</i>	GCCTGTGTGCACTTATGCAG	CTTGGTCCGTAGCCAGTTTGT
<i>P21</i>	GACTCTCAGGGTCGAAAACG	AAGATGTAGAGCGGGCCTTT
<i>β-CAT</i>	ATGATGCAGAACTTGCCACA	CATCTGAGGAGAACGCATGA
<i>NANOG/P8</i>	GGATGGTCTCGATCTCCTGA	CGGCAGCCAAGGTTATTA
<i>E-CAD</i>	GGATGTGCTGGATGTGAATG	CTCAAATCCTCCCTGTCCA
<i>SNAIL1</i>	GAAAGGCCTTCAACTGCAA	TGACATCTGAGTGGGTCTGG
<i>SOX12</i>	GCCTCCCCGACACCGTCGGA	ATCCAGGGCGCTGCAGTCCA
<i>TMED3</i>	CCTCCCATTCTCCAGACT	CAATCGTCTGCCAACAGAC
<i>C-MYC</i>	TGGTCTTCCCCTACCCTCT	GATCCAGACTCTGACCTTTT
<i>CD44</i>	AAGGTGGAGCAAACACAACC	AGCTTTTTCTTCTGCCACA
<i>YAP1</i>	GCAGTTGGGAGCTGTTTCTC	GCCATGTTGTTGTCTGATCG

Duquet et al Figure S10

Supplementary Figure S10. PCR primer sequences.

Table of primers used for qPCR as described in the text.