

SUPPLEMENTAL MATERIAL

Supplemental Table 1. Various times interval according to the status and indication for intubation.

Time Interval (Minutes)	Not Intubated		Intubated			
			Routine Practice		Medical Intubated	
	Median (%)	IQR	Median (%)	IQR	Median (%)	IQR
Stroke Onset to ED Arrival	50 (64.8)	34	50 (18.2)	35	50 (17.0)	32
ED Arrival to Baseline CT	20 (64.6)	14	19 (18.2)	18	19 (17.2)	15
ED Arrival to Baseline CTA	29 (61.9)	16	29 (21.8)	24	27 (16.3)	18
Baseline CT to CTA	6 (61.7)	7	6 (21.9)	7	7 (16.4)	7
Baseline CTA to IV Bolus	31 (61.9)	22	32 (21.8)	26	28 (16.3)	23
IV Bolus to Randomization	25 (64.8)	24	17 (18.3)	23	25 (17)	24
Randomization to Groin Puncture	60 (64.2)	38	66 (18.7)	34	68 (17.1)	41
IV Bolus to Groin Puncture	85 (64.1)	41	83 (18.7)	34	83 (17.2)	55
Groin Puncture to Thrombus ID	15 (60.8)	15	18 (20.4)	16	15 (18.8)	13
Thrombus ID to IA Therapy	20 (60.1)	26	20 (20.5)	21	22 (19.5)	20
IA Start to Reperfusion	85 (59.7)	74	89 (20.7)	51	85 (19.4)	79
IV Bolus to IA Therapy	126 (59.8)	47	126 (20.9)	54	121 (19.3)	45