

Genetic Alterations of Chromosome 8 Genes in Oral Cancer

Zachary Wei Ern Yong^{1,2}, Zuraiza Mohamad Zaini^{1,2}, Thomas George Kallarakkal^{1,2}, Lee Peng Karen-Ng², Zainal Ariff Abdul Rahman^{1,2}, Siti Mazlipah Ismail^{1,2}, Noor Akmal Sharifah³, Wan Mahadzir Wan Mustafa⁴, Mannil Thomas Abraham⁵, Keng Kiong Tay⁶, Rosnah Binti Zain^{1,2,*}

¹Department of Oro-Maxillofacial Surgical and Medical Sciences, Faculty of Dentistry, University of Malaya, Kuala Lumpur, Malaysia; ²Oral Cancer Research & Coordinating Centre (OCRCC), Faculty of Dentistry, University of Malaya, Kuala Lumpur, Malaysia; ³Department of Pathology, Universiti Kebangsaan Malaysia Medical Centre, Kuala Lumpur; ⁴Department of Oral Surgery, Hospital Kuala Lumpur, 50588 Kuala Lumpur, Malaysia; ⁵Department of Oral and Maxillofacial Surgery, Hospital Tengku Ampuan Rahimah, Klang, Malaysia; ⁶Oral Surgery Clinic, Hospital Umum Sarawak, Kuching, Malaysia;

*Corresponding author:

Rosnah Binti Zain
Oral Cancer Research & Coordinating Centre,
7th floor, Postgraduate & Research Tower,
Faculty of Dentistry, University of Malaya
50603 Kuala Lumpur, Malaysia
Tel: +60379674896
Fax: +60379547301
E-mail address: rosnahbz12@yahoo.com

Supplementary Table S1

Genes	Location	Regions	Chromosome Arm
MFHAS1	8p23.1	8p23 ¹⁻⁴ ,	8p ⁵⁻⁹ Associations: Metastasis, poor prognosis ⁴
MSRA	8p23.1	Associations:	
GATA4	8p23.1-p22	Metastasis, poor prognosis ⁴	
DLGAP2	8p23		
CTSB	8p22	8p22 ^{3,10,11}	
TUSC3	8p22		
CSGALNACT1	8p21.3	8p21 ^{2,11}	
FGFR1¹³	8p12	8p12 ¹⁰	
PRKDC	8p11	8p12-p21 ³ ; 8p11-8p12 ¹²	
MOS	8q11	-	
CHD7	8q12.2	-	8q ⁵⁻⁹ Associations: Lymph node metastasis ⁵ ,
NCOA2	8q13.3	-	
TPD52	8q21	-	
E2F5	8q21.2	-	
MYBL1	8q22	-	
RAD54B	8q22.1	-	
ST7	8q22.2	-	
EIF3E	8q22-q23	-	
RNF139	8q24		
KCNQ3	8q24		
SLA	8q24		
EIF3H	8q24.11		
EXT1	8q24.11		
ASAP1	8q24.1-q24.2	8q24 ¹⁴ ;	
KHDRBS3	8q24.2	8q23-ter ¹²	
MYC^{13,15,16}	8q24.21		
KCNK9	8q24.3		
PTK2¹⁷	8q24.3		
PTP4A3	8q24.3		
RECQL4	8q24.3		

- 1 Ishwad, C. S. et al. Frequent allelic loss and homozygous deletion in chromosome band 8p23 in oral cancer. *Int J Cancer* **80**, 25-31 (1999).
- 2 Sunwoo, J. B., Holt, M. S., Radford, D. M., Deeker, C. & Scholnick, S. B. Evidence for multiple tumor suppressor genes on chromosome arm 8p in supraglottic laryngeal cancer. *Genes Chromosomes Cancer* **16**, 164-169, doi:10.1002/(SICI)1098-2264(199607)16:3<164::AID-GCC2>3.0.CO;2-X (1996).
- 3 Wu, C. L. et al. Deletion mapping defines three discrete areas of allelic imbalance on chromosome arm 8p in oral and oropharyngeal squamous cell carcinomas. *Genes Chromosomes Cancer* **20**, 347-353 (1997).
- 4 Bockmuhl, U., Ishwad, C. S., Ferrell, R. E. & Gollin, S. M. Association of 8p23 deletions with poor survival in head and neck cancer. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery* **124**, 451-455, doi:10.1067/mhn.2001.114794 (2001).
- 5 Yoshioka, S. et al. Genomic profiling of oral squamous cell carcinoma by array-based comparative genomic hybridization. *PLoS One* **8**, e56165, doi:10.1371/journal.pone.0056165 (2013).
- 6 Vincent-Chong, V. K. et al. Genome-wide analysis of oral squamous cell carcinomas revealed over expression of ISG15, Nestin and WNT11. *Oral Dis* **18**, 469-476, doi:10.1111/j.1601-0825.2011.01894.x (2012).
- 7 Zhou, X. et al. Allelic imbalance analysis of oral tongue squamous cell carcinoma by high-density single nucleotide polymorphism arrays using whole-genome amplified DNA. *Human genetics* **118**, 504-507, doi:10.1007/s00439-005-0069-x (2005).
- 8 Pathare, S., Schaffer, A. A., Beerenswinkel, N. & Mahimkar, M. Construction of oncogenetic tree models reveals multiple pathways of oral cancer progression. *Int J Cancer* **124**, 2864-2871, doi:10.1002/ijc.24267 (2009).
- 9 Sparano, A. et al. Genome-wide profiling of oral squamous cell carcinoma by array-based comparative genomic hybridization. *Laryngoscope* **116**, 735-741, doi:10.1097/OLG.00000205141.54471.7f (2006).
- 10 Ono, K. et al. Allelic loss on the short arm of chromosome 8 in oral squamous cell carcinoma. *Oncol Rep* **6**, 785-789 (1999).
- 11 El-Naggar, A. K. et al. Localization of chromosome 8p regions involved in early tumorigenesis of oral and laryngeal squamous carcinoma. *Oncogene* **16**, 2983-2987, doi:10.1038/sj.onc.1201808 (1998).
- 12 Freier, K. et al. Cytogenetic characterization of head and neck squamous cell carcinoma cell lines as model systems for the functional analyses of tumor-associated genes. *J Oral Pathol Med* **39**, 382-389, doi:10.1111/j.1600-0714.2009.00864.x (2010).
- 13 Freier, K. et al. Recurrent FGFR1 amplification and high FGFR1 protein expression in oral squamous cell carcinoma (OSCC). *Oral Oncol* **43**, 60-66, doi:10.1016/j.oraloncology.2006.01.005 (2007).
- 14 Freier, K. et al. Recurrent copy number gain of transcription factor SOX2 and corresponding high protein expression in oral squamous cell carcinoma. *Genes Chromosomes Cancer* **49**, 9-16, doi:10.1002/gcc.20714 (2010).
- 15 Martin-Ezquerro, G. et al. Multiple genetic copy number alterations in oral squamous cell carcinoma: study of MYC, TP53, CCDN1, EGFR and ERBB2 status in primary and metastatic tumours. *The British journal of dermatology* **163**, 1028-1035, doi:10.1111/j.1365-2133.2010.09947.x (2010).
- 16 Chen, Y. J. et al. Genome-wide profiling of oral squamous cell carcinoma. *J Pathol* **204**, 326-332, doi:10.1002/path.1640 (2004).
- 17 Ribeiro, I. P. et al. Genetic imbalances detected by multiplex ligation-dependent probe amplification in a cohort of patients with oral squamous cell carcinoma-the first step towards clinical personalized medicine. *Tumour Biol* **35**, 4687-4695, doi:10.1007/s13277-014-1614-9 (2014).