

Data Supplement 9

HIV/HCV risk behavior questionnaire responses (injection-drug use)	No Intervention		Intervention	
	<i>n=197</i>		<i>n=198</i>	
	Male	Female	Male	Female
	<i>n=110</i>	<i>n=87</i>	<i>n=108</i>	<i>n=90</i>
	%	%	%	%
Injection of drugs for non-medical use				
Ever	7.3	1.1	5.6	1.1
Past 3 months	1.8	0.0	1.9	0.0
Ever shared needles or syringes to inject "street drugs"				
With a person who had HIV or AIDS	0.0	0.0	0.0	0.0
With a person who had HCV	0.0	0.0	0.0	0.0
Ever shared a cooker, cottons, or water to inject "street drugs"				
With a person who had HIV or AIDS	0.0	0.0	0.0	0.0
With a person who had HCV	0.0	0.0	0.0	0.0
Ever "back-loaded" or "piggy-backed" "street drugs"				
With a person who had HIV or AIDS	0.0	0.0	0.9	0.0
With a person who had HCV	0.0	0.0	0.9	0.0
AIDS = acquired immune deficiency syndrome				
HCV = hepatitis C virus				
HIV = human immunodeficiency virus				

HIV/HCV risk behavior questionnaire responses (heterosexual sex)

Behavior	<u>No Intervention</u>						<u>Intervention</u>					
	<i>n=197</i>			<i>n=198</i>			<i>n=198</i>			<i>n=108</i>		
	Female <i>n=87</i> %			Male <i>n=110</i> %			Female <i>n=90</i> %			Male <i>n=108</i> %		
Ever had vaginal and/or anal sex with man/female	96.6			87.3			93.3			92.6		
Types of partners	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>
Sexual behaviors and partner characteristics	93.1	65.5	8.0	81.8	73.6	16.4	88.9	58.9	14.4	88.9	77.8	8.3
Did not use condoms	88.5	40.2	4.6	76.4	52.7	10.0	82.2	41.1	4.4	77.8	47.2	3.7
Any of those partners had HIV or AIDS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.0
Any of those partners had HCV	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.0
Any of those partners had other STIs	12.6	4.6	0.0	7.3	7.3	1.8	15.6	8.9	1.1	12.0	12.0	0.0
Any of those partners ever injected drugs	4.6	1.1	0.0	2.7	2.7	0.0	10.0	3.3	1.1	2.8	2.8	0.0
Any of those partners ever had sex with other men	6.9	4.6	1.1	N/A	N/A	N/A	5.6	3.3	0.0	N/A	N/A	N/A
	Median (IQR)			Median (IQR)			Median (IQR)			Median (IQR)		
	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>	<u>Main</u>	<u>Casual</u>	<u>Exchange</u>
No condom use with partners	2 (2-5)	2 (1-6)	2 (2-19)	3 (2-9)	6 (2-15)	5.5 (3.5-20)	3 (2-4)	3 (2-6)	20 (11.5-30)	4 (2-10)	6 (3-15)	3 (2-11.5)
No condom use with partners total	3 (2-6)			4.5 (2-15)			3 (1-6)			5 (1-14.5)		

AIDS = acquired immune deficiency syndrome; HCV = hepatitis C virus; HIV = human immunodeficiency virus; IQR = interquartile range; N/A = not applicable; STI = sexually transmitted infection

HIV/HCV risk behavior questionnaire responses (male-male sex)

	No Intervention						Intervention					
	<i>n=197</i>						<i>n=198</i>					
	%						%					
Ever had anal sex with a man	2.0						2.0					
Type of partner	<i>Main</i>		<i>Casual</i>		<i>Exchange</i>		<i>Main</i>		<i>Casual</i>		<i>Exchange</i>	
	2.7		3.6		0.0		1.9		1.9		0.0	
Sexual behavior and partner characteristics	<i>Top</i>			<i>Bottom</i>			<i>Top</i>			<i>Bottom</i>		
	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>
Had anal sex	0.9	2.7	0.0	2.7	1.8	0.0	1.9	0.9	0.0	0.0	0.9	0.0
Did not use condoms	0.9	2.7	0.0	2.7	1.8	0.0	1.9	0.9	0.0	0.0	0.9	0.0
Any of those partners had HIV or AIDS	0.9	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Any of those partners had hepatitis C	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Any of those partners had other STIs	0.0	0.9	0.0	0.0	0.9	0.0	0.9	0.0	0.0	0.0	0.0	0.0
Any of those partners ever injected drugs	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Median (range)			Median (range)			Median (range)			Median (range)		
	<i>Top</i>			<i>Bottom</i>			<i>Top</i>			<i>Bottom</i>		
	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>	<i>Main</i>	<i>Casual</i>	<i>Exchange</i>
No condom use with partners	25 (25-25)	2 (2-40)	N/A	2 (1-3)	49 (1-97)	N/A	2 (1-3)	2 (2-2)	N/A	N/A	N/A	N/A
No condom use with partners total	3 (2-65)			51 (2-100)			3 (1-5)			5 (5-5)		

AIDS = acquired immune deficiency syndrome; HCV = hepatitis C virus; HIV = human immunodeficiency virus; N/A = not applicable; STD = sexually transmitted infection