

Supplemental Material to:

Usa Thisyakorn, Kulkanya Chokephaibulkit, Pope Kosalaraksa, Suwat Benjaponpitak, Chitsanu Pancharoen, and Sunate Chuenkitmongkol

Immunogenicity and safety of 23-valent pneumococcal polysaccharide vaccine as a booster dose in 12- to 18-month-old children primed with 3 doses of 7-valent pneumococcal conjugate vaccine

**Human Vaccines & Immunotherapeutics 2014; 10(7)
<http://dx.doi.org/10.4161/hv.28642>**

www.landesbioscience.com/journals/vaccines/article/28642

Supplemental Table 1. Duration of solicited reactions

Reaction	Duration	PPV23		PCV7	
		n	%	n	%
Injection site tenderness	1-3 days	95	96.0	83	94.3
	4-7 days	4	4.0	5	5.7
	8 days	0	0.0	0	0.0
Injection site erythema	1-3 days	54	90.0	49	92.5
	4-7 days	6	10.0	4	7.5
	8 days	0	0.0	0	0.0
Injection site swelling	1-3 days	29	82.9	26	78.8
	4-7 days	6	17.1	7	21.2
	8 days	0	0.0	0	0.0
Fever	1-3 days	27	93.1	18	90.0
	4-7 days	1	3.4	2	10.0
	8 days	1	3.4	0	0.0
Vomiting	1-3 days	25	89.3	11	68.8
	4-7 days	3	10.7	5	31.3
	8 days	0	0.0	0	0.0
Abnormal crying	1-3 days	48	94.1	38	82.6
	4-7 days	3	5.9	8	17.4
	8 days	0	0.0	0	0.0
Drowsiness	1-3 days	20	100.0	19	79.2
	4-7 days	0	0.0	5	20.8
	8 days	0	0.0	0	0.0
Loss of appetite	1-3 days	31	75.6	28	68.3
	4-7 days	8	19.5	11	26.8
	8 days	2	4.9	2	4.9
Irritability	1-3 days	45	83.3	52	81.3
	4-7 days	6	11.1	11	17.2
	8 days	3	5.6	1	1.6