

**Supplemental Table 2. Age- and sex-specific prevalence (per 100 population) of the 20 chronic conditions considered individually. <sup>a</sup>**

Condition	Age group (years) <sup>b</sup>															
	0-19		20-39		40-49		50-59		60-69		70-79		≥ 80		≥ 65	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Hyperlipidemia</b>																
Both sexes	47	0.1	1,390	3.6	3,125	16.8	6,296	33.2	5,946	50.6	4,719	64.8	2,971	58.1	10,556	60.0
Men	24	0.1	822	4.6	1,893	21.1	3,404	37.7	2,911	52.9	2,227	66.3	1,209	63.5	4,833	62.7
Women	23	0.1	568	2.7	1,232	12.8	2,892	29.1	3,035	48.6	2,492	63.6	1,762	54.9	5,723	57.8
<b>Hypertension</b>																
Both sexes	47	0.1	940	2.4	2,117	11.4	4,513	23.8	5,037	42.9	4,396	60.4	3,767	73.7	10,706	60.8
Men	26	0.1	497	2.8	1,156	12.9	2,302	25.5	2,414	43.8	2,029	60.4	1,377	72.4	4,624	60.0
Women	21	0.1	443	2.1	961	10.0	2,211	22.2	2,623	42.0	2,367	60.4	2,390	74.5	6,082	61.5
<b>Depression</b>																
Both sexes	1,070	2.8	5,116	13.1	2,771	14.9	2,743	14.5	1,411	12.0	744	10.2	807	15.8	2,117	12.0
Men	432	2.2	1,492	8.3	937	10.4	901	10.0	471	8.6	254	7.6	241	12.7	682	8.8
Women	638	3.4	3,624	17.2	1,834	19.0	1,842	18.5	940	15.0	490	12.5	566	17.6	1,435	14.5
<b>Diabetes</b>																
Both sexes	110	0.3	895	2.3	1,481	8.0	3,014	15.9	3,128	26.6	2,632	36.2	1,673	32.7	5,873	33.4
Men	53	0.3	399	2.2	801	8.9	1,611	17.8	1,657	30.1	1,336	39.8	731	38.4	2,892	37.5
Women	57	0.3	496	2.4	680	7.0	1,403	14.1	1,471	23.5	1,296	33.1	942	29.4	2,981	30.1
<b>Arthritis</b>																
Both sexes	46	0.1	412	1.1	1,054	5.7	2,496	13.2	2,610	22.2	2,390	32.8	2,020	39.5	5,693	32.3
Men	23	0.1	164	0.9	449	5.0	973	10.8	973	17.7	908	27.0	662	34.8	2,058	26.7
Women	23	0.1	248	1.2	605	6.3	1,523	15.3	1,637	26.2	1,482	37.8	1,358	42.3	3,635	36.7
<b>Cancer</b>																
Both sexes	64	0.2	558	1.4	782	4.2	1,566	8.3	1,884	16.0	2,131	29.3	1,850	36.2	5,007	28.4
Men	38	0.2	165	0.9	279	3.1	655	7.2	942	17.1	1,170	34.8	886	46.6	2,581	33.5
Women	26	0.1	393	1.9	503	5.2	911	9.2	942	15.1	961	24.5	964	30.0	2,426	24.5
<b>Cardiac arrhythmias</b>																
Both sexes	175	0.5	816	2.1	618	3.3	1,045	5.5	1,231	10.5	1,744	24.0	2,128	41.6	4,539	25.8
Men	84	0.4	245	1.4	260	2.9	551	6.1	688	12.5	965	28.7	955	50.2	2,309	30.0
Women	91	0.5	571	2.7	358	3.7	494	5.0	543	8.7	779	19.9	1,173	36.6	2,230	22.5

**Supplemental Table 2. Continued**

Condition	Age group (years) <sup>b</sup>															
	0-19		20-39		40-49		50-59		60-69		70-79		≥ 80		≥ 65	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>Asthma</b>																
Both sexes	2,297	6.0	1,772	4.5	884	4.7	907	4.8	551	4.7	361	5.0	261	5.1	855	4.9
Men	1,307	6.8	555	3.1	277	3.1	289	3.2	165	3.0	123	3.7	82	4.3	279	3.6
Women	990	5.3	1,217	5.8	607	6.3	618	6.2	386	6.2	238	6.1	179	5.6	576	5.8
<b>CAD</b>																
Both sexes	3	<0.1	43	0.1	205	1.1	757	4.0	1,316	11.2	1,604	22.0	1,587	31.0	3,930	22.3
Men	1	<0.1	29	0.2	148	1.6	569	6.3	937	17.0	1,036	30.8	836	43.9	2,385	30.9
Women	2	<0.1	14	0.1	57	0.6	188	1.9	379	6.1	568	14.5	751	23.4	1,545	15.6
<b>Substance abuse disorders</b>																
Both sexes	219	0.6	1,397	3.6	702	3.8	576	3.0	227	1.9	102	1.4	53	1.0	244	1.4
Men	110	0.6	746	4.1	401	4.5	354	3.9	151	2.7	63	1.9	29	1.5	150	1.9
Women	109	0.6	651	3.1	301	3.1	222	2.2	76	1.2	39	1.0	24	0.7	94	1.0
<b>COPD</b>																
Both sexes	249	0.7	279	0.7	289	1.6	476	2.5	562	4.8	613	8.4	607	11.9	1,523	8.7
Men	139	0.7	82	0.5	112	1.2	211	2.3	272	4.9	310	9.2	266	14.0	725	9.4
Women	110	0.6	197	0.9	177	1.8	265	2.7	290	4.6	303	7.7	341	10.6	798	8.1
<b>Osteoporosis</b>																
Both sexes	1	<0.1	31	0.1	70	0.4	313	1.6	612	5.2	840	11.5	1,136	22.2	2,325	13.2
Men	1	<0.1	11	0.1	29	0.3	59	0.7	61	1.1	86	2.6	135	7.1	255	3.3
Women	0	0.0	20	0.1	41	0.4	254	2.6	551	8.8	754	19.2	1,001	31.2	2,070	20.9
<b>CKD</b>																
Both sexes	121	0.3	200	0.5	194	1.0	356	1.9	478	4.1	598	8.2	815	15.9	1,694	9.6
Men	80	0.4	90	0.5	110	1.2	202	2.2	252	4.6	348	10.4	389	20.4	884	11.5
Women	41	0.2	110	0.5	84	0.9	154	1.5	226	3.6	250	6.4	426	13.3	810	8.2
<b>Stroke</b>																
Both sexes	18	<0.1	56	0.1	63	0.3	157	0.8	302	2.6	500	6.9	579	11.3	1,253	7.1
Men	12	0.1	25	0.1	32	0.4	88	1.0	168	3.1	273	8.1	269	14.1	641	8.3
Women	6	<0.1	31	0.1	31	0.3	69	0.7	134	2.1	227	5.8	310	9.7	612	6.2

**Supplemental Table 2. Continued**

Condition	Age group (years) <sup>b</sup>															
	0-19		20-39		40-49		50-59		60-69		70-79		≥ 80		≥ 65	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
<b>CHF</b>																
Both sexes	3	<0.1	26	0.1	33	0.2	119	0.6	185	1.6	356	4.9	700	13.7	1,162	6.6
Men	1	<0.1	17	0.1	20	0.2	81	0.9	112	2.0	181	5.4	283	14.9	527	6.8
Women	2	<0.1	9	<0.1	13	0.1	38	0.4	73	1.2	175	4.5	417	13.0	635	6.4
<b>Dementia</b>																
Both sexes	30	0.1	84	0.2	79	0.4	102	0.5	116	1.0	232	3.2	690	13.5	979	5.6
Men	17	0.1	53	0.3	44	0.5	54	0.6	53	1.0	107	3.2	225	11.8	356	4.6
Women	13	0.1	31	0.1	35	0.4	48	0.5	63	1.0	125	3.2	465	14.5	623	6.3
<b>Schizophrenia</b>																
Both sexes	20	0.1	227	0.6	148	0.8	151	0.8	98	0.8	70	1.0	136	2.7	243	1.4
Men	11	0.1	147	0.8	74	0.8	77	0.9	32	0.6	27	0.8	46	2.4	86	1.1
Women	9	<0.1	80	0.4	74	0.8	74	0.7	66	1.1	43	1.1	90	2.8	157	1.6
<b>Hepatitis</b>																
Both sexes	23	0.1	153	0.4	165	0.9	179	0.9	88	0.7	47	0.6	18	0.4	97	0.6
Men	12	0.1	70	0.4	101	1.1	113	1.3	47	0.9	25	0.7	5	0.3	44	0.6
Women	11	0.1	83	0.4	64	0.7	66	0.7	41	0.7	22	0.6	13	0.4	53	0.5
<b>Autism spectrum disorder</b>																
Both sexes	84	0.2	10	<0.1	2	<0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Men	67	0.3	7	<0.1	2	<0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Women	17	0.1	3	<0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
<b>HIV</b>																
Both sexes	7	<0.1	26	0.1	29	0.2	11	0.1	3	<0.1	2	<0.1	0	0.0	3	<0.1
Men	2	<0.1	13	0.1	20	0.2	9	0.1	2	<0.1	1	<0.1	0	0.0	1	<0.1
Women	5	<0.1	13	0.1	9	0.1	2	<0.1	1	<0.1	1	<0.1	0	0.0	2	<0.1

<sup>a</sup> CAD = coronary artery disease; COPD = chronic obstructive pulmonary disease; CKD = chronic kidney disease; CHF = congestive heart failure; HIV = human immunodeficiency virus

<sup>b</sup> Numbers to the left of the prevalence figure indicate the actual number of cases observed. Prevalence can be computed by dividing the number of cases by the following corresponding denominators and multiplying by 100. Denominators for men and women combined 0-19 = 38,025; 20-39 = 39,079; 40-49 = 18,628; 50-59 = 18,980; 60-69 = 11,754; 70-79 = 7,280; ≥80 = 5,112; ≥65 = 17,601. Denominators for men: 0-19 = 19,316; 20-39 = 18,028; 40-49 = 8,978; 50-59 = 9,036; 60-69 = 5,506; 70-79 = 3,359; ≥80 = 1,903; ≥65 = 7,707. Denominators for women: 0-19 = 18,709; 20-39 = 21,051; 40-49 = 9,650; 50-59 = 9,944; 60-69 = 6,248; 70-79 = 3,921; ≥80 = 3,209; ≥65 = 9,894.