

Supplementary table 2. Estimates for chronic bronchitis

Urban														
age group (years)	total no. urban_females census	pe - proportion of biomass exposure in urban women	Population exposed - total no. of females exposed to Biomass	OR			PAF (urban)			Rate (unexposed) - prevalence of chronic bronchitis (Jindal et al.. 2012 (3))	total cases in population	AC		
				Est	lowerCI	UpperCI	Est	lowerCI	UpperCI			Est	lowerCI	UpperCI
35-44	26,161,110	0.1880	4,918,289	2.37	1.59	3.54	0.20	0.10	0.32	0.0133	347,698	71,212	34,716	112,373
45-54	18,340,002	0.1880	3,447,920	2.37	1.59	3.54	0.20	0.10	0.32	0.0255	468,400	95,933	46,767	151,382
55-64	11,967,363	0.1880	2,249,864	2.37	1.59	3.54	0.20	0.10	0.32	0.0343	410,982	84,173	41,035	132,825
65-74	6,530,620	0.1880	1,227,757	2.37	1.59	3.54	0.20	0.10	0.32	0.0542	353,633	72,427	35,309	114,291
>=75	3,245,269	0.1880	610,111	2.37	1.59	3.54	0.20	0.10	0.32	0.0625	202,948	41,566	20,263	65,591
										total	1,783,660	365,310	178,090	576,462
Rural														
35-44	50,937,056	0.8260	42,074,008	2.37	1.59	3.54	0.53	0.33	0.68	0.0133	676,986	359,394	221,820	458,465
45-54	35,054,663	0.8260	28,955,152	2.37	1.59	3.54	0.53	0.33	0.68	0.0255	895,288	475,285	293,349	606,303
55-64	26,678,850	0.8260	22,036,730	2.37	1.59	3.54	0.53	0.33	0.68	0.0343	916,202	486,387	300,202	620,466
65-74	16,535,168	0.8260	13,658,049	2.37	1.59	3.54	0.53	0.33	0.68	0.0542	895,380	475,333	293,379	606,365
>=75	7,184,673	0.8260	5,934,540	2.37	1.59	3.54	0.53	0.33	0.68	0.0625	449,305	238,524	147,219	304,276
										total	3,833,161	2,034,922	1,255,969	2,595,875
										grand total	5,616,821	2,400,233	1,434,059	3,172,337