

SUPPLEMENTARY TABLE S1. ESTIMATED MOLECULAR WEIGHT AND HYDRODYNAMIC RADIUS OF PROTEINS

<i>Protein</i>	<i>Name</i>	<i>Mol. weight (Da)</i>	<i>Average mol. weight (Da)</i>	<i>Hydrodynamic radius (nm)</i>	<i>Average hydrodynamic. radius (nm)</i>
α 1 Globulin	Albumin	66,000 ¹⁷	–	3.51 ¹⁷	–
	A1AT	51,000 ⁷	47,500	3.81 ⁷	3.725
	α 1-Antichymotrypsin	(Unknown)		(Unknown)	
	α 1-Acid glycoprotein	44,000 ⁷		3.64 ⁷	
	SAA	(Unknown)		(Unknown)	
α 2 Globulin	α 1-Lipoprotein	(Unknown)		(Unknown)	
	Haptoglobin (multiple isoforms)	100,000–900,000 ⁷	453,333	4.7–25.0 ⁷	9.543
	α 2u Globulin	(Unknown)		(Unknown)	
	α 2-Macroglobulin	725,000 ⁷		9.22 ⁷	
	Ceruloplasmin	135,000 ⁷		4.56 ⁷	
	Thyroxine-binding globulin	54,000 ²⁴		(Unknown)	
	α 2-Antiplasmin	(Unknown)		(Unknown)	
	Protein C	(Unknown)		(Unknown)	
	α 2-Lipoprotein	(Unknown)		(Unknown)	
	Angiotensinogen	(Unknown)		(Unknown)	
	β Globulin	β 2 Microglobulin	(Unknown)	76,000	(Unknown)
Plasminogen		(Unknown)		(Unknown)	
Angiostatin		57,000 ²⁵		(Unknown)	
Properdin or factor P		(Unknown)		(Unknown)	
SHBG		(Unknown)		(Unknown)	
Transferrin		76,000 ⁷		3.72 ⁷	
γ Globulin	IgA	162,000 ⁷	420,667	6.5 ⁷	8.15
	IgG	150,000 ⁷		5.29 ⁷	
	IgM	950,000 ⁷		12.65 ⁷	
	IgD	Negligible			
	IgE	Negligible			

A1AT, α 1-antitrypsin; SAA, serum amyloid A; SHBG, sex hormone-binding globulin.