

**CONTROL  
GROUP TEST 1**

Name	AGE	WEIGHT	COMP WL	TIME FWL	PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT PO	TT TIME	TT HR	TT RPM	EC AT 220W	EFF	ABS VO2	PEAK VE
GS	36	84	380	15	383	4.6	308	3.7	156	325	3.9	161	297	2161	159	83	71.1	20	5.6617	174
BT	38	82	380	15	383	4.7	315	3.8	170	305	3.7	170	278	2356	164	88	76.5	22	5.093	192
JS	41	78	300	75	313	4.0	260	3.3	165	270	3.5	169	261	2375	175	94	70.3	21	4.5628	160
LO	28	78.3	420	0	420	5.4	320	4.1	150	355	4.5	160	347	2073	155	88	69.5	21	5.753	168
MK	42	73	300	135	323	4.4	248	3.4	158	258	3.5	163	263	2369	170	100	69.0	20	4.323	160
BC	25	63	340	17	343	5.4	300	4.8	181	282	4.5	174	305	2129	185	88	80.7	23	4.27	144.6
MC	21	64	380	69	392	6.1	353	5.5	168	356	5.6	166	365	1959	175	88	74.8	22	4.95	150.9
PC	48	73	300	188	331	4.5	273	3.7	161	285	3.9	164	280	2284	176	82	69.4	20	4.56	158.4
SS	47	80	340	80	353	4.4	300	3.8	174	301	3.8	174	297	2281	175	84	70.7	21	4.36	144.8
TD	37	91	260	142	284	3.1	238	2.6	155	247	2.7	158	228	2697	156	84	69.8	20	3.74	138.8
<b>AVE</b>	<b>36.3</b>	<b>76.6</b>	<b>340</b>	<b>74</b>	<b>352</b>	<b>4.7</b>	<b>292</b>	<b>3.9</b>	<b>164</b>	<b>298</b>	<b>4.0</b>	<b>166</b>	<b>292</b>	<b>2268</b>	<b>169</b>	<b>88</b>	<b>72</b>	<b>21.0</b>	<b>4.73</b>	<b>159</b>
<b>SD</b>	<b>9.1</b>	<b>8.7</b>	<b>49.9</b>	<b>64.2</b>	<b>41.7</b>	<b>0.8</b>	<b>36.0</b>	<b>0.8</b>	<b>9.6</b>	<b>37.7</b>	<b>0.8</b>	<b>5.7</b>	<b>40.6</b>	<b>205.0</b>	<b>10.0</b>	<b>5.5</b>	<b>3.9</b>	<b>1.1</b>	<b>0.6</b>	<b>15.9</b>

**CONTROL  
GROUP TEST 2**

NAME	AGE	WEIGHT	COMP WL	TIME FWL	PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT PO	TT TIME	TT HR	TT RPM	EC AT 220W	EFF	ABS VO2	PEAK VE
GS	36	84	380	30	385	4.6	290	3.5	151	323	3.8	160	303	2139	157	79	78	22.4	5.159	162
BT	38	82	340	205	374	4.6	320	3.9	165	309	3.8	161	277	2389	157	79	78	22.4	5.357	175.4
JS	41	78	300	30	305	3.9	253	3.2	156	288	3.7	166	232	2533	152	89	72	20.6	4.2416	150
LO	28	78.3	380	90	395	5.0	305	3.9	144	340	4.3	154	304	2203	146	94	63	18.2	5.808	154.1
MK	42	73	300	90	315	4.3	250	3.4	157	250	3.4	157	256	2403	167	100	72	20.7	4.323	166
BC	25	63	300	120	320	5.1	293	4.7	183	249	4.0	173	286	2198	184	85	79	22.6	4.25	142.1
MC	21	64	380	63	391	6.1	340	5.3	169	331	5.2	166	357	1981	173	88	78	23.2	5.08	167.8
PC	48	73	300	75	313	4.3	273	3.7	161	256	3.5	156	275	2309	175	81	73	20.9	4.26	148.5
SS	47	80	340	80	353	4.4	300	3.8	169	303	3.8	169	280	2343	171	84	71	20.7	4.45	140.5
TD	37	91	260	205	294	3.2	233	2.6	162	230	2.5	162	226	2700	159	85	66	19.0	4.08	143.6
<b>AVE</b>	<b>36.3</b>	<b>76.6</b>	<b>328</b>	<b>99</b>	<b>344</b>	<b>4.6</b>	<b>286</b>	<b>3.8</b>	<b>162</b>	<b>288</b>	<b>3.8</b>	<b>162</b>	<b>280</b>	<b>2320</b>	<b>164</b>	<b>86</b>	<b>73</b>	<b>21.1</b>	<b>4.70</b>	<b>155</b>
<b>SD</b>	<b>9.1</b>	<b>8.7</b>	<b>42.4</b>	<b>62.2</b>	<b>39.2</b>	<b>0.8</b>	<b>33.4</b>	<b>0.8</b>	<b>10.8</b>	<b>39.2</b>	<b>0.7</b>	<b>6.1</b>	<b>37.9</b>	<b>205.0</b>	<b>11.8</b>	<b>6.7</b>	<b>5.4</b>	<b>1.6</b>	<b>0.6</b>	<b>12.1</b>

**CRASH SHORT TEST 1**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		TT HR	TT RPM	EC AT 220W	EFF	ABS VO2	PEAK VE
			WL	FWL	TIME	TT HR																
AS	38	68	300	191	332	4.9	260	3.8	153	236	3.5	147	254	2383	157	88	69	19.9	4.479	152.3		
BC	25	62	340	21	344	5.5	280	4.5	170	284	4.6	171	312	2087	185	93	72.2	21	4.884	140.5		
CS	39	79	300	219	337	4.3	260	3.3	151	200	2.5	129	278	2327	170	87	63.2	18	5.22	193.2		
JL	17	67	300	109	318	4.7	263	3.9	174	274	4.1	178	231	2548	174	84	70.1	20	4.371	133.5		
MT	35	72	340	0	340	4.7	255	3.5	151	297	4.1	165	257	2374	157	98	58.9	18	4.646	192.9		
PC	48	71	300	94	316	4.4	258	3.6	167	277	3.9	172	265	2342	176	88	72.2	21	4.467	164.4		
RH	23	77	300	89	315	4.1	263	3.4	153	274	3.6	156	267	2364	168	89	68.2	20	4.685	163.6		
RK	35	82	380	0	380	4.6	305	3.7	143	270	3.3	132	300	2307	158	104	75.7	22	5.219	185.1		
TB	17	69	340	147	365	5.3	300	4.3	177	284	4.1	172	298	2200	176	83	76.9	22	4.686	176.9		
<b>AVE</b>	<b>30.8</b>	<b>71.9</b>	<b>322.2</b>	<b>96.7</b>	<b>338.3</b>	<b>4.7</b>	<b>271.6</b>	<b>3.8</b>	<b>159.9</b>	<b>266.2</b>	<b>3.7</b>	<b>158.0</b>	<b>273.6</b>	<b>2325.8</b>	<b>169.0</b>	<b>90.4</b>	<b>69.6</b>	<b>20.3</b>	<b>4.7</b>	<b>166.9</b>		
<b>SD</b>	<b>10.8</b>	<b>6.4</b>	<b>29.1</b>	<b>79.9</b>	<b>22.3</b>	<b>0.5</b>	<b>18.9</b>	<b>0.4</b>	<b>12.2</b>	<b>29.9</b>	<b>0.6</b>	<b>18.2</b>	<b>25.9</b>	<b>127.4</b>	<b>9.9</b>	<b>6.8</b>	<b>5.7</b>	<b>1.5</b>	<b>0.3</b>	<b>21.9</b>		

**CRASH SHORT TEST 2**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		TT HR	TT RPM	EC AT 220W	EFF	ABS VO2	PEAK VE
			WL	FWL	TIME	TT HR																
AS	38	68	340	20	343	5.0	265	3.9	153	234	3.4	143	267	2318	156	87	70.2	21	4.542	154.9		
BC	25	62	340	116	359	5.8	295	4.8	173	272	4.4	168	319	2067	182	88	75.0	22	4.708	167.3		
CS	39	79	340	44	347	4.4	260	3.3	142	248	3.1	136	299	2244	164	85	68.0	20	4.887	201.1		
JL	17	67	300	180	330	4.9	265	4.0	179	266	4.0	179	267	2306	182	84	74.2	21	4.166	149.5		
MT	35	72	300	178	330	4.6	263	3.7	152	273	3.8	155	262	2368	156	94	72.1	21	4.607	179.5		
PC	48	71	300	105	318	4.5	260	3.7	156	271	3.8	168	270	2318	172	88	71.0	21	4.376	149.3		
RH	23	77	300	163	327	4.2	260	3.4	151	260	3.4	152	267	2364	168	89	69.5	20	4.815	170.9		
RK	35	82	380	46	388	4.7	305	3.7	142	281	3.4	134	319	2229	156	94	75.5	22	5.335	204.3		
TB	17	69	340	81	354	5.1	300	4.3	175	280	4.1	169	288	2238	175	79	81.3	23	4.303	154.8		
<b>AVE</b>	<b>30.8</b>	<b>71.9</b>	<b>326.7</b>	<b>103.7</b>	<b>343.9</b>	<b>4.8</b>	<b>274.8</b>	<b>3.9</b>	<b>158.1</b>	<b>265.0</b>	<b>3.7</b>	<b>156.0</b>	<b>284.2</b>	<b>2272.4</b>	<b>167.9</b>	<b>87.6</b>	<b>73.0</b>	<b>21.1</b>	<b>4.6</b>	<b>170.2</b>		
<b>SD</b>	<b>10.8</b>	<b>6.4</b>	<b>28.3</b>	<b>60.6</b>	<b>21.3</b>	<b>0.5</b>	<b>19.2</b>	<b>0.5</b>	<b>14.1</b>	<b>15.4</b>	<b>0.4</b>	<b>16.0</b>	<b>23.0</b>	<b>92.8</b>	<b>10.6</b>	<b>4.7</b>	<b>4.1</b>	<b>1.1</b>	<b>0.4</b>	<b>21.1</b>		

**CRASH SHORT TEST 3**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		EC AT	EFF	ABS	PEAK VE
			WL	FWL	TT PO	TIME									TT HR	RPM				
AS	38	68	340	30	345	5.1	260	3.8	151	264	3.9	152	267	2295	155	87	71.7	21	4.796	166.6
BC	25	62	340	52	349	5.6	290	4.7	172	279	4.5	168	315	2079	187	84	74.8	21	4.526	150.4
CS	39	79	300	191	332	4.2	260	3.3		255	3.2		265	2369		80	71.3	21	4.732	204.3
JL	17	67	340	30	345	5.1	263	3.9	168	273	4.1	172	282	2239	179	82	74.8	22	4.442	155.8
MT	35	72	300	225	338	4.7	263	3.7	152	296	4.1	162	258	2376	156	90	76.8	22	4.797	177.1
PC	48	71	300	148	325	4.6	260	3.7	164	267	3.8	166	256	2368	178	81	75.1	22	4.221	162.8
RH	23	77	340	1	340	4.4	263	3.4		263	3.4		267	2372	156	87	68.7	20	5.195	188.2
RK	35	82	380	52	389	4.7	300	3.7	143	284	3.5	138	310	2258	157	90	77.2	23	5.507	210.7
TB	17	69	340	90	355	5.1	303	4.4	177	277	4.0	167	283	2255	175	82	79.3	23	4.417	162.7
<b>AVE</b>	<b>30.8</b>	<b>71.9</b>	<b>331.1</b>	<b>91.0</b>	<b>346.3</b>	<b>4.8</b>	<b>273.6</b>	<b>3.8</b>	<b>161.0</b>	<b>273.1</b>	<b>3.8</b>	<b>160.7</b>	<b>278.1</b>	<b>2290.1</b>	<b>167.9</b>	<b>84.8</b>	<b>74.4</b>	<b>21.4</b>	<b>4.7</b>	<b>175.4</b>
<b>SD</b>	<b>10.8</b>	<b>6.4</b>	<b>26.7</b>	<b>78.9</b>	<b>18.3</b>	<b>0.4</b>	<b>18.4</b>	<b>0.4</b>	<b>12.5</b>	<b>12.5</b>	<b>0.4</b>	<b>11.8</b>	<b>21.6</b>	<b>97.4</b>	<b>13.1</b>	<b>3.8</b>	<b>3.3</b>	<b>1.0</b>	<b>0.4</b>	<b>21.4</b>

**CRASH SHORT TEST 4**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		EC AT	EFF	ABS	PEAK VE
			WL	FWL	TT PO	TIME									TT HR	RPM				
AS	38	68	340	100	357	5.2	270	4.0	151	244	3.6	143	272	2275	154	84	74.0	21	4.534	170.9
BC	25	62	340	80	353	5.7	290	4.7	171	295	4.8	172	322	2055	187	82	74.8	22	4.609	153.4
CS	39	79	300	215	336	4.3	260	3.3	143	221	2.8	137	280	2323	165	79	67.4	19	4.774	202.6
JL	17	67	340	61	350	5.2	273	4.1	171	278	4.1	172	281	2242	179	80	76.4	22	4.407	152.3
MT	35	72	340	30	345	4.8	260	3.6	153	296	4.1	164	272	2314	159	95	70.0	20	4.844	182.8
PC	48	71	300	200	333	4.7	283	4.0	161	283	4.0	161	291	2225	178	81	75.5	22	4.721	159.2
RH	23	77	340	11	342	4.4	260	3.4	3.72	265	3.4	157	283	2278	165	77	71.8	21	5.067	174.7
RK	35	82	380	81	394	4.8	300	3.7	143	306	3.7	145	313	2223	153	90	78.3	23	5.69	205.2
TB	17	69	340	184	371	5.4	308	4.5	173	293	4.2	169	308	2154	177	85	77.6	22	4.545	174.4
<b>AVE</b>	<b>30.8</b>	<b>71.9</b>	<b>335.6</b>	<b>106.9</b>	<b>353.4</b>	<b>4.9</b>	<b>278.2</b>	<b>3.9</b>	<b>141.1</b>	<b>275.7</b>	<b>3.9</b>	<b>157.8</b>	<b>291.3</b>	<b>2232.1</b>	<b>168.6</b>	<b>83.7</b>	<b>74.0</b>	<b>21.3</b>	<b>4.8</b>	<b>175.1</b>
<b>SD</b>	<b>10.8</b>	<b>6.4</b>	<b>24.0</b>	<b>75.0</b>	<b>18.9</b>	<b>0.5</b>	<b>18.1</b>	<b>0.5</b>	<b>52.8</b>	<b>27.8</b>	<b>0.6</b>	<b>13.2</b>	<b>18.5</b>	<b>84.1</b>	<b>12.1</b>	<b>5.7</b>	<b>3.6</b>	<b>1.0</b>	<b>0.4</b>	<b>19.3</b>

**CRASH LONG TEST 1**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		TT HR	RPM	EC AT	220W	EFF	ABS	VO2	PEAK VE
			WL	FWL	TT PO	TIME																		
BR	16	78.7	340	165	368	4.7	320	4.1	171	302	3.8	165	298	2246	174	103	73	20.8	4.664	162				
CP	45	70	300	60	310	4.4	248	3.5	165	245	3.5	165	251	2421	171	82	75	21.2	3.905	175				
GH	37	72.8	340	165	368	5.0	300	4.1	146	329	4.5	157	289	2263	159	99	67	19.5	5.4109	180				
JK	42	71.7	340	75	353	4.9	263	3.7	131	331	4.6	128	298	2235	154	93	72	20.9	4.6145	179				
KW	44	68	300	45	308	4.5	253	3.7	156	270	4.0	164	254	2387	164	90	77	22.0	4.0623	175				
NIGE	42	86	340	90	355	4.1	300	3.5	162	331	3.8	171	297	2181	172	90	69	19.8	5.005	185				
NIK	30	83	300	30	305	3.7	250	3.0	165	254	3.1	168	235	2670	171	114	67	19.6	5.038	165				
VC	33	75	300	0	300	4.0	255	3.4	177	249	3.3	175	248	2440	178	92	67	19.1	4.367	165				
WB	27	74.9	340	105	358	4.8	308	4.1	151	327	0.0	156	315	2153	159	89	70	20.8	4.994	157				
WG	16	67.8	300	150	325	4.8	275	4.1	170	278	4.1	170	274	2337	173	93	71	20.2	4.389	170				
<b>AVE</b>	<b>33.2</b>	<b>74.8</b>	<b>320.0</b>	<b>88.5</b>	<b>334.8</b>	<b>4.5</b>	<b>277.2</b>	<b>3.7</b>	<b>159.4</b>	<b>291.6</b>	<b>3.5</b>	<b>161.9</b>	<b>275.9</b>	<b>2333.3</b>	<b>167.5</b>	<b>94.5</b>	<b>70.8</b>	<b>20.4</b>	<b>4.6</b>	<b>171.3</b>				
<b>SD</b>	<b>10.9</b>	<b>6.1</b>	<b>21.1</b>	<b>57.6</b>	<b>27.8</b>	<b>0.4</b>	<b>27.3</b>	<b>0.4</b>	<b>13.7</b>	<b>36.4</b>	<b>1.3</b>	<b>13.3</b>	<b>27.2</b>	<b>153.9</b>	<b>7.9</b>	<b>8.9</b>	<b>3.4</b>	<b>0.9</b>	<b>0.5</b>	<b>9.0</b>				

**CRASH LONGTEST 2**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		TT HR	RPM	EC AT	220W	EFF	ABS	VO2	PEAK VE
			WL	FWL	TT PO	TIME																		
BR	16	78.7	340	15	343	4.4	303	3.9	164	321	4.1	169	261	2427	158	96	76	21.8	5.181	142				
CP	45	70	300	105	318	4.5	263	3.8	170	270	3.9	172	260	2366	172	83	74	21.0	4.268	177				
GH	37	72.8	340	225	378	5.2	310	4.3	144	318	4.4	147	300	2189	158	97	78	22.5	5.1634	172				
JK	42	71.7	340	105	358	5.0	278	3.9	126	328	4.6	145	311	2178	150	92	75	21.7	4.818	197				
KW	44	68	300	15	303	4.4	258	3.8	169	272	4.0	162	260	2360	165	81	76	21.8	4.3714	174				
NIGE	42	86	340	105	358	4.2	300	3.5	159	356	4.1	173	293	2202	162	92	72	20.9	4.631	185				
NIK	30	83	300	90	315	3.8	260	3.1	168	299	3.6	177	255	2497	177	92	68	19.9	4.708	155				
VC	33	75	300	15	303	4.0	260	3.5	176	247	3.3	172	244	2449	178	90	64	18.5	4.367	172				
WB	27	74.9	340	205	374	5.0	300	4.0	148	332	4.4	159	323	2126	165	87	72	21.2	5.093	173				
WG	16	67.8	340	0	340	5.0	285	4.2	163	291	4.3	165	279	2271	167	95	77	21.8	4.554	170				
<b>AVE</b>	<b>33.2</b>	<b>74.8</b>	<b>324.0</b>	<b>88.0</b>	<b>338.7</b>	<b>4.6</b>	<b>281.7</b>	<b>3.8</b>	<b>158.7</b>	<b>303.4</b>	<b>4.1</b>	<b>164.1</b>	<b>278.6</b>	<b>2306.5</b>	<b>165.2</b>	<b>90.5</b>	<b>73.2</b>	<b>21.1</b>	<b>4.7</b>	<b>171.7</b>				
<b>SD</b>	<b>10.9</b>	<b>6.1</b>	<b>20.7</b>	<b>79.6</b>	<b>28.1</b>	<b>0.5</b>	<b>20.6</b>	<b>0.3</b>	<b>15.2</b>	<b>33.6</b>	<b>0.4</b>	<b>11.0</b>	<b>26.8</b>	<b>130.2</b>	<b>8.8</b>	<b>5.4</b>	<b>4.3</b>	<b>1.2</b>	<b>0.3</b>	<b>15.0</b>				

**CRASH LONG TEST 3**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		TT HR	RPM	EC AT	220W	EFF	ABS	V02	PEAK VE
			WL	FWL	TT PO	TIME																		
BR	16	78.7	340	225	378	4.8	315	4.0	166	322	4.1	170	295	2265	171	98	75	21.4	4.95	178				
CP	45	71	340	30	345	4.9	263	3.7	164	281	4.0	168	292	2214	173	85	76	21.7	4.5441	176				
GH	37	71.8	380	120	400	5.6	310	4.3	147	325	4.5	154	324	2087	165	90	76	22.2	5.522	183				
JK	42	72.9	380	15	383	5.2	303	4.2	131	323	4.4	140	295	2261	148	96	72	21.0	4.9247	198				
KW	44	68	300	30	305	4.5	260	3.8	161	272	4.0	166	248	2409	167	86	74	21.1	4.1503	189				
NIGE	42	86.4	340	180	370	4.3	313	3.6	163	325	3.8	168	295	2188	176	88	72	20.9	5.214	193				
NIK	30	82	340	0	340	4.1	285	3.5	168	296	3.6	170	276	2356	174	86	70	20.3	4.708	157				
VC	33	75.2	300	120	320	4.3	268	3.6	183	257	3.4	179	264	2365	187	86	70	20.1	4.389	182				
WB	27	74.9	380	75	393	5.2	350	4.7	159	362	4.8	162	338	2067	164	86	74	21.9	5.379	173				
WG	16	67.8	300	145	324	4.8	260	3.8	167	283	4.2	170	257	2392	169	92	83	23.5	4.202	168				
<b>AVE</b>	<b>33.2</b>	<b>74.9</b>	<b>340.0</b>	<b>94.0</b>	<b>355.7</b>	<b>4.8</b>	<b>292.7</b>	<b>3.9</b>	<b>160.9</b>	<b>304.6</b>	<b>4.1</b>	<b>164.7</b>	<b>288.4</b>	<b>2260.4</b>	<b>169.4</b>	<b>89.3</b>	<b>74.2</b>	<b>21.4</b>	<b>4.8</b>	<b>179.7</b>				
<b>SD</b>	<b>10.9</b>	<b>6.0</b>	<b>32.7</b>	<b>76.1</b>	<b>33.2</b>	<b>0.5</b>	<b>30.3</b>	<b>0.4</b>	<b>13.8</b>	<b>32.0</b>	<b>0.4</b>	<b>10.8</b>	<b>28.4</b>	<b>122.2</b>	<b>10.0</b>	<b>4.6</b>	<b>3.8</b>	<b>1.0</b>	<b>0.5</b>	<b>12.1</b>				

**CRASH LONG TEST 4**

NAME	AGE	WEIGHT	COMP		TIME		PPO	PPO/KG	VT	VT/KG	VT HR	(OBLA)	LIP/KG	LIP HR	TT		TT HR	RPM	EC AT	220W	EFF	ABS	V02	PEAK VE
			WL	FWL	TT PO	TIME																		
BR	16	78.9	380	45	388	4.9	325	4.1	167	302	3.8	171	316	2144	175	98	77	22.0	5.368	180				
CP	45	71.4	340	15	343	4.8	283	4.0	163	275	3.9	163	290	2203	168	83	79	23.0	4.2185	179				
GH	37	71.5	380	75	393	5.5	325	4.5	150	334	4.7	155	332	2069	165	92	80	23.1	5.291	171				
JK	42	72	380	15	383	5.3	320	4.4	139	327	4.5	142	307	2190	150	86	72	20.9	5.3284	191				
KW	44	68	300	120	320	4.7	255	3.8	154	266	3.9	156	263	2334	164	84	78	22.1	4.3593	192				
NIGE	42	87	380	15	383	4.4	308	3.5	168	333	3.8	176	285	2222	172	83	71	20.7	5.137	196				
NIK	30	82.7	340	15	343	4.1	283	3.4	166	312	3.8	174	274	2370	175	88	73	21.6	4.389	160				
VC	33	74	300	210	335	4.5	263	3.6	174	255	3.4	172	266	2344	183	83	69	19.8	4.62	199				
WB	27	76	380	75	393	5.2	350	4.6	159	362	4.8	162	330	2099	157	81	76	22.6	5.137	175				
WG	16	68	340	30	345	5.1	300	4.4	169	297	4.4	169	296	2188	171	91	78	22.4	4.642	157				
<b>AVE</b>	<b>33.2</b>	<b>75.0</b>	<b>352.0</b>	<b>61.5</b>	<b>362.3</b>	<b>4.9</b>	<b>301.2</b>	<b>4.0</b>	<b>160.9</b>	<b>306.3</b>	<b>4.1</b>	<b>164.0</b>	<b>295.9</b>	<b>2216.3</b>	<b>168.0</b>	<b>86.9</b>	<b>75.3</b>	<b>21.8</b>	<b>4.8</b>	<b>180.0</b>				
<b>SD</b>	<b>10.9</b>	<b>6.3</b>	<b>32.9</b>	<b>63.0</b>	<b>27.7</b>	<b>0.4</b>	<b>30.1</b>	<b>0.5</b>	<b>10.6</b>	<b>34.0</b>	<b>0.4</b>	<b>10.6</b>	<b>25.0</b>	<b>103.4</b>	<b>9.5</b>	<b>5.3</b>	<b>3.9</b>	<b>1.1</b>	<b>0.4</b>	<b>14.6</b>				