Questionnaire topic	CAPI	CASI
General health, health conditions, medications taken, medical procedures (that may affect a person's sex life)	X	
Family when growing up	X	
Learning about sex	X	
First heterosexual experience	X	
Contraception used	X	
Periods, menopause and use of hormone replacement therapy Experience of different heterosexual practices (vaginal, oral and anal intercourse)	X	X
Opposite-sex sex in the last 4 weeks and condom		X
use Same-sex sexual experiences (types of sexual practices, sex in last 4 weeks)		X
Number of opposite-sex partners in different time		X
periods (lifetime, 5 years, 1 year, 3 months) Number of same-sex partners in different time		X
periods Details of most recent partners		X
Having sex with people from other countries and while abroad Non-volitional sex		X X
Paying for sex		X
Family formation, pregnancy history and unplanned pregnancy Fertility intentions and infertility		X X
STI diagnoses and clinic attendance, HPV		X
vaccination and cervical screening Circumcision		X
HIV testing		X
Sexual function and satisfaction		X
Use of Viagra		X
Use of recreational drugs		X
Screen for depressive symptoms		X
Attitudes to different kinds of relationship and sexual lifestyles	X	
Perceived risk of HIV and other STIs	X	
Previous live-in partnerships	X	

The web surveys did not include all the questionnaire topics covered by Natsal-3 and, for some topics, included only some of the questions used in Natsal-3.