

Table S6. Polymorphic sites for the gene β -tubulin in 35 isolates of *Phytophthora infestans*. Inferred haplotypes are identified with the letter H followed by a number. Total length of the sequence is indicated within parentheses.

	β -tubulin (883 bp)		
	583	808	829
US-1	C	C	T
US-6	C	Y	T
US-7	Y	C	Y
US-8	Y	C	Y
US-11	Y	Y	Y
US-12	C	C	T
US-14	Y	C	Y
US-16	C	Y	T
US-17	C	C	T
US-19	Y	C	Y
US-20	C	Y	T
US-21	C	C	T
US-22	Y	C	Y
US-23	Y	C	Y
US-24	Y	C	Y
GDT-01	C	Y	T
GDT-02	C	C	T
GDT-03	C	C	T
GDT-04	T	C	Y
GDT-05	C	C	T
GDT-06	C	C	T
GDT-07	C	C	T
GDT-08	Y	C	Y
GDT-09	C	C	T
GDT-10	C	C	T
GDT-11	Y	C	Y
GDT-12	C	C	T
GDT-13	C	C	T
GDT-14	Y	C	Y
GDT-15	C	C	T
GDT-16	Y	C	Y
GDT-17	Y	C	Y
GDT-18	Y	C	Y
GDT-19	C	C	T
GDT-20	C	C	T

Y = C/T

H1	C	C	T
H2	C	T	T
H3	T	C	C
H4	T	C	T