

SUPPLEMENTAL MATERIAL

SUPPLEMENTAL TABLE I. Factors Tested During the Statistical Analysis

- Age at Transplantation (Tx)
- Body Mass Index
- LVAD placement before Tx
- Prior Cerebral Vascular Accident
- Peripheral Vascular Disease
- Coronary Artery Disease
- Diabetes
- Hypertension
- Smoker
- Prior Cancer
- Prior Myocardial Infarction
- Prior COPD
- HIV status (positive)
- Amyloidosis
- Prior Cardiothoracic Surgeries(>2)
- Renal Failure requiring dialysis
- LV Ejection Fraction
- Alternative Listing Status
- Sex (female)
- Re-Transplant
- GFR-MDRD
- African-American Race
- Hispanic Race
- Caucasian Race
- Cardiopulmonary Bypass Time
- Cross-clamp Time
- Donor Ischemic Time
- Donor Age
- Pre-Tx Triglycerides
- Pre-Tx Cholesterol
- Pre-Tx HDL
- Pre-Tx LDL
- Pre-Tx BUN
- Pre-Operative Creatinine
- Pre-Tx Glucose
- Pre-Tx Calcium
- Pre-Tx Hematocrit
- Pre-Tx Hemoglobin
- Pre-Tx MCV
- Pre-Tx Platelet
- Pre-Tx Total Protein
- Pre-Tx Albumin
- Pre-Tx Total Bilirubin
- Pre-Tx AST
- Pre-Tx ALT
- Pre-Tx TAP
- Pre-Tx GGT
- Pre-Tx PT
- Pre-Tx PTT
- Pre-Tx INR
- Pre-Tx TSH
- Pre-Tx T4
- Pre-Tx Ferritin
- Pre-Tx TIBC
- Pre-Tx Iron

SUPPLEMENTAL TABLE II. Distribution of Scores in Patients on the Regular and High

Risk Alternate List

Score	Regular List (n=711)	High Risk List (n=111)
0 (n, %)	395 (55.6)	49 (44.1)
1 (n, %)	58 (8.2)	16 (14.4)
2 (n, %)	191 (26.9)	28 (25.2)
3 (n, %)	32 (4.5)	7 (6.3)
4 (n, %)	26 (3.7)	5 (4.5)
5 (n, %)	7 (1.0)	2 (1.8)
6 (n, %)	1 (0.001)	2 (1.8)
7 (n, %)	1 (0.001)	2 (1.8)