


Suppl. Fig. 1: Sub-analysis of the distribution of SCORE results on the 141 LTBI subjects and the 53 TB patients based on their TB clinical localization (*i.e.* pulmonary (PTB) or extrapulmonary (ETB) TB).

Suppl. Table 1. Demographic and clinical description of the 53 TB patients included in this study.

Supplemental Figure 1

A



Suppl. Table 1

Demographics and laboratory/clinical measures of active TB patients

Patient ID	Gender	Age	TST ^a	IGRA ^b	PCR/Nucleic Acid Amplification	AFB ^c	Gene-Xpert	Culture	Clinics	Origin	Comments
A1 ^d	F	30	/ ^e	+	+	+	/	+	PTB ^g	/	
A2 ^d	F	59	/	+	+	+	/	-	ETB	/	
A3 ^d	M	27	/	+	+	-	/	-	ETB ^f	/	Clinical TB
A4 ^d	F	78	/	+	+	+	/	+	ETB	/	
A5 ^d	M	35	/	+	+	+	/	+	ETB	/	HIV positive
A6 ^d	F	8	/	+	+	+	/	+	ETB	/	
A7 ^d	M	17	/	+	-	-	/	-	ETB	/	Clinical TB
A8 ^d	F	48	/	+	+	+	/	+	PTB	/	HIV positive
CH-3 ^d	M	76	/	+	+	+	/	+	PTB	Switzerland	
CH-4 ^d	M	29	+	+	/	-	/	+	PTB	Somalia	
CH-5 ^d	M	54	/	+	+	+	/	+	PTB	Somalia	
SA-1 ^d	M	41	/	+	/	+	/	+	PTB	SA	
SA-2 ^d	M	59	/	+	/	+	/	+	PTB	SA	
SA-3 ^d	M	38	/	+	/	-	/	+	PTB	SA	
SA-4 ^d	M	31	/	+	/	+	/	+	PTB	SA	
SA-5 ^d	M	47	/	+	/	-	/	+	PTB	SA	
SA-7 ^d	M	54	/	+	/	+	/	+	PTB	SA	
SA-8 ^d	M	50	/	+	/	-	/	+	PTB	SA	
SA-9 ^d	M	38	/	+	/	+	/	+	PTB	SA	
SA-10 ^d	M	51	/	+	/	-	/	+	PTB	SA	
SA-11 ^d	M	23	/	+	/	+	/	+	PTB	SA	
SA-12 ^d	M	45	/	+	/	-	/	+	PTB	SA	
TB-7 ^d	F	31	/	+	-	-	/	+	ETB	Portugal	
TB-8 ^d	M	18	/	+	+	-	/	+	ETB	na	
TB-14 ^d	M	37	/	+	/	-	/	+	PTB	SA	
TB-22 ^d	F	39	/	+	/	+	/	+	PTB	/	
TB-26 ^d	M	29	+	/	+	+	/	+	PTB	India	
TB-34 ^d	M	52	+	/	+	+	/	+	PTB	Romania	
TB-37	F	35	/	+	/	/	/	/	ETB	Philippines	Clinical TB
TB-38	M	48	/	+	/	/	/	/	ETB	Italy	Clinical TB
TB-39	F	25	+	+	/	/	/	-	PTB	Nigeria	HIV positive
TB-40	M	/	/	+	/	/	/	+	PTB	SA	
TB-41	M	43	+	+	/	+	/	+	PTB	Romania	
TB-42	M	36	/	+	/	+	/	+	PTB	Romania	
TB-43	F	26	/	+	/	+	/	+	PTB	Romania	
TB-44	M	61	+	+	+	+	/	+	PTB	Italy	
TB-45	F	51	+	+	-	-	/	-	PTB	Italy	Clinical TB
TB-46	M	32	/	/	/	+	+	/	PTB	SA	
TB-47	M	40	/	/	/	+	+	/	PTB	SA	
TB-48	F	20	/	/	/	-	+	/	PTB	SA	
TB-49	F	27	/	/	/	+	+	/	PTB	SA	
TB-50	M	53	/	/	/	+	+	/	PTB	SA	
TB-51	M	22	/	/	/	+	+	/	PTB	SA	
TB-52	F	46	/	/	/	+	+	/	PTB	SA	
TB-53	F	20	/	/	/	+	+	/	PTB	SA	
TB-54	F	33	/	/	/	+	+	/	PTB	SA	
TB-55	M	45	/	/	/	+	+	/	PTB	SA	
TB-56	F	21	/	/	/	-	+	/	PTB	SA	
TB-57	F	54	/	/	/	-	+	/	PTB	SA	
TB-58	M	27	/	/	/	+	+	/	PTB	SA	
TB-59	M	36	/	/	/	+	+	/	PTB	SA	
TB-60	M	44	/	/	/	-	+	/	PTB	SA	
TB-61	M	34	/	/	/	-	+	/	PTB	SA	

^a Tuberculin Skin test. ^b IFN- γ Release Assay (IFN- γ ELISpot or Quantiferon). ^c AFB (acid-fast bacilli) and culture performed according to Murray *et al*, Manual of Clinical Microbiology, American Society of Microbiology. ^d Previously described patients (Harari *et al*, Nat Med 2011; Rozot *et al*, Eur J Immunol 2013). ^e Not done/Missing data. ^f Extrapulmonary TB and ^g Pulmonary TB (according to WHO guidelines (www.who.int)).