Supplementary Table 1. Length of each session (in minutes) across treatment groups

	FF	TSB	n value
	M (SD)	M (SD)	p value
Session 1 (includes 15 minute	89.73 (17.03)	50.38 (15.79)	<.001
engagement module)			
Session 2	85.92 (24.40)	39.26 (13.47)	<.001
Session 3	66.00 (18.05)	38.05 (9.44)	<.001
Session 4	80.93 (12.00)	50.35 (12.89)	<.001
Session 5 (includes 15 minute	85.08 (13.20)	57.31 (13.29)	<.001
engagement module)			
Session 6	72.83 (15.24)	43.53 (13.83)	<.001
Session 7 (includes 15 minute	81.85 (12.25)	47.89 (16.02)	<.001
engagement module)			
Session 8	68.08 (14.92)	46.78 (14.87)	<.001
Session 9	67.58 (13.70)	37.65 (11.94)	<.001
Session 10	61.50 (18.29)	35.28 (15.66)	<.001

M = Mean; SD = Standard Deviation; FF = face to face; TSB = therapist-supported bibliotherapy.

Supplementary Table 2. Barriers to Treatment Participation Scale (BTPS) (means and standard deviations (1-5 point scale))

BTPS Subscales	All	FF	TSB	р
	M (SD)	M (SD)	M (SD)	value
Stressors and Obstacles (that compete with	1.57 (.42)	1.46 (.31)	1.69 (.49)	.07
treatment)				
Treatment Demands and Issues	1.38 (.27)	1.37 (.27)	1.38 (.27)	.91
Perceived Relevance of Treatment	1.18 (.29)	1.13 (.28)	1.23 (.31)	.29
Relationship with Therapist	1.00 (.00)	1.00 (.00)	1.00 (.00)	

FF = face to face; TSB = therapist-supported bibliotherapy.