

# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be  
a) a guide for reporting for authors of RCTs,  
b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption): Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

\* Required

**Your name \***

First Last

**Primary Affiliation (short), City, Country \***

University of Toronto, Toronto, Canada

**Your e-mail address \***

abc@gmail.com

**Title of your manuscript \***

Provide the (draft) title of your manuscript.

**Article Preparation Status/Stage \***

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- Other:

**Journal \***

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)
- Other:

**Manuscript tracking number \***

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

- no ms number (yet) / not (yet) submitted to / published in JMIR
- Other:

# TITLE AND ABSTRACT

## 1a) TITLE: Identification as a randomized trial in the title

### 1a) Does your paper address CONSORT item 1a? \*

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

yes

Other:

### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Alive-PD Study is a randomized parallel-group controlled trial of the Alive-PD program vs. a 6-month-delayed control group among participants with pre-diabetes. "

"Alive-PD is delivered via an individualized website and interactive e-mails, and is supplemented by a smartphone application and automated phone and print modules. "

### 1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

1 2 3 4 5

subitem not at all important      essential

Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We include Interactive Voice Response telephone counseling. However, we believe it is not essential to include this fact in the title.

"Automated phone and print

The content of these Alive-PD modules was developed by nutrition and physical activity professionals, through collaboration with Stanford and Brown University experts. With these technologies, individually-tailored print and phone messages are delivered automatically, by computer algorithm. They make use of the

### 1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")

Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1a-iii? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"... diabetes prevention program..."

## 1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

### 1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-i? \***

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The program involves weekly tailored goal-setting, a team system and gamification, and other opportunities for interaction. An accompanying smartphone app supports goal-setting and activity planning. "

"Participants were randomized by computer algorithm to begin the program immediately or after a 6-month delay. "

**1b-ii) Level of human involvement in the METHODS section of the ABSTRACT**

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-ii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"...Alive-PD, a one-year fully automated intervention delivered by email and web. "

**1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT**

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-iii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"HbA1c, glucose, lipids, BMI, waist circumference and blood pressure will be assessed at baseline, 3, 6, 9 and 12 months. Randomization and delivery of the intervention are independent of clinic staff, and clinic staff have been masked to the treatment group. "

**1b-iv) RESULTS section in abstract must contain use data**

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-iv?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is to be submitted to JMIR Research Protocols, so results are not presented.

"Participants (n=340) had a mean (SD) as follows: age 55 (8.9)y; BMI 31.1 (4.3); male 68.5%. "

**1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials**

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-v?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**INTRODUCTION**

**2a) In INTRODUCTION: Scientific background and explanation of rationale**

**2a-i) Problem and the type of system/solution**

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 2a-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Eighty-six million U.S. adults, over one-third, have pre-diabetes, up from 79 million in 2010 (1). Over half of those with pre-diabetes will eventually progress to Type 2 diabetes (T2DM) (2) in the absence of effective behavioral interventions aimed at producing lasting change in dietary and physical activity behaviors. Thus, there is an urgent need to reach large numbers of individuals with pre-diabetes with approaches that can produce long-term behavioral changes and weight management. Alive-PD is a fully-automated program to prevent progression of pre-diabetes to diabetes. It is a stand-alone intervention,

**2a-ii) Scientific background, rationale: What is known about the (type of) system**

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate),

motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 2a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Previous interventions intended to prevent diabetes have incorporated various levels and combinations of lifestyle coaching, in-person interaction and technology-enhanced tools. The various models differ in reach (and therefore cost), as well as in effectiveness. ...."

There is a fairly extensive discussion of other human-only, technology-assisted or technology-only programs for diabetes prevention or weight loss.

**2b) In INTRODUCTION: Specific objectives or hypotheses**

**Does your paper address CONSORT subitem 2b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We hypothesize that those in the intervention group will achieve statistically significant reduction in fasting glucose and HbA1c as compared to the delayed-entry control group at 6 months post-baseline, and that the intervention group will retain a statistically significant change at one year."

**METHODS**

**3a) Description of trial design (such as parallel, factorial) including allocation ratio**



**Does your paper address CONSORT subitem 3a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Alive-PD Study is a randomized parallel-group controlled trial of the Alive-PD program vs. a 6-month-delayed control group among participants with pre-diabetes. "

**3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons**

**Does your paper address CONSORT subitem 3b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A number of subjects who were eligible by one measure were found to have quite low fasting glucose, and a further restriction, glucose  $\geq$  XX, was added after XX had been enrolled."

**3b-i) Bug fixes, Downtimes, Content Changes**

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 3b-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The smartphone app was introduced after approximately one-fourth of subjects had begun the trial, at which time its availability was announced to all participants."

## 4a) Eligibility criteria for participants

### Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants are recruited from a primary care health center of the Palo Alto Medical Foundation (PAMF), a community-based multi-specialty group practice in California. Primary care patients ages 30-69 years old and BMI  $\geq 27$  with pre-diabetes as defined by a physician diagnosis, and/or fasting glucose in the pre-diabetic range (100-125 mg/dL) and/or Hemoglobin A1c in the pre-diabetic range (5.7-6.4%) at the baseline visit. Exclusion criteria were broad and intended to minimize confounding, optimize participant safety and minimize potential loss to follow-up. Table X provides detailed inclusion/exclusion criteria. "

### 4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Potentially eligible participants were asked if they accessed their email or web at least once per week."

### 4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely

web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 4a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"At the baseline clinic visit, signed informed consent was obtained. HbA1c, fasting glucose, total and HDL cholesterol, triglycerides, and LDL by calculation were assessed through point of care whole blood samples (Siemens DCA Vantage point of care analyzer (20) and Alere Cholestech LDX point-of-care analyzer (21) respectively). "

"At 3, 6, 9 and 12 months the same biometric and questionnaire measures are repeated. An adverse events questionnaire is administered at each follow-up. "

**4a-iii) Information giving during recruitment**

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 4a-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Study invitation letters were mailed to potentially eligible participants, with phone follow-up to explain the study, conduct further eligibility assessment, and invite participation. "

**4b) Settings and locations where the data were collected**

**Does your paper address CONSORT subitem 4b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"After the baseline clinic and the initial account set-up, randomization and delivery of the intervention was conducted electronically by the Alive-PD program, completely independent of clinic staff. "

#### 4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4b-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Outomes were assessed by biometric measures, stated several times already.

#### 4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

## 5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

### 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This is described under Acknowledgements

### 5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Two papers are cited, which describe the randomized trial of prior versions.

"Alive-PD, like its precursor program (3, 4),..."

### 5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

### 5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Two weekly Health Notes, developed by Certified Diabetes Educators, provide health information. "

**5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used**

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-v?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

**5-vi) Digital preservation**

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, webcitation.org, and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-vi?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

### 5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained “access to the platform and Internet” [1]. To ensure access for editors/reviewers/readers, consider to provide a “backdoor” login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-vii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"After leaving the clinic, participants were sent an introductory email from the automated Alive-PD system, with further information and questionnaires. These and all further online interactions were done at a time and place of their choosing."

### 5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], “whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback” [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-viii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study



This is described in detail over several pages.

### 5-ix) Describe use parameters

Describe use parameters (e.g., intended “doses” and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The system suggests to participants that they select one eating habits goal and one physical activity goal from among those suggested each week. However, they may select any number of goals, and/or may write their own goals each week. The program also prompts them each week to report on their success at the previous week's goals. "

### 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as “type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered”. It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Alive-PD is a fully-automated intervention, with no human coaching or advice. "

**5-xi) Report any prompts/reminders used**

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-xi? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Mid-week reminders about the goals chosen that week serve to keep the participant engaged, and the overall objective salient. Participants who have not responded by mid-week by choosing a goal are reminded by email and/or smartphone of their self-reported motivations for joining the program, and are encouraged again to commit to 1-2 goals for the remainder of the week."

**5-xii) Describe any co-interventions (incl. training/support)**

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-xii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Automated phone and print

The content of these Alive-PD modules was developed by nutrition and physical activity professionals, through collaboration with Stanford and Brown University experts. With these technologies, individually-tailored print and phone messages are delivered automatically, by computer algorithm. They make use of the participant's baseline responses to factors such as barriers and motivations for behavior change; participant real-time drop-out or adherence status; on-going participant reports on success at goals undertaken in the Alive-PD program.

## 6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

### Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Assessment of outcomes

Physiologic outcomes – which are the primary outcomes -- are assessed by anthropometric or biometric measures, as stated above. Other outcomes are assessed by self-administered questionnaire, or through automated capture of use metrics. These include factors such as number of weeks in which a goal was chosen, number of goals chosen, number of goals achieved, number of team support messages sent, number of quizzes answered. Changes in physical activity and eating habits are assessed by online modified Block questionnaire.

### 6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

The paper does not directly address validation of the diet and activity questionnaires, as they are primarily behavior-change tools.

### 6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored

(logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 6a-ii?**

Copy and paste relevant sections from manuscript text

"...or through automated capture of use metrics. These include factors such as number of weeks in which a goal was chosen, number of goals chosen, number of goals achieved, number of team support messages sent, number of quizzes answered. "

**6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained**

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 6a-iii?**

Copy and paste relevant sections from manuscript text

"Other factors assessed by online questionnaire include satisfaction with the program."

**6b) Any changes to trial outcomes after the trial commenced, with reasons**

**Does your paper address CONSORT subitem 6b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

### "Sample Size

Sample size was estimated using data from Davis et al. (22), who conducted a dietary intervention on diabetics. They reported standard deviations (SD) for change in A1c of 0.9 to 1.4% for one arm of the study. With a SD of 1.4, a final sample of 268 would provide 80% power to detect a minimum detectable difference in change for A1c of 0.48. We planned to enroll 314 persons to achieve a completed sample of 268 after a 15% dropout rate."

## 7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed

### 7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See above.

## 7b) When applicable, explanation of any interim analyses and stopping guidelines

### Does your paper address CONSORT subitem 7b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

## 8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

### Does your paper address CONSORT subitem 8a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

## 8b) Type of randomisation; details of any restriction (such as blocking and block size)

### Does your paper address CONSORT subitem 8b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants were randomized by computer algorithm, with blocked stratified randomization to achieve balance on sex, BMI (above/below 35) and race/ethnicity (white non-Hispanic, other)."

**9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned**

**Does your paper address CONSORT subitem 9? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants were informed by the system about whether they had been randomized to begin the program immediately or after a 6-month delay. Those in the delayed group received no further contact until a reminder to complete a 3-month and 6-month follow-up questionnaire. "

**10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions**

**Does your paper address CONSORT subitem 10? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Randomization and Blinding  
After the baseline clinic and the initial account set-up, randomization and delivery of the intervention was conducted electronically by the Alive-PD program, completely independent of clinic staff. The web-based, online baseline questionnaire was required, to provide demographic and BMI information required for randomization, in addition to the capture of eating habits and physical activity data. Participants were randomized by computer algorithm, with blocked stratified randomization to achieve balance on sex, BMI (above/below

**11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how**

NPT: Whether or not administering co-interventions were blinded to group assignment

**11a-i) Specify who was blinded, and who wasn't**

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 11a-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Clinic staff obtaining the biometric measurements are blinded to treatment group, while data analysts are aware of treatment group. "

**11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"**

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 11a-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No. Treatment group was obvious.

**11b) If relevant, description of the similarity of interventions**

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

**Does your paper address CONSORT subitem 11b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study



No. Not similar.

## 12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### Does your paper address CONSORT subitem 12a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"An intention-to-treat analysis is the primary approach taken on analyses of treatment effects on glycemic markers and weight. Variables missing at follow-up are assigned the last measured value. We also examine per-protocol analyses, in which effects are assessed among those providing follow-up biometric data and in relation to the participants' degree of interaction with the program. "

### 12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 12a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"An intention-to-treat analysis is the primary approach taken on analyses of treatment effects on glycemic markers and weight. Variables missing at follow-up are assigned the last measured value. We also examine per-protocol analyses, in which effects are assessed among those providing follow-up biometric data and in relation to the participants' degree of interaction with the program. "

## 12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

### Does your paper address CONSORT subitem 12b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

see above

## X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

### X26-i) Comment on ethics committee approval

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The study design and materials were approved by the Institutional Review Boards of NutritionQuest and of the Palo Alto Medical Foundation (PAMF)."

**x26-ii) Outline informed consent procedures**

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem X26-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"At the baseline clinic visit, signed informed consent was obtained. "

**X26-iii) Safety and security procedures**

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem X26-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

## RESULTS


### **13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome**

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

#### **Does your paper address CONSORT subitem 13a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See figure a




### **13b) For each group, losses and exclusions after randomisation, together with reasons**

#### **Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Intention to treat.

For some per protocol analyses, the following data are relevant:  
"Dropout rate (defined as failure to return for the in-clinic biometric measurements) as of the three-month clinic visit is 6% (20/340). Also as of the three-month time point, 78% of the Intervention group were still participating actively in the online program, by choosing or reporting on a goal, logging weight or activity, answering a quiz or sending a message to team members via the



#### **13b-i) Attrition diagram**

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 13b-i?**

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Also as of the three-month time point, 78% of the Intervention group were still participating actively in the online program, by choosing or reporting on a goal, logging weight or activity, answering a quiz or sending a message to team members via the online messaging system. "

**14a) Dates defining the periods of recruitment and follow-up**

**Does your paper address CONSORT subitem 14a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Subjects were enrolled in the study between February and June, 2014."

**14a-i) Indicate if critical "secular events" fell into the study period**

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 14a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

no

## 14b) Why the trial ended or was stopped (early)

### Does your paper address CONSORT subitem 14b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

## 15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

### Does your paper address CONSORT subitem 15? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, Table

## 15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues,

such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 15-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, table

**16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups**

**16-i) Report multiple “denominators” and provide definitions**

Report multiple “denominators” and provide definitions: Report N’s (and effect sizes) “across a range of study participation [and use] thresholds” [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants “used” the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define “use” of the intervention.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 16-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See figure

**16-ii) Primary analysis should be intent-to-treat**

Primary analysis should be intent-to-treat, secondary analyses could include comparing only “users”, with the appropriate caveats that this is no longer a randomized sample (see 18-i).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 16-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

yes, ITT

**17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)**

**Does your paper address CONSORT subitem 17a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No. Results of the intervention are not presented. This is for Research Protocols.

**17a-i) Presentation of process outcomes such as metrics of use and intensity of use**

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as “average session length”. These must be accompanied by a technical description how a metric like a “session” is defined (e.g., timeout after idle time) [1] (report under item 6a).

1 2 3 4 5

subitem not at all important      essential



**Does your paper address subitem 17a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

**17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended**

**Does your paper address CONSORT subitem 17b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

**18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory**

**Does your paper address CONSORT subitem 18? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

### 18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

## 19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

### Does your paper address CONSORT subitem 19? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

### 19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical “harm” to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. “Unintended effects” also includes unintended positive effects [2].

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 19-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

**19-ii) Include qualitative feedback from participants or observations from staff/researchers**

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 19-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

**DISCUSSION**

## 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

### 22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 22-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

### 22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

## 20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

### 20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 20-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Limitations

We will not have the duration or sample size to have a diabetes incidence endpoint. However, we do have the power to assess effectiveness for glycemic control and weight loss. Furthermore, the fact that the study is limited to subjects with email and internet access is a limitation. However, as of August 2011, 92% of American adults used email and the internet, including 93% of whites, 87% of African Americans and 88% of Hispanics, and over 50% had a smartphone. Finally, we recognize that wholly automated interactions, without person-to-

## 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

### 21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

**21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting**

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 21-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA

**OTHER INFORMATION**

**23) Registration number and name of trial registry**

**Does your paper address CONSORT subitem 23? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

yes

## 24) Where the full trial protocol can be accessed, if available

### Does your paper address CONSORT subitem 24? \*

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NA.

## 25) Sources of funding and other support (such as supply of drugs), role of funders

### Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Funding. Research reported in this publication was supported by the National Institute of Nursing Research of the National Institutes of Health under Award Number R44NR012617. "

## X27) Conflicts of Interest (not a CONSORT item)

**X27-i) State the relation of the study team towards the system being evaluated**

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem X27-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Clifford Block, Torin Block and Gladys Block are co-owners of NutritionQuest, which developed the Alive-PD program. Robert Romanelli, Kristen Azar, Heather Carpenter and Donald Hopkins have no conflicts of interest."

**About the CONSORT EHEALTH checklist**

**As a result of using this checklist, did you make changes in your manuscript? \***

- yes, major changes
- yes, minor changes
- no

**What were the most important changes you made as a result of using this checklist?**

**How much time did you spend on going through the checklist INCLUDING making changes in your manuscript \***



**As a result of using this checklist, do you think your manuscript has improved? \***

yes

no

Other:

**Would you like to become involved in the CONSORT EHEALTH group?**

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

yes

no

Other:

**Any other comments or questions on CONSORT EHEALTH**

**STOP - Save this form as PDF before you click submit**

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

**Final step: Click submit !**

Click submit so we have your answers in our database!

Never submit passwords through Google Forms.

Powered by [Google Docs](#)

[Report Abuse](#) - [Terms of Service](#) - [Additional Terms](#)

