

## Appendix E: Functioning post-abortion care (PAC) service delivery points, by country

Table E1. Burkina Faso: facilities with essential components to provide PAC (n=28)

	Hospital (n=3)	Camp health center (n=4)	Non-camp health center (n=21)
<b>COUNSELING &amp; FAMILY PLANNING</b>			
PAC counseling is available	3 (100%)	4 (100%)	21 (100%)
Family planning is offered to all clients who receive PAC services before they are discharged from the facility	3 (100%)	4 (100%)	21 (100%)
<b>Facilities with minimum essential elements to provide counseling and family planning for clients who receive PAC services</b>	<b>3 (100%)</b>	<b>4 (100%)</b>	<b>21 (100%)</b>
<b>PAC WITH MANUAL VACUUM ASPIRATION (MVA)</b>			
PAC performed in last 3 months using MVA	3 (100%)	1 (25%)	4 (19%)
At least 1 trained staff to provide PAC	3 (100%)	2 (100%) ND* (2)	16 (94.12%) ND* (4)
Vaginal speculum	3 (100%)	4 (100%)	20 (95.2%)
Sponge forceps	3 (100%)	2 (50%)	13 (61.9%)
Uterine tenaculum	3 (100%)	1 (25%)	6 (30%) ND* (1)
MVA syringe, adapters and cannulae	3 (100%)	1 (33.3%) ND* (1)	4 (19%)
Antiseptic solution	3 (100%)	4 (100%)	21 (100%)
Non-sterile Gloves	3 (100%)	4 (100%)	21 (100%)
Oxytocin	3 (100%)	4 (100%)	21 (100%)
Needles and syringes	3 (100%)	4 (100%)	21 (100%)
<b>Facilities with minimum essential elements to provide PAC with MVA and provided in the previous three months</b>	<b>3 (100%)</b>	<b>1 (25%)</b>	<b>0 (0%)</b>
<b>PAC WITH MISOPROSTOL</b>			
PAC performed in last 3 months using misoprostol	2 (66.7%)	1 (25%)	0
At least 1 trained staff to provide PAC	3 (100%)	2 (100%) ND* (2)	16 (94.1%) ND* (4)
Misoprostol	0	0	1 (4.8%)
<b>Facilities with minimum essential elements to provide PAC with misoprostol and provided in the previous three months</b>	<b>0</b>	<b>0</b>	<b>0</b>
<b>PROVISION OF PAC TO AN ACCEPTABLE STANDARD</b>			
FP is offered to all PAC clients	3 (100%)	4 (100%)	21 (100%)
PAC with MVA	3 (100%)	1 (25%)	0 (0%)
PAC with misoprostol ( <i>optional</i> )	0	0	0
<b>Functioning PAC service delivery point</b>	<b>3 (100%)</b>	<b>1 (25%)</b>	<b>0 (0%)</b>

\*No data

**Table E2. DRC: facilities with essential components to provide PAC (n=26)**

	Hospital (n=1)	Health center (n=26)
<b>COUNSELING &amp; FAMILY PLANNING</b>		
PAC counseling is available	1	17 (68%)
Family planning is offered to all clients who receive PAC services before they are discharged from the facility	1	13 (54.2%) ND* (1)
<b>Facilities with minimum essential elements to provide counseling and family planning for clients who receive PAC services</b>	<b>1</b>	<b>13 (52%)</b>
<b>PAC WITH MANUAL VACUUM ASPIRATION (MVA)</b>		
PAC performed in last 3 months using MVA	1	11 (45.8%) ND* (1)
At least 1 trained staff to provide PAC	1	14 (58.3%) ND* (1)
Vaginal speculum	1	14 (58.3%) ND* (1)
Sponge forceps	1	11 (45.8%) ND* (1)
Uterine tenaculum	1	11 (45.8%) ND* (1)
MVA syringe, adapters and cannulae	1	11 (45.8%) ND* (1)
Antiseptic solution	1	23 (95.8%) ND* (1)
Non-sterile Gloves	1	23 (95.8%) ND* (1)
Oxytocin	1	20 (83.3%) ND* (1)
Needles and syringes	1	23 (95.8%) ND* (1)
<b>Facilities with minimum essential elements to provide PAC with MVA and provided in the previous three months</b>	<b>1</b>	<b>9 (38%)</b>
<b>PAC WITH MISOPROSTOL</b>		
PAC performed in last 3 months using misoprostol	1	2 (8%)
At least 1 trained staff to provide PAC	1	14 (58.3%) ND* (1)
Misoprostol	1	2 (8.3%) ND* (1)
<b>Facilities with minimum essential elements to provide PAC with misoprostol and provided in the previous three months</b>	<b>1</b>	<b>2 (8%)</b>
<b>PROVISION OF PAC TO AN ACCEPTABLE STANDARD</b>		
FP is offered to all PAC clients	1	13 (52%) ND* (1)
PAC with MVA	1	9 (37.5%) ND* (1)
PAC with misoprostol ( <i>optional</i> )	1	2 (8%) ND* (1)
<b>Functioning PAC service delivery point</b>	<b>1</b>	<b>11 (44%)</b>

\*No data

**Table E3. South Sudan: facilities with essential components to provide PAC (n=9)**

	Hospital (n=1)	Health center (n=8)
<b>COUNSELING &amp; FAMILY PLANNING</b>		
PAC counseling is available	1	4
Family planning is offered to all clients who receive PAC services before they are discharged from the facility	1	3
<b>Facilities with minimum essential elements to provide counseling and family planning for clients who receive PAC services</b>	<b>1</b>	<b>3</b>
<b>PAC WITH MANUAL VACUUM ASPIRATION (MVA)</b>		
PAC performed in last 3 months using MVA	1	3
At least 1 trained staff to provide PAC	1	3 ND* (3)
Vaginal speculum	1	6
Sponge forceps	1	4 ND* (1)
Uterine tenaculum	1	4 ND* (1)
MVA syringe, adapters and cannulae	1	4
Antiseptic solution	1	8
Non-sterile Gloves	1	8
Oxytocin	1	5
Needles and syringes	1	7
<b>Facilities with minimum essential elements to provide PAC with MVA and provided in the previous three months</b>	<b>1</b>	<b>1</b>
<b>PAC WITH MISOPROSTOL</b>		
PAC performed in last 3 months using misoprostol	1	3
At least 1 trained staff to provide PAC	1	3 ND* (3)
Misoprostol	ND*	3 ND* (1)
<b>Facilities with minimum elements to provide PAC with misoprostol and provided in the previous three months</b>	<b>ND*</b>	<b>1</b>
<b>PROVISION OF PAC TO AN ACCEPTABLE STANDARD</b>		
FP is offered to all PAC clients	1	3
PAC with MVA	1	1
PAC with misoprostol ( <i>optional</i> )	ND*	1
<b>Functioning PAC service delivery point</b>	<b>1</b>	<b>1</b>

\*No data