

Comparison	Univariate analysis		Multivariable analysis	
	HR (95% CI) †	P‡	HR (95% CI) †	P‡
Age				
=< 50 vs > 50	0.89 (0.69 to 1.16)	p=0.3996	0.86 (0.65 to 1.14)	p=0.283865
Histological Grade				
G2 + G3 vs G1	1.93 (1.37 to 2.73)	p=8.702e-05	1.31 (0.89 to 1.93)	p=0.374097
G3 vs G1 + G2	1.45 (1.11 to 1.90)		0.65 (0.46 to 0.92)	
Estrogen receptor status				
positive vs negative	0.75 (0.56 to 1.01)	p=0.05596	1.12 (0.80 to 1.57)	p=0.498064
Lymphome node status				
positive vs negative	1.54 (1.12 to 2.12)	p=0.007772	1.39 (0.99 to 1.96)	p=0.05691
Tumor size				
>2 cm vs =< 2 cm	1.92 (1.48 to 2.49)	p=1.074e-06	1.64 (1.24 to 2.17)	p=0.000479
fGS B				
G1 vs G3	1.53 (1.35 to 1.74)	p=1.309e-10	1.51 (1.21 to 1.88)	p=0.000320

† HR = hazard ratio for recurrence; CI = confidence interval.

‡ P. Value based on Cox regression.