Raw file	Scan	Method	Score	Mass
20120518_EXQ0_MiBa_SA_HCT116_mHLA-2	26346	FTMS; HCD	116.73	1182.54



Bassani-Sternberg et al. High accuracy MS-based identification of HLA-I peptidomes

Raw file	Scan	Method	Score	Mass
20120515_EXQ3_MiBa_SA_HCT116_mHLA-1	19707	FTMS; HCD	147.69	993.43



Bassani-Sternberg et al. High accuracy MS-based identification of HLA-I peptidomes

Raw file	Scan	Method	Score	Mass
20120515_EXQ3_MiBa_SA_HCT116_mHLA-1	18489	FTMS; HCD	115.71	1180.52



Bassani-Sternberg et al. High accuracy MS-based identification of HLA-I peptidomes

Raw file	Scan	Method	Score	Mass
20120515_EXQ3_MiBa_SA_HCT116_mHLA-1	29090	FTMS; HCD	163.64	1245.53



Bassani-Sternberg et al. High accuracy MS-based identification of HLA-I peptidomes

Raw file	Scan	Method	Score	Mass
20120518_EXQ0_MiBa_SA_HCT116_mHLA-2	14618	FTMS; HCD	134.15	1047.38



Bassani-Sternberg et al. High accuracy MS-based identification of HLA-I peptidomes