

Supporting Information

Synthesis and Biological Evaluation of Indolyl-Pyridinyl-Propenones Having Either Methuosis or Microtubule Disruption Activity

Christopher J. Trabbic[†], Jean H. Overmeyer[‡], Evan M. Alexander^{†§}, Emily J. Crissman[†], Heather M. Kvale[‡],
Marcie A. Smith[†], Paul W. Erhardt^{*†}, and William A. Maltese^{*‡}

[‡]Department of Biochemistry and Cancer Biology, University of Toledo College of Medicine and Life Sciences,
3000 Arlington Ave., Toledo, OH 43614

[†]Center for Drug Design and Development, Department of Medicinal and Biological Chemistry, University of
Toledo College of Pharmacy and Pharmaceutical Sciences, 2801 W. Bancroft Ave., Toledo, OH 43606


Table of Contents

Figure S1. Comparison of the effects of compound 1a on the growth of U251 GBM cells <i>versus</i> normal human skin fibroblasts.....	S4
Figure S2. Growth inhibitory activities of <i>meta</i> -pyridinyl versions of 2l and 2m , as compared to 2l and 2m	S5
¹ H NMR spectrum of compound 2a	S6
¹ H NMR spectrum of compound 2b	S7
¹ H NMR spectrum of compound 2c	S8
¹ H NMR spectrum of compound 2d	S9
¹ H NMR spectrum of compound 2e	S10
¹ H NMR spectrum of compound 2f	S11
¹ H NMR spectrum of compound 2g	S12
¹ H NMR spectrum of compound 2h	S13
¹ H NMR spectrum of compound 2i	S14
¹ H NMR spectrum of compound 2j	S15
¹ H NMR spectrum of compound 2k	S16
¹ H NMR spectrum of compound 2l	S17

¹ H NMR spectrum of compound 2m	S18
¹ H NMR spectrum of compound 2n	S19
¹ H NMR spectrum of compound 2o	S20
¹ H NMR spectrum of compound 2p	S21
¹ H NMR spectrum of compound 2q	S22
¹ H NMR spectrum of compound 4a	S23
¹ H NMR spectrum of compound 4b	S24
¹ H NMR spectrum of compound 4c	S25
¹ H NMR spectrum of compound 4d	S26
¹ H NMR spectrum of compound 5a	S27
¹ H NMR spectrum of compound 5b	S28
¹ H NMR spectrum of compound 5c	S29
¹ H NMR spectrum of compound 5d	S30
¹ H NMR spectrum of compound 6a	S31
¹ H NMR spectrum of compound 6b	S32
¹ H NMR spectrum of compound 6c	S33
¹ H NMR spectrum of compound 6d	S34
¹ H NMR spectrum of compound 8a	S35
¹ H NMR spectrum of compound 8b	S36
¹ H NMR spectrum of compound 8c	S37
¹ H NMR spectrum of compound 8d	S38
¹ H NMR spectrum of compound 9a	S39
¹ H NMR spectrum of compound 9b	S40
¹ H NMR spectrum of compound 9c	S41
¹ H NMR spectrum of compound 9d	S42
¹ H NMR spectrum of compound 11	S43

¹ H NMR spectrum of compound 12	S44
¹ H NMR spectrum of compound 13	S45
¹ H NMR spectrum of compound 14	S46
¹ H NMR spectrum of compound 16	S47
¹ H NMR spectrum of compound 17	S48
¹ H NMR spectrum of compound 19	S49
¹ H NMR spectrum of compound 20	S50
¹ H NMR spectrum of compound 21	S51
¹ H NMR spectrum of compound 23a	S52
¹ H NMR spectrum of compound 23b	S53
¹ H NMR spectrum of compound 23c	S54
¹ H NMR spectrum of compound 23d	S55
¹ H NMR spectrum of compound 24a	S56
¹ H NMR spectrum of compound 24b	S57
¹ H NMR spectrum of compound 24c	S58
¹ H NMR spectrum of compound 24d	S59
¹ H NMR spectrum of compound 25	S60
¹ H NMR spectrum of compound 26	S61
¹ H NMR spectrum of compound 27	S62
¹ H NMR spectrum of compound 28	S63
¹ H NMR spectrum of compound 29	S64
¹ H NMR spectrum of compound 30	S65
¹ H NMR spectrum of compound 31	S66
¹ H NMR spectrum of compound 32	S67

U251 Glioblastoma



Normal Skin Fibroblasts




Figure S1. Comparison of the effects of compound **1a** on the growth of U251 GBM cells *versus* normal human skin fibroblasts. Cells were seeded in 35 mm tissue culture dishes. Commencing at 24 h after plating (day-0), compound 1a was added at the indicated concentrations. Control cultures received the equivalent volume of DMSO. On successive days cultures were harvested and the total number of cells per dish was determined. The results for each point are the mean \pm SD derived from three parallel cultures. The glioblastoma data were reported by us in Figure 2 of Robinson, M.W. et al., *J. Med. Chem.* **2012**, 55, 1940-1956. The fibroblast data were collected at the same time, but were not reported previously.








Figure S2. Growth inhibitory activities of the 2-indole carboxylate compounds, **2l** and **2m**, are substantially reduced by changing the pyridinyl nitrogen from the 4 position to the 3 (meta) position. U251 cells were seeded in 96-well plates. After 24 h, compounds were added at the indicated concentrations. SRB assays were performed after an additional 48 h. Each point represents the mean \pm SEM of values from four wells.



2a


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)






2b


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)






2c


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)







2d

¹H NMR (600 MHz, d₆-DMSO)





^1H NMR (600 MHz, d_6 -DMSO)



STANDARD PROTON PARAMETERS

Pulse Sequence: s2pu1

Solvent: DMSO

Ambient temperature

file: MS-1-19

NOVA-600 "inova-wkst"

Relax delay 1 000 sec

Pulse 31 3 degrees

Acq time 3 000 sec

Width 10000 0 Hz

16 repetitions



OBSERVE H1, 599.8751429 MHz


DATA PROCESSING

Line broadening 0 4 Hz

F2 size 131072


Total time 1 min, 4 sec


¹H NMR (600 MHz, d₆-DMSO)



2g


$^1\text{H NMR}$ (600 MHz, $d_4\text{-MeOH}$)






2h


¹H NMR (600 MHz, d₆-DMSO)






2i


$^1\text{H NMR}$ (600 MHz, $d_4\text{-MeOH}$)







2j


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)






^1H NMR (600 MHz, d_6 -DMSO)






2I


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)






2m


¹H NMR (600 MHz, d₆-DMSO)






2n


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)






2o


^1H NMR (600 MHz, d_6 -DMSO)







2p


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)






^1H NMR (600 MHz, d_6 -DMSO)






4a


$^1\text{H NMR}$ (600 MHz, CDCl_3)






4b


$^1\text{H NMR}$ (600 MHz, CDCl_3)






4c


$^1\text{H NMR}$ (600 MHz, CDCl_3)






4d


¹H NMR (600 MHz, CDCl₃)






5a


¹H NMR (600 MHz, CDCl₃)







5b


¹H NMR (600 MHz, CDCl₃)






^1H NMR (600 MHz, CDCl_3)






5d


^1H NMR (600 MHz, CDCl_3)






6a


¹H NMR (600 MHz, CDCl₃)







6b


$^1\text{H NMR}$ (600 MHz, CDCl_3)






^1H NMR (600 MHz, CDCl_3)






6d


$^1\text{H NMR}$ (600 MHz, CDCl_3)





8a

$^1\text{H NMR}$ (600 MHz, CDCl_3)



15


10

5

0


[ppm]


S35



8b


$^1\text{H NMR}$ (600 MHz, CDCl_3)






8c

^1H NMR (600 MHz, CDCl_3)






8d


$^1\text{H NMR}$ (600 MHz, CDCl_3)






9a


^1H NMR (600 MHz, d_6 -DMSO)








9b

$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)




**9c** $^1\text{H NMR}$ (600 MHz, d_6 -DMSO)



9d

¹H NMR (600 MHz, *d*₆-DMSO)




Ambient temperature
file: MS-1-8
INOVA-600 "inova-wkst"

Relax delay 2 000 sec
Pulse 47 4 degrees
Acq time 2 731 sec
Width 5999 7 Hz
32 repetitions
OBSERVE H1, 399 9486781 MHz
DATA PROCESSING
Line broadening 0 5 Hz
F1 size 65536
Total time 2 min, 31 sec





11

^1H NMR (400 MHz, CDCl_3)




Pulse Sequence: s2pu1
Solvent: CDCl3
Ambient temperature
File: MS-1-4
INOVA-600 "inova-wkst"

Relax delay 2 000 sec
Pulse 47 4 degrees
Acq time 2 731 sec
Width 5999 7 Hz
32 repetitions
OBSERVE H1, 399 9486889 MHz
DATA PROCESSING
Line broadening 0 5 Hz
FT size 65536
Total time 2 min 31 sec

**12**¹H NMR (600 MHz, CDCl₃)


Solvent: CD3OD
Ambient temperature
File: CT-1-60
INOVA-600 "inova-wkst"

Relax delay 1 000 sec
Pulse 31 3 degrees
Acq time 3 000 sec
Width 8000.0 Hz
16 repetitions
OBSERVE H1, 599 8746659 MHz
DATA PROCESSING
Line broadening 0 4 Hz
T size 131072
Total time 1 min, 4 sec




13

¹H NMR (600 MHz, CD₃OD)




Solvent: DMSO
Ambient temperature
File: CT-1-58
INOVA-600 "inova-wkst"

Relax delay 2 000 sec
Pulse 47 4 degrees
Acq time 2 731 sec
Width 5999 7 Hz
32 repetitions
OBSERVE H1, 399 9505704 MHz
DATA PROCESSING
Line broadening 0 5 Hz
FT size 65536
Total time 2 min 31 sec




14

¹H NMR (600 MHz, d₆-DMSO)




Ambient temperature
File: CT-1-68
INOVA-600 "inova-wkst"

Relax delay 1 000 sec
Pulse 31 3 degrees
Acq time 3 000 sec
Width 8000 0 Hz
16 repetitions
OBSERVE H1, 599.8723148 MHz
DATA PROCESSING
Line broadening 0 4 Hz
FT size 131072
Total time 1 min, 4 sec




16


^1H NMR (600 MHz, CDCl_3)




Relax delay 1 000 sec
Pulse 31 3 degrees
Acq. time 3 000 sec
Width 8000.0 Hz
16 repetitions
OBSERVE H1, 599.8751435 MHz
DATA PROCESSING
Line broadening 0.4 Hz
FT size 131072
Total time 1 min, 4 sec




¹H NMR (600 MHz, d₆-DMSO)






19


¹H NMR (600 MHz, CDCl₃)






20


¹H NMR (600 MHz, CDCl₃)






21


¹H NMR (600 MHz, *d*₄-MeOH)






23a


^1H NMR (600 MHz, d_4 -MeOH)






23b


¹H NMR (600 MHz, CDCl₃)






23c


^1H NMR (600 MHz, CDCl_3)






23d


$^1\text{H NMR}$ (600 MHz, CDCl_3)






24a


$^1\text{H NMR}$ (600 MHz, d_6 -DMSO)






24b


^1H NMR (600 MHz, d_6 -DMSO)






24c


^1H NMR (600 MHz, d_6 -DMSO)






24d


^1H NMR (600 MHz, d_6 -DMSO)






25


¹H NMR (600 MHz, d₆-DMSO)






26


$^1\text{H NMR}$ (600 MHz, CDCl_3)






27


^1H NMR (600 MHz, d_6 -DMSO)







28


¹H NMR (600 MHz, CDCl₃)






^1H NMR (600 MHz, CDCl_3)







30


^1H NMR (600 MHz, CDCl_3)





^1H NMR (600 MHz, CDCl_3)





¹H NMR (600 MHz, d₆-DMSO)

