

**S2 Table. Response of individual functional traits along several environmental variables.** Summary of linear mixed-effect models scores for each individual plant trait value and species, considering site as random factor and **A)** altitude, **B)** squared altitude, **C)** insolation coefficient, **D)** soil organic carbon (SOC), **E)** soil total nitrogen (NT), **F)** soil temperature and **G)** soil moisture as fixed factors in each model considered. Significant values ( $p < 0.05$ ) are marked in bold.

**A)**

<b>Imer(trait<sub>i</sub>~Altitude+(1 pob)</b>	Individual size (cm <sup>2</sup> )	Height (mm)	LT (μm)	SLA (mm <sup>2</sup> ·mg <sup>-1</sup> )	LDMC (mg·g <sup>-1</sup> )	LCC (mg·g <sup>-1</sup> )	δ <sup>13</sup> C (‰)	LNC (mg·g <sup>-1</sup> )	δ <sup>15</sup> N (‰)
	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate
<i>Agrostis delicatula</i>	<b>-2.33·10<sup>-3</sup></b>	-3.35·10 <sup>-4</sup>	-7.90·10 <sup>-3</sup>	5.30·10 <sup>-4</sup>	7.83·10 <sup>-2</sup>	-1.24·10 <sup>-2</sup>	-1.25·10 <sup>-3</sup>	2.51·10 <sup>-3</sup>	-3.36·10 <sup>-3</sup>
<i>Armeria caespitosa</i>	-1.44·10 <sup>-4</sup>	2.39·10 <sup>-4</sup>	-8.19·10 <sup>-3</sup>	1.84·10 <sup>-3</sup>	-5.76·10 <sup>-2</sup>	3.04·10 <sup>-2</sup>	1.57·10 <sup>-3</sup>	1.42·10 <sup>-3</sup>	-2.41·10 <sup>-3</sup>
<i>Deschampsia flexuosa</i>	-8.23·10 <sup>-4</sup>	5.95·10 <sup>-4</sup>	<b>0.17</b>	-1.35·10 <sup>-3</sup>	2.87·10 <sup>-3</sup>	1.98·10 <sup>-2</sup>	-2.40·10 <sup>-3</sup>	4.99·10 <sup>-3</sup>	-3.59·10 <sup>-3</sup>
<i>Festuca curvifolia</i>	1.77·10 <sup>-4</sup>	2.71·10 <sup>-4</sup>	0.22	-1.58·10 <sup>-3</sup>	9.73·10 <sup>-2</sup>	-1.42·10 <sup>-2</sup>	<b>3.33·10<sup>-3</sup></b>	1.40·10 <sup>-3</sup>	-3.04·10 <sup>-3</sup>
<i>Jasione crispa</i>	-1.44·10 <sup>-3</sup>	-1.15·10 <sup>-4</sup>	-1.44·10 <sup>-2</sup>	2.02·10 <sup>-4</sup>	1.68·10 <sup>-2</sup>	8.16·10 <sup>-3</sup>	1.74·10 <sup>-3</sup>	-7.25·10 <sup>-3</sup>	6.56·10 <sup>-4</sup>
<i>Juniperus communis</i> subsp. <i>alpina</i>	<b>-2.59·10<sup>-3</sup></b>	-9.57·10 <sup>-4</sup>	-1.49·10 <sup>-2</sup>	2.19·10 <sup>-3</sup>	-7.02·10 <sup>-2</sup>	-3.11·10 <sup>-2</sup>	2.56·10 <sup>-4</sup>	1.06·10 <sup>-3</sup>	-4.22·10 <sup>-3</sup>
<i>Jurinea humilis</i>	-7.91·10 <sup>-4</sup>	9.95·10 <sup>-5</sup>	<b>9.97·10<sup>-2</sup></b>	-9.90·10 <sup>-4</sup>	1.95·10 <sup>-2</sup>	1.69·10 <sup>-2</sup>	<b>-2.31·10<sup>-3</sup></b>	7.19·10 <sup>-3</sup>	-1.92·10 <sup>-3</sup>
<i>Minuartia recurva</i>	1.46·10 <sup>-3</sup>	1.33·10 <sup>-3</sup>	-0.12	-7.72·10 <sup>-3</sup>	<b>0.21</b>	5.88·10 <sup>-3</sup>	-8.00·10 <sup>-6</sup>	-3.07·10 <sup>-2</sup>	-1.05·10 <sup>-2</sup>
<i>Pilosella vahlia</i>	-1.52·10 <sup>-3</sup>	2.41·10 <sup>-4</sup>	<b>0.17</b>	<b>8.34·10<sup>-3</sup></b>	<b>-0.14</b>	1.54·10 <sup>-2</sup>	3.61·10 <sup>-5</sup>	-1.59·10 <sup>-3</sup>	<b>-5.77·10<sup>-3</sup></b>
<i>Senecio carpetanus</i>	<b>-2.58·10<sup>-3</sup></b>	1.76·10 <sup>-4</sup>	0.20	1.57·10 <sup>-3</sup>	-5.87·10 <sup>-2</sup>	-2.29·10 <sup>-2</sup>	-1.15·10 <sup>-3</sup>	-1.97·10 <sup>-3</sup>	3.89·10 <sup>-3</sup>
<i>Silene ciliata</i>	<b>-2.56·10<sup>-3</sup></b>	-4.31·10 <sup>-4</sup>	<b>0.23</b>	-2.80·10 <sup>-3</sup>	2.38·10 <sup>-2</sup>	9.73·10 <sup>-3</sup>	1.37·10 <sup>-3</sup>	-1.04·10 <sup>-2</sup>	8.51·10 <sup>-5</sup>

**B)**

<b>lmer(trait<sub>i</sub>~AltitudeQ+(1 pob)</b>	Individual size (cm <sup>2</sup> )	Height (mm)	LT (μm)	SLA (mm <sup>2</sup> ·mg <sup>-1</sup> )	LDMC (mg·g <sup>-1</sup> )	LCC (mg·g <sup>-1</sup> )	δ <sup>13</sup> C (‰)	LNC (mg·g <sup>-1</sup> )	δ <sup>15</sup> N (‰)
	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate
<i>Agrostis delicatula</i>	-4.24·10 <sup>-3</sup>	-2.94·10 <sup>-2</sup>	-0.20	-0.10	2.69	-4.82·10 <sup>-2</sup>	3.23·10 <sup>-2</sup>	-0.14	<b>-9.83·10<sup>-2</sup></b>
<i>Armeria caespitosa</i>	3.02·10 <sup>-2</sup>	9.97·10 <sup>-4</sup>	2.03	-6.86·10 <sup>-2</sup>	1.70	-0.21	2.14·10 <sup>-2</sup>	1.25·10 <sup>-2</sup>	3.27·10 <sup>-2</sup>
<i>Deschampsia flexuosa</i>	8.65·10 <sup>-2</sup>	-4.73·10 <sup>-3</sup>	-1.26	8.63·10 <sup>-3</sup>	-0.48	-0.27	-3.89·10 <sup>-2</sup>	-6.91·10 <sup>-2</sup>	-5.26·10 <sup>-2</sup>
<i>Festuca curvifolia</i>	2.64·10 <sup>-2</sup>	2.64·10 <sup>-4</sup>	5.22	-1.14·10 <sup>-2</sup>	0.43	0.49	1.36·10 <sup>-3</sup>	-4.13·10 <sup>-2</sup>	0.10
<i>Jasione crispa</i>	3.20·10 <sup>-2</sup>	<b>-2.78·10<sup>-2</sup></b>	2.31	2.93·10 <sup>-2</sup>	-1.15	-0.30	6.37·10 <sup>-2</sup>	4.92·10 <sup>-2</sup>	3.51·10 <sup>-2</sup>
<i>Juniperus communis</i> subsp. <i>alpina</i>	-2.15·10 <sup>-3</sup>	<b>2.29·10<sup>-2</sup></b>	1.37	-2.70·10 <sup>-2</sup>	0.78	0.46	-1.91·10 <sup>-2</sup>	-2.99·10 <sup>-2</sup>	3.22·10 <sup>-2</sup>
<i>Jurinea humilis</i>	-6.02·10 <sup>-3</sup>	-1.25·10 <sup>-2</sup>	0.34	8.99·10 <sup>-3</sup>	1.28	0.37	8.01·10 <sup>-3</sup>	8.94·10 <sup>-3</sup>	-9.62·10 <sup>-2</sup>
<i>Minuartia recurva</i>	5.37·10 <sup>-3</sup>	4.41·10 <sup>-3</sup>	-0.47	0.10	0.76	0.20	3.34·10 <sup>-2</sup>	-0.82	-1.91·10 <sup>-1</sup>
<i>Pilosella vahlII</i>	-8.32·10 <sup>-3</sup>	-8.69·10 <sup>-3</sup>	<b>2.81</b>	5.59·10 <sup>-2</sup>	-1.01	1.18	1.66·10 <sup>-2</sup>	-2.75·10 <sup>-2</sup>	6.03·10 <sup>-2</sup>
<i>Senecio carpetanus</i>	-4.25·10 <sup>-2</sup>	-7.83·10 <sup>-3</sup>	0.56	3.60·10 <sup>-2</sup>	-0.31	-0.12	5.66·10 <sup>-2</sup>	0.22	0.22
<i>Silene ciliata</i>	-1.39·10 <sup>-2</sup>	-1.87·10 <sup>-2</sup>	<b>5.07</b>	-6.08·10 <sup>-2</sup>	1.02	-0.19	4.28·10 <sup>-2</sup>	-0.10	-6.04·10 <sup>-3</sup>

**C)**

<b>lmer(trait<sub>i</sub>~Insolation+(1 pob)</b>	Individual size (cm <sup>2</sup> )	Height (mm)	LT (μm)	SLA (mm <sup>2</sup> ·mg <sup>-1</sup> )	LDMC (mg·g <sup>-1</sup> )	LCC (mg·g <sup>-1</sup> )	δ <sup>13</sup> C (‰)	LNC (mg·g <sup>-1</sup> )	δ <sup>15</sup> N (‰)
	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate
<i>Agrostis delicatula</i>	0.90	-0.15	<b>192.02</b>	-3.63	-34.90	-6.22	-0.80	8.88	1.70
<i>Armeria caespitosa</i>	<b>5.36</b>	1.54	98.52	1.57	133.61	64.99	1.08	11.00	5.81
<i>Deschampsia flexuosa</i>	-3.96	-1.04	-66.58	9.47·10 <sup>-2</sup>	22.00	-25.00	<b>-5.84</b>	-3.36	3.50
<i>Festuca curvifolia</i>	2.33	0.51	394.39	-2.87	149.55	<b>-62.64</b>	0.75	-5.04	3.48
<i>Jasione crispa</i>	1.52	-0.28	-36.31	5.69	12.40	17.02	2.75	2.70	2.31
<i>Juniperus communis</i> subsp. <i>alpina</i>	2.77	0.12	166.96	1.65	-119.92	-17.72	-0.97	11.22	7.64
<i>Jurinea humilis</i>	0.12	1.42	148.97	-2.90	65.64	-39.69	-3.00	-10.34	-5.78·10 <sup>-2</sup>
<i>Minuartia recurva</i>	5.54	0.50	173.23	-9.02	-49.50	<b>50.42</b>	<b>4.23</b>	-23.86	5.35
<i>Pilosella vahlII</i>	-0.65	-0.95	-6.20	-1.71	74.77	-48.87	-0.94	6.00	3.39
<i>Senecio carpetanus</i>	-4.82	1.35	-57.61	-1.77	42.31	-57.53	-1.36	-35.23	2.32
<i>Silene ciliata</i>	-0.90	-1.07	333.43	-8.84	33.96	12.10	<b>4.66</b>	-6.17	0.76

**D)**

<b>Imer(trait<sub>i</sub>~SOC+(1 pob)</b>	Individual size (cm <sup>2</sup> )	Height (mm)	LT (μm)	SLA (mm <sup>2</sup> ·mg <sup>-1</sup> )	LDMC (mg·g <sup>-1</sup> )	LCC (mg·g <sup>-1</sup> )	δ <sup>13</sup> C (‰)	LNC (mg·g <sup>-1</sup> )	δ <sup>15</sup> N (‰)
	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate
<i>Agrostis delicatula</i>	0.12	1.18·10 <sup>-2</sup>	2.67	0.22	<b>-9.71</b>	1.04	-4.84·10 <sup>-2</sup>	5.86·10 <sup>-2</sup>	0.21
<i>Armeria caespitosa</i>	1.21·10 <sup>-2</sup>	-5.44·10 <sup>-3</sup>	9.82·10 <sup>-2</sup>	0.11	0.28	-1.81	<b>-0.17</b>	0.12	0.21
<i>Deschampsia flexuosa</i>	-4.84·10 <sup>-2</sup>	<b>-6.89·10<sup>-2</sup></b>	-6.79	8.12·10 <sup>-2</sup>	0.57	-0.64	9.65·10 <sup>-2</sup>	-2.66·10 <sup>-3</sup>	<b>0.36</b>
<i>Festuca curvifolia</i>	-6.17·10 <sup>-2</sup>	-1.18·10 <sup>-2</sup>	-19.80	0.10	-5.28	-0.19	<b>-0.19</b>	9.28·10 <sup>-2</sup>	0.28
<i>Jasione crispa</i>	0.10	-4.69·10 <sup>-2</sup>	5.23	0.26	-3.03	1.62	9.61·10 <sup>-2</sup>	0.66	0.15
<i>Juniperus communis</i> subsp. <i>alpina</i>	<b>0.22</b>	5.31·10 <sup>-2</sup>	6.16	-0.20	6.69	2.03	5.63·10 <sup>-3</sup>	0.18	<b>0.38</b>
<i>Jurinea humilis</i>	2.95·10 <sup>-2</sup>	3.63·10 <sup>-2</sup>	-4.47	1.96·10 <sup>-2</sup>	0.57	-1.55	5.85·10 <sup>-2</sup>	-0.39	0.30
<i>Minuartia recurva</i>	-0.16	<b>-0.13</b>	7.43	0.47	-6.27	-0.13	-7.36·10 <sup>-2</sup>	1.45	0.40
<i>Pilosella vahlII</i>	8.11·10 <sup>-2</sup>	-2.46·10 <sup>-2</sup>	<b>-11.51</b>	-0.45	<b>7.89</b>	-0.86	1.52·10 <sup>-2</sup>	0.56	<b>0.44</b>
<i>Senecio carpetanus</i>	-7.62·10 <sup>-2</sup>	-1.79·10 <sup>-2</sup>	13.41	-0.23	3.29	2.22	0.14	-0.27	0.16
<i>Silene ciliata</i>	0.11	2.73·10 <sup>-2</sup>	-0.23	-8.60·10 <sup>-2</sup>	2.66	1.27	-5.09·10 <sup>-2</sup>	0.18	-8.75·10 <sup>-2</sup>

**E)**

<b>Imer(trait<sub>i</sub>~NT+(1 pob)</b>	Individual size (cm <sup>2</sup> )	Height (mm)	LT (μm)	SLA (mm <sup>2</sup> ·mg <sup>-1</sup> )	LDMC (mg·g <sup>-1</sup> )	LCC (mg·g <sup>-1</sup> )	δ <sup>13</sup> C (‰)	LNC (mg·g <sup>-1</sup> )	δ <sup>15</sup> N (‰)
	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate
<i>Agrostis delicatula</i>	0.15	2.00·10 <sup>-2</sup>	3.39	0.32	<b>-12.53</b>	1.40	-8.60·10 <sup>-2</sup>	5.42·10 <sup>-2</sup>	0.25
<i>Armeria caespitosa</i>	3.07·10 <sup>-2</sup>	8.68·10 <sup>-3</sup>	-1.73	0.14	0.18	-1.89	<b>-0.22</b>	7.20·10 <sup>-2</sup>	0.25
<i>Deschampsia flexuosa</i>	-7.24·10 <sup>-2</sup>	<b>-8.53·10<sup>-2</sup></b>	-7.44	0.10	0.50	-0.95	0.12	5.54·10 <sup>-3</sup>	<b>0.44</b>
<i>Festuca curvifolia</i>	-8.36·10 <sup>-2</sup>	-1.41·10 <sup>-2</sup>	-25.30	0.15	-7.82	-0.69	-0.22	0.12	0.35
<i>Jasione crispa</i>	0.11	-3.60·10 <sup>-2</sup>	1.53	0.57	-3.50	2.57	9.45·10 <sup>-2</sup>	0.75	0.16
<i>Juniperus communis</i> subsp. <i>alpina</i>	<b>0.28</b>	6.30·10 <sup>-2</sup>	7.60	-0.25	8.35	2.60	2.99·10 <sup>-3</sup>	0.18	<b>0.49</b>
<i>Jurinea humilis</i>	9.60·10 <sup>-2</sup>	9.39·10 <sup>-2</sup>	-5.89	2.69·10 <sup>-2</sup>	1.23	-2.24	5.01·10 <sup>-2</sup>	-0.32	<b>0.45</b>
<i>Minuartia recurva</i>	-0.21	-0.16	7.85	0.42	-2.14	-0.27	-0.14	1.74	0.37
<i>Pilosella vahlII</i>	0.10	-3.35·10 <sup>-2</sup>	<b>-14.83</b>	-0.49	8.78	-3.41	3.51·10 <sup>-3</sup>	0.68	<b>0.54</b>
<i>Senecio carpetanus</i>	-0.14	1.42·10 <sup>-2</sup>	13.81	-0.25	2.63	0.18	5.94·10 <sup>-2</sup>	-1.46	6.81·10 <sup>-2</sup>
<i>Silene ciliata</i>	0.14	1.79·10 <sup>-2</sup>	-0.16	-5.16·10 <sup>-2</sup>	0.36	1.67	-4.16·10 <sup>-2</sup>	0.44	-0.26

**F)**

<b>Imer(trait<sub>i</sub>~Temperature+(1 pob)</b>	Individual size (cm <sup>2</sup> )	Height (mm)	LT (μm)	SLA (mm <sup>2</sup> ·mg <sup>-1</sup> )	LDMC (mg·g <sup>-1</sup> )	LCC (mg·g <sup>-1</sup> )	δ <sup>13</sup> C (‰)	LNC (mg·g <sup>-1</sup> )	δ <sup>15</sup> N (‰)
	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate
<i>Agrostis delicatula</i>	0.33	0.17	-6.95	-1.16	14.52	-1.71	0.75	-1.17	0.42
<i>Armeria caespitosa</i>	-0.25	-0.18	1.19	-0.32	7.00	-8.33	0.32	<b>-2.06</b>	-0.69
<i>Deschampsia flexuosa</i>	0.24	0.11	-34.31	6.04·10 <sup>-2</sup>	3.22	-4.13	0.19	<b>-2.25</b>	-0.34
<i>Festuca curvifolia</i>	-8.28·10 <sup>-2</sup>	-1.07·10 <sup>-2</sup>	-35.61	0.21	-9.33	6.97	4.54·10 <sup>-2</sup>	-1.49	0.12
<i>Jasione crispa</i>	-0.13	2.81·10 <sup>-2</sup>	0.91	-0.49	-2.92	<b>-8.84</b>	-0.66	-1.44	-0.86
<i>Juniperus communis</i> subsp. <i>alpina</i>	0.21	0.19	-24.26	-0.37	20.55	8.34	-0.17	<b>-1.10</b>	-0.50
<i>Jurinea humilis</i>	-0.27	-0.19	-13.01	0.24	-11.93	2.48	0.45	<b>-2.79</b>	-0.94
<i>Minuartia recurva</i>	-2.92·10 <sup>-2</sup>	9.60·10 <sup>-2</sup>	-8.98	0.41	-5.52	-1.29	7.14·10 <sup>-2</sup>	-1.13	-0.45
<i>Pilosella vahlII</i>	-0.13	5.90·10 <sup>-2</sup>	-14.90	-0.73	7.58	17.12	0.22	-1.81	-0.11
<i>Senecio carpetanus</i>	0.39	-0.15	-10.68	0.68	-13.38	-2.26	0.34	2.64	0.85
<i>Silene ciliata</i>	0.23	0.11	-18.04	0.43	-7.74	-4.14	-9.73·10 <sup>-2</sup>	-1.03	-0.47

**G)**

<b>Imer(trait<sub>i</sub>~Moisture+(1 pob)</b>	Individual size (cm <sup>2</sup> )	Height (mm)	LT (μm)	SLA (mm <sup>2</sup> ·mg <sup>-1</sup> )	LDMC (mg·g <sup>-1</sup> )	LCC (mg·g <sup>-1</sup> )	δ <sup>13</sup> C (‰)	LNC (mg·g <sup>-1</sup> )	δ <sup>15</sup> N (‰)
	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate	Estimate
<i>Agrostis delicatula</i>	-1.52·10 <sup>-2</sup>	-2.49·10 <sup>-3</sup>	0.11	4.50·10 <sup>-2</sup>	-0.46	0.13	<b>-3.69·10<sup>-2</sup></b>	5.30·10 <sup>-2</sup>	-1.21·10 <sup>-2</sup>
<i>Armeria caespitosa</i>	-2.05·10 <sup>-3</sup>	5.23·10 <sup>-3</sup>	-0.38	3.54·10 <sup>-2</sup>	-1.17	0.16	-1.47·10 <sup>-2</sup>	6.28·10 <sup>-2</sup>	2.87·10 <sup>-2</sup>
<i>Deschampsia flexuosa</i>	-1.46·10 <sup>-2</sup>	-1.10·10 <sup>-3</sup>	1.95	-6.37·10 <sup>-3</sup>	-1.25·10 <sup>-3</sup>	0.19	-8.79·10 <sup>-3</sup>	<b>0.10</b>	1.05·10 <sup>-2</sup>
<i>Festuca curvifolia</i>	-4.54·10 <sup>-4</sup>	5.24·10 <sup>-3</sup>	1.37	-9.84·10 <sup>-3</sup>	0.60	-0.21	1.00·10 <sup>-2</sup>	8.18·10 <sup>-3</sup>	-1.11·10 <sup>-3</sup>
<i>Jasione crispa</i>	-3.17·10 <sup>-3</sup>	-5.01·10 <sup>-3</sup>	-0.34	7.86·10 <sup>-2</sup>	-0.45	0.30	2.21·10 <sup>-2</sup>	5.05·10 <sup>-2</sup>	4.71·10 <sup>-2</sup>
<i>Juniperus communis</i> subsp. <i>alpina</i>	-5.77·10 <sup>-3</sup>	-4.31·10 <sup>-3</sup>	1.53	-7.26·10 <sup>-3</sup>	1.77·10 <sup>-2</sup>	-0.15	4.77·10 <sup>-3</sup>	3.64·10 <sup>-2</sup>	2.96·10 <sup>-2</sup>
<i>Jurinea humilis</i>	-4.02·10 <sup>-4</sup>	7.26·10 <sup>-3</sup>	0.87	-2.03·10 <sup>-2</sup>	0.34	-5.90·10 <sup>-2</sup>	-2.72·10 <sup>-2</sup>	9.97·10 <sup>-2</sup>	6.00·10 <sup>-2</sup>
<i>Minuartia recurva</i>	-1.66·10 <sup>-2</sup>	-8.32·10 <sup>-3</sup>	-0.22	7.32·10 <sup>-3</sup>	1.30	-2.45·10 <sup>-2</sup>	-1.78·10 <sup>-2</sup>	-6.34·10 <sup>-2</sup>	-4.71·10 <sup>-2</sup>
<i>Pilosella vahlII</i>	8.10·10 <sup>-3</sup>	4.61·10 <sup>-3</sup>	0.59	8.84·10 <sup>-2</sup>	-0.94	-0.11	-8.41·10 <sup>-3</sup>	9.79·10 <sup>-2</sup>	-2.15·10 <sup>-3</sup>
<i>Senecio carpetanus</i>	<b>-3.08·10<sup>-2</sup></b>	4.54·10 <sup>-3</sup>	2.07	-4.96·10 <sup>-3</sup>	-0.16	-0.12	-1.52·10 <sup>-2</sup>	-8.53·10 <sup>-2</sup>	1.55·10 <sup>-2</sup>
<i>Silene ciliata</i>	-1.86·10 <sup>-2</sup>	-4.00·10 <sup>-3</sup>	1.77	-2.71·10 <sup>-3</sup>	0.15	5.64·10 <sup>-2</sup>	1.29·10 <sup>-4</sup>	-1.63·10 <sup>-2</sup>	1.41·10 <sup>-2</sup>