

Online resource 2 –IDH mutation and 1p/19q deletion status among histological subtypes.

Title

IDH mutation status and role of WHO grade and mitotic index in overall survival in grade II-III diffuse gliomas

Acta Neuropathologica

Authors: Adriana Olar, Khalida M. Wani, Kristin Diefes, Lindsey E. Heathcock, Hinke F. van Thuijl, Mark R. Gilbert, Terri S. Armstrong, Erik P. Sulman, Daniel P. Cahill, Elizabeth Vera-Bolanos, Ying Yuan, Jaap C. Reijneveld, Bauke Ylstra, Pieter Wesseling, Kenneth D. Aldape

Corresponding authors:

Adriana Olar, MD

The University of Texas MD Anderson Cancer Center

Dept. of Pathology, G1.3510

1515 Holcombe Blvd.

Houston, TX, 77030, USA

Email: adriana_olar@yahoo.com

Kenneth Aldape, MD

Princess Margaret Cancer Centre and Ontario Cancer Institute

610 University Ave

Toronto, ON M5G 2M9, Canada

Email: ken.aldape@uhnresearch.ca

Table S2: The distribution of diffuse gliomas stratified by IDH mutation and 1p/19q deletion status among histological subtypes. Legend: IDHm – IDH-mutant, IDHwt – IDH-wild type.

Morphology	1p/19q status	IDHm	IDHwt	Total
Astrocytic	co-deleted	19	0	19
	non-co-deleted	173	43	216
Oligodendroglial	co-deleted	188	0	188
	non-co-deleted	86	38	124
Mixed	co-deleted	4	0	4
	non-co-deleted	5	2	7
Total		475	83	558