


Figure S4

a



c




b

■ : Amino acid coverage by mass spectrometry ■ : High confidence (99%-100%) ■ : Low confidence (75%-99%)


```

MDPGQO83PPQ94PAPOGOGOPPSOP156POGOGPPSGPGOPAPAATQAAPQAPPAGHQIV
HVRGDAETDLEALFNAVMPKKTANVPO83IVPMRLRKL94PD156SFFKPPEPKSHSRQAAT
DAGTAGALTPQHVRAHASPASLOLGAVSPGTLTPTGVVSGPAATP156IAOHLROSAF
EIPDDVPLPAGWEMAKTSSGQRYFLNHIDQTTTWDPRKAMLSQMNV156TAPTSPPV
QONMMNSASG156PLPDGWEQAMTODGEIYYINHK156NKTT156SWLDPRLDPRFAMNQRISO
SAPVKOP156PLAPOSPOGGVMGGSNS156NOQQO156MRLOOLOMEKERLRLK156QOELLROEL
ALRSQ156LPTLEODGGTQNPV350SPGMSQELRTMTTNS366SDPFLNSGTYHSRDEATDSG
LSMS390S392Y392VPRT392PDDFLNSVD392EMDTGDTINOST416LP416SQONRFPDYLEAIPGTNVDLG
TLEGDGMNIEGEELMPSLQ463EAL464SS464DI464LNDMESVLAATKLDKE483S486FL486T486WL
    
```


d



e



f



g

