

S1 Table. Demographic Characteristics of raloxifene users and matched non-exposed Group

	Non-exposed group (N=1011)	Exposed group (N=337)	P-value
Age	71.00±10.35	71.01±10.36	0.9954
Age (categorical)			
<65	258(25.52)	87(25.82)	0.9139
≥65	753(74.48)	250(74.18)	
Gender			
Female	984(97.33)	328(97.33)	1.0000
Male	27(2.67)	9(2.67)	
Geographic region			
North or East	411(40.65)	78(23.15)	<.0001
Center	201(19.88)	92(27.30)	
South	399(39.47)	167(49.55)	
Dyslipidemia			
Yes	52(5.14)	14(4.15)	0.4662
No	959(94.86)	323(95.85)	
Hypertension (HTN)			
Yes	400(39.56)	139(41.25)	0.5853
No	611(60.44)	198(58.75)	
Dyslipidemia or HTN			
Yes	421(41.64)	143(42.43)	0.7987
No	590(58.36)	194(57.57)	
CCI score			
0	558(55.19)	168(49.85)	0.1348
1	250(24.73)	101(29.97)	
>=2	203(20.08)	68(20.18)	
Incident DM			
Yes	226(22.35)	71(21.07)	0.6219
No	785(77.65)	266(78.93)	

Numbers (%) are reported for categorical variables.

Mean (SD) or median(IQR) are reported for continuous variables.

CCI: Charlson co-morbidity index