

Farraj et al Additional File 4:

Table A3: Source contributions for winter exposures by exposure day in $\mu\text{g}/\text{m}^3$ (standard deviation in parenthesis).

| Source | Winter Exposures | | | | | |
|-------------------|-------------------|-------------------|------------------|----------------------------------|----------------------------------|---------------------------------|
| | CAPS 2/28/2012 | CAPS 2/29/2012 | CAPS 3/7/2012 | CAPS+O ₃ 2/28/2012 | CAPS+O ₃ 2/29/2012 | CAPS+O ₃ 3/7/2012 |
| Mobile Sources | 19.54 (3.86) | 8.64 (1.75) | 14.65 (3.07) | 18.52 (3.64) | 7.42 (1.51) | 14.14 (2.93) |
| Brake Wear | 0.36 (0.06) | 0.15 (0.02) | 0.40 (0.07) | 0.33 (0.05) | 0.13 (0.02) | 0.29 (0.05) |
| Road Dust | 4.42 (1.09) | 1.80 (0.48) | 9.74 (1.18) | 3.26 (1.01) | 1.77 (0.42) | 8.98 (1.08) |
| Wood Combustion | 19.13 (2.88) | 27.31 (2.88) | 33.68 (4.36) | 16.90 (2.59) | 21.75 (2.36) | 25.16 (3.47) |
| Marine Salt | 1.23 (0.14) | 4.45 (0.53) | 4.87 (0.57) | 1.05 (0.12) | 4.08 (0.48) | 4.28 (0.51) |
| Secondary Sulfate | 20.38 (3.09) | 23.21 (3.40) | 29.08 (4.30) | 14.03 (2.20) | 16.71 (2.48) | 24.71 (3.67) |