

**Table S1: Complete list of primers used within this study**

| Primer Name | Target   | Sequence (5' – 3')   | Reference              |
|-------------|----------|--|------------------------|
| AcanITS1F1  | ITS1     | Forward- 5'-TTCATGGATGGCGAACTGATAG-3'                                  | Qvarnstrom et al. [16] |
| AcanITS1R1  | ITS1     | Reverse - 5' -GCGCCCATTGAAACATTATACTT-3'                               | Qvarnstrom et al. [16] |
| AcanITS1P1  | ITS1     | Probe-5' -6-carboxyfluroescein-ATCGCATATCTACTATACGCATGTGACACCTG-BHQ-3' | Qvarnstrom et al. [16] |
| AngioF1674  | ITS1     | Forward – 5'GTCGTAACAAGGTATCTGTAGGTG-3'                                | Qvarnstrom et al. [16] |
| 58SR4       | ITS1     | Reverse - 5' -TAGCTGCGTTTTCATCGATA-3'                                  | Qvarnstrom et al. [16] |
| AngioF1     | 18S rRNA | Forward – 5'-ATCATAAACCTTTTCGAGTATCCAG-3'                              | Qvarnstrom et al. [15] |
| AngioR1     | 18S rRNA | Reverse – 5'-TCTCGAGACAGCTCAGTCCGG-3'                                  | Qvarnstrom et al. [15] |
| NEM2F       | 18S rRNA | Forward- 5'-GCGGTTAAAAAGCTCGTAGTTGG-3'                                 | Qvarnstrom et al. [15] |
| NEM2R       | 18S rRNA | Reverse-5'-CCAACTACGAGCTTTAACCGC-3'                                    | Qvarnstrom et al. [15] |
| NEM3F       | 18S rRNA | Forward- 5'- GCGGCTTAATTGACTCAACAC-3'                                  | Qvarnstrom et al. [15] |
| NEM3R       | 18s rRNA | Reverse-5'-GTGTTGAGTCAAATTAAGCCG-3'                                    | Qvarnstrom et al. [15] |
| F-573       | 18S RNA  | Forward- 5'-CGCGGTAAATTCCAGCTCCA- 3'                                   | Hadziavdic et al. [26] |
| R-1200      | 18S RNA  | Reverse- 5'- CCCGTGTTGAGTCAAATTAAGC-3'                                 | Hadziavdic et al. [26] |