

COMPASS-31 Scoring Algorithm.

The raw domain scores are derived by adding the points for the questions comprising each domain. Where an answer to a question is not assigned a point, the score for that answer is zero. The final domain scores are generated by multiplying the raw score with a weight index. The total score is the sum of all domain scores.

Domain	Item	Answer	Points
Orthostatic Intolerance			
	1	1	1
	2	2	1
		3	2
		4	3
	3	1	1
		2	2
		3	3
	4	1	3
		2	2
		3	1
Vasomotor			
	5	1	1
	6	1	1
		2	1
	7	1	3
		2	2
		3	1
Vasomotor			
	8	1	1
		4	1
		5	2
	9	1	1
	10	1	1
	11	2	3
Gastrointestinal			
	12	1	2
		2	1
	13	1	1
		2	2
	14	1	1
		2	2
	15	1	1
		2	2

	16	1	1
	17	2	1
		3	2
		4	3
	18	1	1
		2	2
		3	3
<hr/>			
Secretomotor	19	1	3
		2	2
		3	1
	20	1	1
	21	2	1
		3	2
		4	3
	22	1	1
		2	2
		3	3
	23	1	3
		2	2
		3	1
<hr/>			
Bladder			
	24	2	1
		3	2
		4	3
	25	2	1
		3	2
		4	3
	26	2	1
		3	2
		4	3
<hr/>			
Pupillomotor			
	27	2	1
		3	2
		4	3
	28	1	1
		2	2
		3	3
	29	2	1
		3	2
		4	3
	30	1	1
		2	2

	3	3
31	2	3
	3	2
	4	1