

Electronic Supplementary Material:


World Journal of Urology

Effects of Tadalafil Once Daily or On-Demand versus Placebo on Time to Recovery of Erectile Function in Patients after Bilateral Nerve-Sparing Radical Prostatectomy

Authors: Ignacio Moncada, Fermín R. de Bethencourt, Enrique Lledó-García, Javier Romero-Otero, Carmen Turbi, Hartwig Büttner, Carsten Hennes, Juan I. Martinez Salamanca

Corresponding author: Ignacio Moncada, Department of Urology, Hospital La Zarzuela Madrid, Spain. E-mail: ignacio@moncada.name


Supplementary Figure S1: Trial design



Abbreviations: nsRP, bilateral nerve-sparing radical prostatectomy; d, day; mo, month; OaD, once a day; PRN, “pro-re-nata”/on-demand; V, visit; wk, week.

Previously published in: Montorsi et al. 2014 [15].


Supplementary Figure S2 Patient Disposition



Abbreviations: ITT, intention-to-treat; OaD, once a day; PRN, “pro-re-nata”/on-demand; N, number of patients.

Previously published in: Montorsi et al. 2014 [15].


Supplementary Figure S3 Percent Patients Achieving IIEF-EF Score ≥ 22



Abbreviations: CI, confidence interval; IIEF-EF, International Index of Erectile Function-Erectile Function domain score; n.s., not significant; OaD, once a day; PRN, “pro-re-nata”/on-demand.

Previously published in: Montorsi et al. 2014 [15].

Supplementary Figure S4 Cox Proportional Hazard Model on Time to EF-Recovery (IIEF-EF \geq 22) during DBT



Abbreviations: CI, confidence interval; DBT, double-blind treatment; EF, erectile function; HR, hazard ratio; IIEF-EF, International Index of Erectile Function-Erectile Function domain score; OaD, once a day; PRN, “pro-re-nata”/on-demand.