

Table S3. Blood pressure medications and increased blood pressure.

BP Category	Controls	Donors	P Value^a
BP ≥ 140/90 mm Hg			
Visit 0	11/201(5.5%)	6/203 (3.0%)	0.2
Visit 6	7/198 (3.5%)	8/ 201 (4.0%)	0.8
Visit 12	10/193 (5.2%)	7/198 (3.5%)	0.4
Visit 24	11/182 (6.0%)	5/185 (2.7%)	0.1
Visit 36	10/173 (5.8%)	10/182 (5.5%)	0.9
Antihypertensive			
Visit 0	10/201 (5.0%)	10/203 (4.9%)	1.0
Visit 6	11/198 (5.6%)	9/201 (4.5%)	0.6
Visit 12	14/193 (7.3%)	11/198 (5.6%)	0.5
Visit 24	15/182 (8.2%)	12/185 (6.5%)	0.5
Visit 36	14/173 (8.1%)	12/182 (6.6%)	0.6
Hypertension^b			
Visit 0	20/201 (10.0%)	16/203 (7.9%)	0.5
Visit 6	18/198 (9.1%)	17/201 (8.5%)	0.8
Visit 12	23/193 (11.9%)	16/198 (8.1%)	0.2
Visit 24	23/182 (12.6%)	15/185 (8.1%)	0.2
Visit 36	22/173 (12.7%)	20/182 (11.0%)	0.6
BP Poorly Controlled^c			
Visit 0	1/201 (0.5%)	0/203 (0.0%)	0.3
Visit 6	0/198 (0.0%)	0/201 (0.0%)	---
Visit 12	1/193 (0.5%)	2/198 (1.0%)	0.6
Visit 24	3/182 (1.7%)	2/185 (1.1%)	0.6
Visit 36	2/173 (1.2%)	2/182 (1.1%)	1.0

^aChi-Square

^bDefined as *either* BP≥ 140/90 *or* taking antihypertensive medication.

^cDefined as *both* BP≥ 140/90 *and* taking antihypertensive medication.

Abbreviation: BP, blood pressure.