

**Additional file 10. Patients with isolated pulmonary *Candida spp.* colonization without pre-existing pneumonia - stepwise backwards elimination for pneumonia-free time (cohort 2).**

		Exp(B)	95% CI for Exp(B)		B	Wald	p-value
			Lower bound	Upper bound			
<b>Step 1</b>	Therapy	1.048	0.536	2.046	0.046	0.018	0.892
	SAPS II	0.998	0.968	1.029	-0.002	0.017	0.897
	SOFA score	1.029	0.923	1.146	0.028	0.265	0.606
	Age	1.009	0.983	1.036	0.009	0.454	0.500
	Cancer	0.714	0.263	1.938	-0.337	0.438	0.508
<b>Step 2</b>	Therapy	1.034	0.546	1.957	0.033	0.010	0.919
	SOFA score	1.026	0.930	1.131	0.025	0.258	0.611
	Age	1.009	0.984	1.034	0.009	0.444	0.505
	Cancer	0.719	0.267	1.939	-0.330	0.424	0.515
<b>Step 3</b>	SOFA score	1.027	0.933	1.130	0.026	0.289	0.591
	Age	1.008	0.984	1.034	0.008	0.437	0.509
	Cancer	0.716	0.266	1.922	-0.335	0.441	0.507
<b>Step 4</b>	Age	1.009	0.984	1.035	0.009	0.524	0.469
	Cancer	0.740	0.278	1.968	-0.301	0.363	0.547
<b>Step 5</b>	Age	1.009	0.984	1.035	0.009	0.508	0.476

Exp(B) – odds ratio, CI – confidence interval, B – Not standardized regression coefficient, Wald – Wald-statistics. No variable independently influences the dependent variable (pneumonia-free time) ( $p > 0.05$ ). SAPS II - Simplified Acute Physiology Score II and SOFA - Sequential Organ Failure Assessment.