

S2 Table. Comparison of the population under study with the population not under study

	Population for analysis	Population not eligible for analysis	p-value
Number	9,649	4,977	
Age, years	64.9 (9.8)	73.5 (10.8)	<0.001
Sex, male	4,167 (43.2)	1,860 (37.4)	<0.001
Body mass index, kg/m²	27 (5)	27 (4)	0.927
Systolic blood pressure, mmHg	140 (21)	142 (23)	0.001
eGFR, ml/min/1.73m²	81.2 (17.9)	80.4 (18.6)	0.392
TC/HDL ratio	4.4 (1.4)	4.4 (1.3)	0.841
Alcohol Intake, gram/day	12.1 (0.7-15.0)	2.9 (0.0-15.0)	<0.001
Smoking			<0.001
Never	2,926 (30.3)	641 (12.9)	
Former	4,475 (46.4)	796 (16.0)	
Current	2,129 (22.5)	484 (9.7)	
Prevalent DM	1,121 (11.6)	695 (14.0)	<0.001
Level of education			<0.001
ISCED 0	1,203 (12.5)	1,458 (29.9)	
ISCED 1	3,872 (40.1)	1,841 (37.0)	
ISCED 2	2,777 (28.8)	1,064 (21.4)	
ISCED 3	1,714 (17.8)	402 (8.1)	

Numbers show mean (SD) for age, body mass index, systolic blood pressure, eGFR and TC/HDL ratio, median (IQR) for alcohol intake, and frequency (%) for sex, smoking, prevalent DM and level of education

Abbreviations: eGFR = estimated glomerular filtration rate; TC/HDL ratio = total cholesterol to high-density lipoprotein ratio; DM = diabetes mellitus; ISCED = International Standard Classification of Education