

Supplementary information

Structural Evolution of Chemically-Driven RuO₂ Nanowires and 3-Dimensional Design for Photo-Catalytic Applications

Joonmo Park¹, Jae Won Lee¹, Byeong Uk Ye¹, Sung He Chun², Sang Hoon Joo³, Hyunwoong Park⁴, Heon Lee⁵, Hu Young Jeong⁶, Myung Hwa Kim^{2*} & Jeong Min Baik^{1*}

¹School of Materials Science and Engineering, KIST-UNIST-Ulsan Center for Convergent Materials, Ulsan National Institute of Science and Technology (UNIST), Ulsan 689-798, Republic of Korea.

²Department of Chemistry & Nano Science, Global Top 5 Program, Ewha Womans University, Seoul 120-745, Republic of Korea.

³School of Energy & Chemical Engineering Department of Chemistry Ulsan National Institute of Science & Technology (UNIST), Ulsan 689-798, Republic of Korea.

⁴School of Energy Engineering, Kyungpook National University, Daegu 702-701, Republic of Korea.

⁵Department of Materials Science and Engineering, Korea University, Anam-dong 5-ga, Seongbuk-gu, Seoul 136-713, Republic of Korea.

⁶UNIST Central Research Facilities (UCRF), Ulsan National Institute of Science and Technology (UNIST), Ulsan 689-798, Republic of Korea.

Corresponding author: jbaik@unist.ac.kr

Figure S1. The length and diameter of RuO₂ nanowires with the annealing temperature.




Figure S2. (a) Schematic diagram of electrochemical cell for voltammetry. (b) Schematic energy level diagram of plasmonic system with OEC for solar water splitting.

