

Table S1 Summary statistics for the 138 shape-associated QTL including linkage group (LG) and map position in cM, analyses in which the QTL was found (with sex as cofactor (cofactor), without or both), the detection threshold (Linkage group (LG) = 0.01; Genome-wide (GW) = 0.05), LOD, P-value, percent variance explained (PVE), the shape coordinates and shape part affected and the associated SNP with distance from the QTL in cM (if any). The 1.5 LOD support is the interval, in cM, in which the LOD score is within 1.5 units of its maximum.

#QTL	LG	Position (cM)	1.5 LOD (cM)	PVE	Threshold	LOD	P-value	Shape coord	Nearest marker	QTL distance
1	1	16.0	14.3-16.9	2.99	LG	4.73	0.007	x8	19208	0.1
1	1	16.0	13.0-16.9	2.99	GW	5.26	<0.001	x2		
2	1	20.0	19.2-21.9	3.58	LG	4.98	0.001	y12	46086 ^{*ab}	0.2
3	1	32.1	31.5-33.3	4.80	LG	4.36	0.007	x10	21285	0.0
4	2	11.0	8.0-14.0	7.41	LG	4.55	0.005	y11	138429 ^a	0.6
5	2	12.6	11.0-15.5	2.79	LG	4.01	0.01	y15	6903	0.0
6	2	26.0	20.4-32.0	4.22	LG	4.50	0.004	x6	27266	0.2
7	2	27.0	25.5-30.9	8.10	GW	6.08	0.001	y5	115021	0.0
	2	27.0	25.5-30.9	9.64	GW	5.69	<0.001	y6		
8	2	29.8	26.6-30.9	7.47	LG	4.64	0.004	x9	46661	0.0
9	2	33.1	31.0-34.3	9.49	LG	4.64	0.002	y7	39926	0.0
	2	33.1	31.0-39.8	6.09	LG	4.27	0.006	y8		
10	2	35.7	32.9-36.3	1.75	LG	4.67	0.009	x13	99310 ^{ab}	0.0
11	2	36.3	34.0-38.0	6.65	LG	5.03	0.003	x8	90861	
12	2	38.6	37.5-40.7	0.46	LG	4.76	0.004	y4	123465	0.0
13	3	2.0	0.0-10.0	1.08	LG	4.77	0.002	x8	81054	1.2
14	3	6.4	0.0-7.9	0.59	LG	4.16	0.01	y12	87937	0.0
15	3	7.9	0.0-10.0	2.10	LG	4.07	0.006	x7	5096	0.0
	3	7.9	0.0-16.8	7.77	LG	4.00	0.01	x6		
16	3	9.1	7.0-11.0	1.12	GW	7.11	<0.001	x11	114971	0.0
17	3	44.9	40.0-51.6	1.16	LG	3.87	0.008	x10	69007 ^b	0.0
18	4	26.0	15.0-35.7	1.28	LG	5.17	0.009	y3	33146 ^b	2.8
19	4	40.5	39.0-45.9	2.73	LG	4.82	0.014	x7	123418	0.0
20	4	64.5	63.6-66.0	5.84	LG	4.99	0.003	x2	20896	0.0
21	4	70.0	63.6-70.1	7.18	GW	5.68	0.002	x1	64346	0.0
22	4	70.7	70.0-72.5	1.41	LG	4.63	0.008	y15	114130 ^b	0.0
23	4	71.0	70.3-72.5	4.41	LG	4.76	0.009	y9	66793	0.1
24	4	79.7	78.7-80.3	5.42	LG	4.82	0.008	x14	88186	0.0

25	4	80.3	79.7-81.0	3.55	GW	5.61	0.003	x10	78628 ^{ab}	0.0
26	4	92.2	90.1-92.9	3.93	LG	5.18	0.009	y1	147541*	0.0
27	4	106.0	104.1-106.6	1.95	GW	5.75	0.001	y2	125074	0.2
28	4	107.0	105.8-107.0	0.26	GW	5.55	0.003	x9	267	0.1
	4	107.0	105.2-106.6	4.29	GW	5.73	<0.001	y10		
29	5	17.5	15.0-21.8	5.05	LG	4.98	0.006	y3	51058 ^{ab}	0.0
30	5	49.6	45.4-50.9	7.68	LG	5.28	0.004	x4	104425	0.0
31	5	50.0	48.0-51.2	9.49	LG	5.19	0.003	x5	50194	0.2
32	5	51.7	48.8-55.2	8.88	GW	6.10	<0.001	x9	35273	0.0
33	5	52.2	51.2-54.0	4.03	LG	5.10	0.004	x8	14817	0.0
34	5	68.2	68.1-70.4	1.71	LG	4.97	0.006	y12	43047	0.0
35	6	16.0	15.2-16.3	7.54	GW	5.30	<0.001	y4	107600 ^{ab}	0.0
	6	16.0	13.5-16.2	2.23	GW	5.27	<0.001	y5		
	6	16.0	15.2-16.2	11.87	GW	7.55	<0.001	y6		
36	7	8.8	8.3-8.9	4.50	LG	4.58	0.003	x1	107557	0.00
	7	8.8	8.3-8.9	7.23	LG	4.99	0.002	x2		
37	7	18.0	16.1-19.9	2.12	LG	4.63	0.008	x11	101290	0.0
38	8	10.0	0.0-15.0	0.45	LG	4.38	0.005	x5	93783	0.5
39	8	10.8	0.0-14.0	2.21	LG	4.24	0.006	y9	151762	0.0
40	8	58.4	57.3-60.4	14.72	GW	6.14	0.001	x11	70187 ^a	0.0
41	9	60.0	57.0-63.0	10.46	LG	4.79	0.002	y15	131325 ^{ab}	0.22
	9	61.0	57.0-63.8	3.85	LG	4.60	0.005	y14		0.78
	9	61.0	57.8-65.0	1.80	LG	4.33	0.009	y2		0.78
42	9	83.9	74.0-86.0	1.47	LG	4.71	0.008	y10	23705 ^b	0.0
	9	83.9	82.0-87.0	5.82	LG	4.68	0.002	y11		
43	10	36.4	35.2-37.9	5.11	LG	4.73	0.005	y14	64568	0.0
44	10	37.0	35.9-39.3	1.43	GW	5.52	0.001	y3	110970*	0.1
45	11	34.5	31.0-37.0	6.29	LG	4.32	0.003	y13	152398	0.0
46	11	35.0	30.1-37.0	7.56	LG	4.56	0.002	y9	46466	0.1
47	11	37.9	37.2-48.6	0.64	LG	4.73	0.004	y12	42247 ^{ab}	0.0
48	11	60.7	59.0-64.0	8.41	LG	5.14	0.004	x13	8080	0.00
49	12	6.9	3.0-8.0	7.29	LG	4.95	0.004	y10	155423 ^{ab}	0.0
50	12	8.0	4.0-12.0	1.97	LG	4.37	0.006	y7	23679	0.21
	12	8.0	6.9-12.0	1.44	GW	5.63	0.002	y8		
51	12	27.1	27.0-27.8	5.53	GW	5.55	0.001	x1	132516*	0.0
52	12	38.2	30.5-38.8	1.18	LG	4.57	0.001	x13	69063*	0.0
53	12	54.9	50.7-56.0	6.55	LG	4.38	0.009	x3	893	0.0
54	13	20.0	18.3-23.0	1.18	LG	4.40	0.008	y4	126101	1.1
55	13	41.3	35.0-45.5	6.39	LG	5.05	0.004	y13	120901	0.0
56	13	52.0	43.7-74.0	1.20	LG	4.52	0.005	y1	38077	0.4
57	13	54.0	52.4-61.0	0.42	GW	6.31	<0.001	y2	64843	0.0
58	13	55.0	52.0-60.0	5.16	GW	7.34	<0.001	x4	146313 ^{ab}	0.8

	13	55.8	52.0-59.0	4.92	LG	5.54	<0.001	x5		0.0
59	13	73.0	60.0-87.6	2.12	LG	3.97	0.01	x2	18689	0.2
60	14	11.6	9.0-17.0	2.63	LG	3.91	0.008	y2	19673	0.0
61	14	18.2	14.7-19.6	1.81	LG	4.97	0.001	x13	123800	0.0
62	15	29.9	24.2-32.7	2.37	LG	4.20	0.009	y12	107006 ^{ab}	0.0
63	16	10.1	0.0-23.0	0.79	LG	4.86	0.001	y13	89546	0.0
64	16	42.0	36.0-44.0	1.10	LG	3.71	0.01	x1	49883 ^{ab}	0.3
65	16	46.1	42.5-47.0	11.81	LG	4.24	0.003	y7	3271 ^{ab}	0.0
	16	46.1	43.0-47.5	10.97	LG	4.29	0.005	y8		
	16	46.1	44.1-47.5	4.96	LG	4.91	0.002	y1		
66	16	58.8	54.0-64.0	1.92	LG	4.21	0.006	x9	147458	0.0
67	16	60.4	56.8-66.8	2.04	LG	3.76	0.009	x8	33001*	0.0
68	16	63.1	57.0-66.8	5.85	LG	3.84	0.01	x7	132794	0.0
69	16	78.2	68.6-89.0	1.26	LG	3.90	0.004	y12	100560 ^{ab}	0.0
70	17	37.8	34.8-42.7	8.01	LG	4.01	0.006	x12	13798	0.0
71	17	44.2	43.1-50.1	12.42	LG	4.99	<0.001	x13	145673 ^b	0.0
72	17	51.5	49.3-52.3	5.87	LG	4.21	0.005	y15	123874 ^{ab}	0.0
	17	51.5	48.0-52.3	4.76	LG	5.60	0.001	y2		
73	17	51.7	48.0-52.9	2.59	LG	4.56	0.002	y1	58078*	0.0
74	17	51.8	46.0-52.3	2.90	LG	5.13	0.002	x4	74080 ^b	0.0
75	18	22.7	21.0-24.8	6.51	GW	7.54	<0.001	y3	41690	0.0
	18	23.0	18.0-29.0	4.72	LG	4.28	0.005	y15		0.3
76	19	19.0	14.0-26.0	2.22	LG	4.67	0.01	y12	9185 ^b	0.9
77	19	22.0	21.2-24.9	7.43	LG	4.81	0.005	x12	128619	0.0
78	19	29.7	27.0-31.9	3.52	LG	4.08	0.01	x13	70939	0.0
79	21	61.9	49.5-69.9	0.97	LG	4.01	0.009	y4	136924	0.0
80	21	72.6	71.0-73.5	9.54	LG	5.88	<0.001	y8	127803 ^{ab}	0.0
81	21	77.8	75.0-82.2	3.90	LG	4.37	0.001	x12	8717 ^{ab}	0.0
82	21	81.0	78.0-84.0	2.88	GW	5.67	<0.001	y12	107544* ^{ab}	0.8
83	21	82.2	77.0-86.0	10.15	GW	5.90	0.002	y10	37687*	0.0
84	23	2.6	2.0-4.0	6.38	LG	4.31	0.005	x2	38781	0.0
85	23	11.0	5.0-15.6	4.93	LG	3.74	0.009	y5	29770	1.9
86	23	30.0	26.6-32.8	2.40	LG	4.15	0.003	y6	131558 ^a	0.2
87	24	54.5	53.3-58.5	1.12	LG	5.14	0.002	x9	81546 ^{ab}	0.0
88	25	26.0	18.2-30.7	14.59	LG	4.94	0.002	x7	33027	0.6
89	25	29.1	28.2-30.0	3.77	LG	4.76	0.005	x3	1790*	0.0
90	26	6.0	0.0-10.0	2.89	LG	3.99	0.009	y6	20067	1.2
91	26	36.7	36.5-37.9	2.43	GW	5.40	<0.001	x15	35278*	0.0
92	26	80.0	66.0-81.0	1.48	LG	4.74	0.007	y12	65665 ^{ab}	0.9
93	27	0.0	0.0-15.0	4.32	LG	4.55	0.004	y1	73904	0.0
94	27	38.9	35.6-41.4	11.00	GW	5.28	0.002	x3	80526	0.0

95	27	64.6	60.0-64.6	4.37	GW	5.90	<0.001	y10	48708	0.3
	27	64.6	58.0-64.6	5.08	LG	4.62	0.002	y11		
96	28	38.0	33.0-43.0	4.73	GW	5.93	<0.001	y2	88462*	0.3
	28	38.3	32.0-42.3	3.33	LG	4.23	0.004	y7		
	28	38.3	36.3-39.6	3.84	LG	4.33	0.003	y8		
	28	38.3	33.2-39.6	1.80	GW	6.06	<0.001	y1		
97	29	9.0	8.0-13.0	1.81	GW	5.35	0.002	x14	12305	0.1
	29	9.1	8.00-14.00	1.46	LG	3.98	0.009	x15		
	29	11.0	8.0-16.0	7.16	LG	4.47	0.006	y9		
98	29	17.5	16.1-18.1	6.12	LG	4.30	0.004	x3	66525	0.0
99	29	29.0	27.0-30.5	5.16	LG	5.02	0.001	x9	109751	0.1
100	29	44.0	41.2-46.0	9.04	LG	4.81	0.004	y6	41781 ^{ab}	0.2
101	29	54.3	49.2-56.0	3.04	LG	4.15	0.006	x4	27081	0.0
102	31	10.8	9.0-16.9	2.30	LG	4.48	0.005	x7	101670	0.0
									*0.0	
103	31	12.2	10.0-13.3	7.77	LG	4.54	0.01	x14	147625	0.0
	31	12.2	9.3-16.9	8.76	GW	5.66	<0.001	x5		
104	31	14.9	9.3-16.2	11.19	LG	4.42	0.005	x6	3771 ^{*ab}	0.0
105	31	16.2	11.0-23.0	14.35	LG	4.89	0.002	y6	27954	
106	31	69.0	65.6-70.6	7.36	LG	4.54	0.007	y3	69815 ^a	0.1
	31	69.1	68.1-71.9	12.37	LG	5.13	0.002	y14		
107	32	24.4	21.0-27.7	6.29	LG	3.93	0.005	x4	125971 ^{ab}	0.0
	32	24.4	21.0-31.00	2.51	LG	3.78	0.01	x5		
108	32	30.0	27.0-34.9	4.60	LG	4.68	0.004	x11	97205	0.0
	32	30.0	29.2-34.0	9.30	LG	4.41	0.006	x12		
	32	30.0	27.0-31.0	1.54	LG	4.06	0.009	y12		
109	33	47.0	44.3-63.0	2.67	LG	4.28	0.009	x2	153833 ^{ab}	0.8
110	34	6.9	6.0-11.4	10.18	LG	4.13	<0.001	x1	11005	0.0
111	34	11.7	10.2-13.1	7.75	LG	3.81	0.008	y13	155701 ^{ab}	0.0
112	34	21.9	20.0-22.4	3.23	LG	4.30	0.006	x15	66224	0.0
113	34	30.0	27.3-40.0	8.09	LG	4.27	0.005	y7	81895	0.0
	34	30.0	27.7-73.6	5.37	LG	4.32	0.002	y8		
114	34	36.2	33.0-73.6	0.47	LG	4.43	0.006	y2	74955*	0.0
115	34	41.3	34.3-73.6	1.34	LG	4.15	0.006	y1	103362	0.0
116	35	43.8	42.0-44.8	0.98	LG	4.76	0.001	y13	31050 ^{ab}	0.0
117	36	6.2	2.0-6.9	0.51	LG	3.87	0.008	y15	64089	0.0
118	36	10.0	0.0-14.0	3.18	LG	4.08	0.004	x14	78917	1.3
119	36	15.4	13.0-19.0	6.57	LG	3.96	0.006	y1	9528	0.0
	36	15.4	13.0-17.0	2.36	LG	3.96	0.009	y2		
120	36	18.9	18.1-19.4	1.25	LG	4.18	0.008	x9	45298*	0.0
121	36	23.5	21.9-25.0	8.32	LG	4.50	0.006	x3	114899 ^b	0.0
122	36	31.4	30.5-42.6	5.29	LG	4.25	0.003	x7	60769 ^a	0.0

123	37	46.9	29.4-50.5	1.45	LG	4.22	0.01	x9	60023	0.0
124	37	56.0	52.4-64.0	1.08	LG	4.34	0.007	x5	136870	0.7
125	37	75.3	58.1-75.3	2.37	LG	5.05	<0.001	y1	28863	0.0
126	38	1.0	0.0-18.9	2.36	LG	3.98	0.005	y5	138235	1.0
127	38	24.9	18.8-31.5	14.34	LG	4.24	0.002	x7	8546 ^{ab}	0.0
128	38	30.4	27.9-32.0	16.43	GW	5.69	<0.001	x10	102431 ^b	0.0
129	38	42.2	37.2-46.0	9.56	GW	5.46	<0.001	y3	21462	0.0
	38	42.2	41.4-44.0	13.03	GW	5.68	<0.001	y4		
130	39	2.0	0.0-5.8	1.55	LG	4.35	0.005	x3	6501	1.5
131	39	9.2	5.0-9.7	0.98	LG	5.15	0.001	x8	28896 ^{ab}	0.0
132	39	14.0	12.1-15.7	4.25	LG	5.23	0.001	x5	67121 ^{ab}	0.0
133	39	14.4	12.1-15.7	0.92	LG	4.43	0.007	x7	60846 ^a	0.0
	39	14.4	12.1-18.0	4.13	LG	3.76	0.009	x6		
134	39	15.0	11.2-15.7	2.15	LG	4.63	0.004	x4	99974 ^b	0.0
135	39	18.8	17.0-23.9	1.49	LG	3.69	0.008	x13	86377 [#]	0.0
136	39	21.9	21.1-22.6	0.35	LG	4.41	0.006	x9	71661 [*]	0.0
137	39	26.7	23.4-30.0	1.13	LG	3.98	0.007	y15	11245	0.0
138	40	11.0	2.0-14.6	2.15	LG	4.66	0.002	x1	98245	2.1

* The 19 associated SNP that were found to be potentially under divergent selection in at least one lake

The 13 associated SNP with annotation

^a The 33 associated SNP that were found to be important markers with RandomForest ran on all five lakes

^b The 38 associated SNP that were found to be important markers with random forest ran on Cliff, Indian and Webster lakes only.