

Extracellular Glycoside Hydrolase Activities in the Human Oral Cavity

Taichi Inui,^a Lauren C. Walker,^b Michael W.J. Dodds,^a A. Bryan Hanley^c

Supplementary data

Wm. Wrigley Jr. Company, Chicago, Illinois 60642, USA^a; School of Chemistry, University of Edinburgh, Edinburgh, Scotland, UK^b, The Knowledge Transfer Network, The Roslin Institute, Midlothian, Scotland, UK^c

Running Head: Glycoside Hydrolases in Oral Cavity

Keywords: Oral Ecology, glycosidase, extracellular enzyme, ectoenzyme

Table S1. Known glycoside hydrolase families among the tested oral micro-organisms in this study

This table summarizes the previously reported GH families in the tested oral microorganisms. The number in each cell indicates the number of sequences reported for the corresponding enzymes. Data was extracted from www.cazy.org. Examples of enzymes in each GH family are also shown, although not a complete list.

Table S2. Primers used for qPCR experiment

Bacteria	Sequence (5->3)	Direction	Name	Ref
<i>Aggregatibacter actinomycetemcomitans</i>	ATTGGGGTTAGCCCTGGT	forward	Aact1	[1]
	GGCACAAACCCATCTCTGA	reverse		
<i>Fusobacterium nucleatum</i>	CGCAGAAGGTGAAAGTCCTGTAT	forward	Fnuc1	[2]
	TGGTCCTCACTGATTACACAGA	reverse		
<i>Porphyromonas gingivalis</i>	AGGCAGCTGCCATACTGCG	forward	Pgin1	[3]
	ACTGTTAGCAACTACCGATGT	reverse		
<i>Prevotella intermedia</i>	GTGGCGCGTATTTATGTATGTG	forward	Pint1	[4]
	ATCCGCCATACGCCCTTAG	reverse		
<i>Streptococcus gordonii</i>	AGACACGGCCCAGACTCCTAC	forward	Sgor1	[5]
	CTCACACCCGTTCTCTTACAA	reverse		
<i>Streptococcus mutans</i>	GGTCAGGAAAGTCTGGAGTAAAAGGCTA	forward	Smut3	[6]
	GCGGTAGCTCCGGCACTAACGCC	reverse		
<i>Streptococcus salivarius</i>	CGGTCAAGATAACGTTGACCT	forward	Ssal2	[7]
	CTGCTACGATACCGTAACGTG	reverse		
<i>Treponema denticola</i>	AGAGCAAGCTCCCTTACCGT	forward	Tden1	[2]
	TAAGGGCGGCTTGAAATAATGA	reverse		

1. Psoter, W., Ge, Y., Russell, S., Chen, Z., Katz, R., Jean-Charles, G., Li, Y.: PCR detection of *Streptococcus mutans* and *Aggregatibacter actinomycetemcomitans* in dental plaque samples from Haitian adolescents. *Clin. Oral Invest.* **15**, 461-469 (2011)
2. Kato, H., Yoshida, A., Awano, S., Ansai, T., Takehara, T.: Quantitative detection of volatile sulfur compound-producing microorganisms in oral specimens using real-time PCR. *Oral Diseases* **11**, 67-71 (2005)
3. Kirakodu, S.S., Govindaswami, M., Novak, M.J., Ebersole, J.L., Novak, K.F.: Optimizing qPCR for the Quantification of Periodontal Pathogens in a Complex Plaque Biofilm. *Open Dent. J.* **2**, 49-55 (2008)
4. Price, R.R., Viscount, H.B., Stanley, M.C., Leung, K.P.: Targeted profiling of oral bacteria in human saliva and in vitro biofilms with quantitative real-time PCR. *Biofouling* **23**, 203-213 (2007)
5. Jakubovics, N.S., Kerrigan, S.W., Nobbs, A.H., Strömberg, N., van Dolleweerd, C.J., Cox, D.M., Kelly, C.G., Jenkinson, H.F.: Functions of Cell Surface-Anchored Antigen I/II Family and Hsa Polypeptides in Interactions of *Streptococcus gordonii* with Host Receptors. *Infect. Immun.* **73**, 6629-6638 (2005)
6. Rupf, S., Merte, K., Eschrich, K.: Quantification of Bacteria in Oral Samples by Competitive Polymerase Chain Reaction. *J. Dent. Res.* **78**, 850-856 (1999)
7. Morikawa, M., Chiba, T., Tomii, N., Sato, S., Takahashi, Y., Konishi, K., Numabe, Y., Iwata, K., Imai, K.: Comparative analysis of putative periodontopathic bacteria by multiplex polymerase chain reaction. *J. Periodontal Res.* **43**, 268-274 (2008)