

Table S1. Conjugative and mobilizable plasmids used

Plasmid ^a	Inc ^b	MOB ^c	MPF ^d	Reference
R388	W	F11	T	(1)
pSa	W	F11	T	(2)
pIE321	W	F11	T	(3)
pIE522	W	F11	T	(3)
R7K	W	F11	T	(4)
pMBUI4	W	F11	T	(5)
pKM101	N	F11	T	(6)
pOX38	FI	F12	F	(7)
R1drd19	FII	F12	F	(8)
R100-1	FII	F12	F	(9)
pSLT	FII	F12	F	(10)
pRL443	P1 α	P11	T	(11)
R751	P1 β	P11	T	(12)
R64drd11	I1 α	P12	I	(13)
pCTX-M3	L/M	P131	I	(14)
R6K	X2	P3	T	(15)
drR27	HI1	H11	F	(16)

CloDF13	ColE	C11	-	(17)
ColE1	ColE	P5	-	(18)
RSF1010	Q1	Q11	-	(19)

^a Conjugative and mobilizable plasmids used in plate-conjugation assays. ^b Inc, incompatibility group (20). ^c MOB, MOB group (21). ^d MPF, mating pair formation type (22). The hyphen represents the absence of MPF in mobilizable plasmids.

References

1. Datta, N., Hedges, R. W. 1972. Trimethoprim resistance conferred by W plasmids in Enterobacteriaceae. *J. Gen. Microbiol.* 72:349-355.
2. Watanabe, T., Furuse, C., Sakaizumi, S. 1968. Transduction of various R factors by phage P1 in *Escherichia coli* and by phage P22 in *Salmonella typhimurium*. *J. Bacteriol.* 96:1791-1795.
3. Gotz, A., Pukall, R., Smit, E., Tietze, E., Prager, R., Tschape, H., van Elsas, J. D., Smalla, K. 1996. Detection and characterization of broad-host-range plasmids in environmental bacteria by PCR. *Appl. Environ. Microbiol.* 62:2621-2628.
4. Coetzee, J. N., Datta, N., Hedges, R. W. 1972. R factors from *Proteus rettgeri*. *J. Gen. Microbiol.* 72:543-552.

5. Brown, C. J., Sen, D., Yano, H., Bauer, M. L., Rogers, L. M., Van der Auwera, G. A., Top, E. M. 2013. Diverse broad-host-range plasmids from freshwater carry few accessory genes. *Appl. Environ. Microbiol.* 79:7684-7695.
6. Langer, P. J., Shanabruch, W. G., Walker, G. C. 1981. Functional organization of plasmid pKM101. *J. Bacteriol.* 145:1310-1316.
7. Chandler, M., Galas, D. J. 1983. Cointegrate formation mediated by Tn9. II. Activity of IS1 is modulated by external DNA sequences. *J. Mol. Biol.* 170:61-91.
8. Meynell, E., Datta, N. 1967. Mutant drug resistant factors of high transmissibility. *Nature* 214:885-887.
9. Yoshioka, Y., Ohtsubo, H., Ohtsubo, E. 1987. Repressor gene *finO* in plasmids R100 and F: constitutive transfer of plasmid F is caused by insertion of IS3 into F *finO*. *J. Bacteriol.* 169:619-623.
10. Camacho, E. M., Casadesus, J. 2002. Conjugal transfer of the virulence plasmid of *Salmonella enterica* is regulated by the leucine-responsive regulatory protein and DNA adenine methylation. *Mol. Microbiol.* 44:1589-1598.
11. Elhai, J., Vepritskiy, A., Muro-Pastor, A. M., Flores, E., Wolk, C. P. 1997. Reduction of conjugal transfer efficiency by three restriction activities of *Anabaena* sp. strain PCC 7120. *J. Bacteriol.* 179:1998-2005.

12. Thorsted, P. B., Macartney, D. P., Akhtar, P., Haines, A. S., Ali, N., Davidson, P., Stafford, T., Pocklington, M. J., Pansegrau, W., Wilkins, B. M., Lanka, E., Thomas, C. M. 1998. Complete sequence of the IncPbeta plasmid R751: implications for evolution and organisation of the IncP backbone. *J. Mol. Biol.* 282:969-990.
13. Komano, T., Funayama, N., Kim, S. R., Nisioka, T. 1990. Transfer region of IncI1 plasmid R64 and role of shufflon in R64 transfer. *J. Bacteriol.* 172:2230-2235.
14. Golebiewski, M., Kern-Zdanowicz, I., Zienkiewicz, M., Adamczyk, M., Zylinska, J., Baraniak, A., Gniadkowski, M., Bardowski, J., Ceglowski, P. 2007. Complete nucleotide sequence of the pCTX-M3 plasmid and its involvement in spread of the extended-spectrum beta-lactamase gene blaCTX-M-3. *Antimicrob. Agents. Chemother.* 51:3789-3795.
15. Kolter, R., Helinski, D. R. 1978. Construction of plasmid R6K derivatives in vitro: characterization of the R6K replication region. *Plasmid* 1:571-580.
16. Whelan, K. F., Maher, D., Colleran, E., Taylor, D. E. 1994. Genetic and nucleotide sequence analysis of the gene htdA, which regulates conjugal transfer of IncHI plasmids. *J. Bacteriol.* 176:2242-2251.
17. van Putten, A. J., Jochems, G. J., de Lang, R., Nijkamp, H. J. 1987. Structure and nucleotide sequence of the region encoding the mobilization proteins of plasmid CloDF13. *Gene* 51:171-178.

18. van Rensburg, A. J., Hugo, N. 1969. Characterization of DNA of colicinogenic factor E1 in a providence strain. *J. Gen. Microbiol.* 58:421-422.
19. Derbyshire, K. M., Hatfull, G., Willetts, N. 1987. Mobilization of the non-conjugative plasmid RSF1010: a genetic and DNA sequence analysis of the mobilization region. *Mol. Gen. Genet.* 206:161-168.
20. Taylor, D. E., Gibreel, A., Lawley, T. D., Tracz, D. M. 2004. Antibiotic resistance plasmids, p 473-491. *In* Funnel BE, Phillips GJ (ed), *Plasmid Biology*. ASM Press, Washington, DC.
21. Garcillan-Barcia, M. P., Francia, M. V., de la Cruz, F. 2009. The diversity of conjugative relaxases and its application in plasmid classification. *FEMS Microbiol. Rev.* 33:657-687.
22. Guglielmini, J., Quintais, L., Garcillan-Barcia, M. P., de la Cruz, F., Rocha, E. P. 2011. The repertoire of ICE in prokaryotes underscores the unity, diversity, and ubiquity of conjugation. *PLoS Genet.* 7:e1002222.