

**Summary of common adverse events collected during 30-days from nutritional status evaluation.**

Category and events	All grades N (%)	Grade 1/2 N (%)	Grade 3/4 N (%)
Fatigue	71 (23.7)	57 (19.0)	14 (4.7)
Nausea	52 (17.3)	50 (16.7)	2 (0.06)
Vomiting	18 (6.0)	16 (5.3)	2 (0.7)
Diarrhea	65 (21.7)	60 (20.0)	5 (1.7)
Hypertension	65 (21.7)	53 (17.6)	12 (4.0)
Skin discoloration	9 (3.0)	9 (3.0)	0 (0.0)
Changes in hair color	11 (3.7)	11 (3.7)	0 (0.0)
Hand-foot syndrome	110 (36.7)	89 (29.7)	21 (7.0)
Mucosal inflammation	31 (10.3)	27 (9.0)	4 (1.3)
Rash	41 (13.7)	38 (12.7)	3 (1.0)
Leukopenia	76 (25.3)	71 (23.7)	5 (1.7)
Neutropenia	82 (27.3)	73 (24.3)	9 (3.0)
Thrombocytopenia	75 (25.0)	48 (16.0)	27 (9.0)
Anemia	48 (16.0)	47 (15.7)	1 (0.3)
Increased creatinine	16 (5.3)	15 (4.7)	1 (0.6)
Albuminuria	21 (7.0)	17 (4.3)	4 (2.7)
Liver dysfunction	43 (14.3)	34 (11.3)	9 (3.0)
Weight loss	25 (8.3)	24 (8.0)	1 (0.3)