Electronic Supporting Information

Control of Assembly of Dihydropyridyl and Pyridyl Molecules via Directed Hydrogen Bonding

Jian Lü,^{†,‡} Li-Wei Han,^{‡,§} Nada H. Alsmail,[†] Alexander J. Blake,[†] William Lewis,[†] Rong Cao[‡]* and Martin Schröder ^{†|*}

[‡] State Key Laboratory of Structural Chemistry, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou 350002 Fujian, P. R. China.

[†] School of Chemistry, University of Nottingham, University Park, Nottingham NG7 2RD, UK.

¹School of Chemistry, University of Manchester, Manchester, UK, M13 9PL

[§] School of Chemistry and Chemical Engineering, Nantong University, Nantong 226019 Jiangsu, P. R. China.

	Hydrogen Bond (Å)		
Compound	N-H···N	N-H···O	C-H···N
1		1.930(2); 2.809(3)	2.502(5); 3.335(7)
		1.939(4); 2.818(2)	2.621(5); 3.357(7)
			2.666(5); 3.500(8)
			2.775(6); 3.603(9)
2			2.569(4); 2.820(1)
			2.572(10); 3.397(18)
			2.622(14); 2.863(18)
			2.990(4); 3.956(4)
3	2.060(1); 2.903(1)		2.571(2); 3.365(2)
	2.203(1); 2.903(1)		2.687(1); 3.583(1)
4			2.583(7); 3.487(9)
			2.774(7); 3.69(1)
			3.013(8); 3.907(10)

 Table S1. Hydrogen bond lengths in compounds 1-4.



Figure S1. IR spectra of compounds 1-4.



Figure S2 TGA plots of compounds 1-4.



Figure S3 PXRD plots of compounds 1 and 2.



Figure S4 PXRD plots of compounds 3 and 4.



Figure S5 PXRD patterns of 1 (left) and 3 (right) as a function of temperature.