

Supplementary Data

A gain-of-function *Bushy dwarf tiller 1* mutation in rice microRNA gene

miR156d* caused by insertion of the DNA transposon *nDart1

Mika Hayashi-Tsugane^{1,4}, Masahiko Maekawa², and Kazuo Tsugane^{1,3,*}

¹National Institute for Basic Biology, Okazaki 444-8585, Japan

²Institute of Plant Science and Resources, Okayama University, Kurashiki
710-0046, Japan

³The Graduate University for Advanced Studies [SOKENDAI] Okazaki
444-8585, Japan

Present address

⁴Graduate School of Bioagricultural Sciences, Nagoya University, Chikusa,
Nagoya, Japan

* Corresponding author; fax: (+81) 564 557521, E-mail: tsugane@nibb.ac.jp

Supplementary Table S1. Phenotypes of T0 generation in complementation test

Plant number	Control	pWT	p35S	pBdt
Height (cM)	10	8	10	12
~75~	10		1	
~65		6	1	6
~55		1	1	
~45		1		4
~35		1*		2*
~25			7*	

*Sterile

Supplementary Table S2. List of primer sequences used in this study

Use	Name	Sequence (5' to 3')
OsmiR156d precursor specific primer	BDT-3F	TCTCGATTCGATGACTCGG
	BDT-3R	GCGAGGACGGATAGATTAA
5'-RACE	AK073452-R493	GTAATTTAGTGATTTGTAAGCC
Vectors construction	AK073452-PstI	GGGCTGCAGGAGGTACGACCATCACCC
	AK073452-Sall	CCCGTCGACTGGCCGGCTCCGGACTGTT
	35S-EcoRI	CCCGAATTCATGGAGTCAAAGATTCA
	35S-Xhol	GGGCTGCAGTCCCCGTGTTCTCTCC
	BDT1-F(-)1616-EcoRI	CCCGAATTCATACCCTTGGTAGCAC
	BDT1-R177	AAGAGAGGTTTCTTCTGGATCCG