Web Table 1. State-Specific Estimates of Health Behavior among US Youth^a and Adults^b

	US Youth		US Adults	
	% physically		% physically	
	% obese ^c ,	inactive ^d ,	% obese ^e ,	inactive ^f ,
State	2009	2009	2010	2010
Alabama	13.5	22.4	30.9	29.8
Alaska	11.8	16.2	24.3	22.6
Arizona	13.1	15.6	23.8	19.5
Arkansas	14.4	19.5	30.2	29.1
California	na	na	23.9	20.6
Colorado	7.1	11.3	20.7	18.3
Connecticut	10.4	14	22.1	20.3
Delaware	13.7	19.7	27.7	23.6
District of Columbia	na	na	21.5	19.6
Florida	10.3	19.4	25.9	22.7
Georgia	12.4	17.6	28	25.7
lawaii	14.5	18.3	23.2	18.9
Idaho	8.8	10.8	26.1	19.8
llinois	11.9	16.5	27.5	25.4
Indiana	12.8	19.5	29.1	26.3
owa	na	na	28	24.2
Kansas	12.4	14.4	29	23.6
Kentucky	17.6	17	30.7	28.6
.ouisiana	14.7	18.5	31	30
/Jaine	12.5	18	26.4	21.9
Maryland	12.2	18.5	26.7	22.9
, Nassachusetts	10.9	23.3	21.9	20
Michigan	11.9	14.2	30.6	23.1
/linnesota	na	na	24.6	19
/lississippi	18.3	21.2	33.8	32.5
Missouri	14.4	14.7	30.1	26.7
Montana	10.4	13.4	22.4	21
ebraska	na	na	26.6	24.4
levada	11	14.2	22	22.9
lew Hampshire	12.4	13.2	24.4	19.7
lew Jersey	10.3	18.3	23	26.2
lew Mexico	13.5	15.5	25.4	21.3
lew York	11	17	23.4	23.3
North Carolina	13.4	15.4	27.5	25.4
North Dakota	11	13.7	27.3	24.4
Ohio	na	na	28.6	25.5
Oklahoma	14.1	16.3	30	29.4
Oregon	na	na	26.3	17.2
Pennsylvania	11.8	13.1	27.6	24.6
Rhode Island	10.4	13.3	25.6	23.8
outh Carolina	16.7	21.3	31.6	27
outh Dakota	9.6	14	27.2	24.2
ennessee	15.8	17.7	29.6	28.8
exas	13.6	16	30.2	26.5
Jtah	6.4	10.5	23.1	18.4
/ermont	12.2	13.2	22.9	17.4
/irginia	na	na	25.4	23.1
Washington	na	na	25.1	18.2
West Virginia	14.2	17.3	32.6	32.1
Wisconsin	9.3	12.9	25.5	22.8
Wyoming	9.8	13.6	24.8	21.8

na indicates not available

^a Source: Centers for Disease Control and Prevention. Youth Risk Behavior Surveillance System (YRBSS) — United States, 2009; state percentages are from state YRBSS surveys.

^b Source: Centers for Disease Control and Prevention. Behavioral Risk Factor Surveillance System (BRFSS) – United States, 2010; unadjusted data.

^c Students who were ≥95th percentile for body mass index (calculated as weight in kilograms divided by height in meters squared), by age and sex, based on the 2000 CDC BMI-for-age growth charts.

^d Percentage of students in grades 9-12 who did not participate in at least 60 minutes of physical activity on 0 days during the 7 days before the survey. Physical activity was defined as students doing any kind of physical activity that increased heart rate and made them breathe hard some of the time.

^e Adults who had body mass index ≥ 30 kg/m².

^f Adults who did not participate in any moderate or vigorous-intensity aerobic activity for at least 10 minutes at a time.