

Raw file

025pmolUPS2_500ngY_90min1Hz1pr_BC1_01_350

Scan

Method

Score


Mass

2192


TOF; CID


58.82

986.52




Raw file	Scan	Method	Score	Mass	Gene names
05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_351	2836	TOF; CID	64.76	793.4	RAD30







Raw file 025pmolUPS2_500ngY_90min1Hz1pr_BC1_01_341 Scan 4042 Method TOF; CID Score 179.51 Mass 1306.73 Gene names RPL39



Raw file
025pmolUPS2_500ngY_90min1Hz1pr_BC1_01_338

Scan	Method	Score	Mass	Gene names
4528	TOF; CID	112.24	1313.68	VMA10






Raw file


05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_345

Scan	Method	Score	Mass	Gene names
5262	TOF; CID	85.36	869.53	VPS30




Raw file
05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_354


Scan 5620 Method TOF; CID Score 103.53 Mass 2078.9



Raw file 05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_354 Scan 5894 Method TOF; CID Score 95.09 Mass 1244.64 Gene names UBC5;UBC4





Raw file
05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_351
Scan 6114 Method TOF; CID Score 145.08 Mass 1184.64 Gene names NCE102




Raw file
05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_351

Scan	Method	Score	Mass	Gene names
7210	TOF; CID	60.76	798.47	YHM2






Raw file: 05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_339
Scan: 8826 Method: TOF; CID Score: 75.68 Mass: 2056.08 Gene names: ATX1




Raw file
05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_354

Scan	Method	Score	Mass	Gene names
9388	TOF; CID	58.63	2084.93	RPB11




Raw file
05pmolUPS2_500ngY_90min1Hz1pr_BC2_01_351

Scan	Method	Score	Mass	Gene names
10028	TOF; CID	112.06	3179.5	FET3




Raw file
025pmolUPS2_500ngY_90min1Hz1pr_BC1_01_350

Scan 10326 Method TOF; CID Score 190.35 Mass 1464.84 Gene names LSM5




Raw file
025pmolUPS2_500ngY_90min1Hz1pr_BC1_01_338

Scan	Method	Score	Mass	Gene names
10442	TOF; CID	195.28	1900.05	GUP1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan
14907Method
TOF; CIDScore
73.76Mass
1861.79Gene names
NOP4

Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

14990

Method

TOF; CID

Score


67.23

Mass

1343.63


Gene names

IRC24




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
16231	TOF; CID	87.08	1550.63	UTP9




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
16231	TOF; CID	87.08	1550.63	UTP9



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan
16421Method
TOF; CIDScore
62.94Mass
1810.73Gene names
YME2

Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

16600

Method

TOF; CID

Score


72.21

Mass

2063.96

Gene names

RIB1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

Method

Score

Mass

Gene names


16649

TOF; CID

101.32


1519.72

SEC9




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
17206	TOF; CID	58.78	960.46	ESF1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 17451 Method TOF; CID Score 49.3 Mass 1135.53 Gene names CEG1



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
17674	TOF; CID	56.12	1655.76	PEP8



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan
17890Method
TOF; CIDScore
71.15Mass
2262.86Gene names
HAL5

Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
17936	TOF; CID	58.17	1134.59	CEX1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
18291	TOF; CID	92.61	1315.63	SML1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 18390 Method TOF; CID Score 83.18 Mass 1228.51 Gene names LSB5



Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
18413	TOF; CID	53.26	1536.74	CMP2



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
18492	TOF; CID	106.32	1388.62	PAR32



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
18662	TOF; CID	98.1	1356.67	NUP57



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
19006	TOF; CID	50.35	1168.49	CYR1



Raw file
UPSI+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
19192	TOF; CID	68.97	1417.68	PNO1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

19832

Method

TOF; CID

Score


59.84

Mass

1014.53


Gene names

PUP1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
20027	TOF; CID	80.24	2216.85	SLG1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
20078	TOF; CID	54.02	1274.62	CIR2




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
20200	TOF; CID	66.96	1166.56	FMP10




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
22234	TOF; CID	71.38	1070.47	SHR3



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan
22844Method
TOF; CIDScore
122.97Mass
1422.61Gene names
RRP1

Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan 23805 Method TOF; CID Score 88.34 Mass 1304.6 Gene names FMP16



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
24771	TOF; CID	118.31	1344.69	POM33




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
24796	TOF; CID	54.26	1186.56	AVT1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
24908	TOF; CID	42.91	1920.87	GPA2




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
25699	TOF; CID	107.69	1415.69	ARL1




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan
25755Method
TOF; CIDScore
87.08Mass
1328.7Gene names
EMC5


Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
26063	TOF; CID	68	1478.63	RPC17



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
26251	TOF; CID	54.28	1330.67	TRM8



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
26594	TOF; CID	84.3	1253.63	SBH2




[10e4]

Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
26725	TOF; CID	75.32	1462.66	YGR169C-A




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
28395	TOF; CID	110.56	1779.79	YOS1



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan
28410Method
TOF; CIDScore
74.79Mass
1718.84Gene names
DFM1

Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan 28470 Method TOF; CID Score 75.89 Mass 1300.59 Gene names NUP133



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 29814 Method TOF; CID Score 68.17 Mass 1582.66



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

30820

Method

TOF; CID

Score


64.22

Mass

1227.58


Gene names

CWP1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 31028 Method TOF; CID Score 49.59 Mass 1564.71 Gene names SEC11




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
31118	TOF; CID	62.09	1453.65	MID2




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
31363	TOF; CID	74.39	1350.61	ATP15




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
31766	TOF; CID	84.3	1614.68	SNA2



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan
32280Method
TOF; CIDScore
78.81Mass
1568.7Gene names
XKS1

Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

Method

Score

Mass

Gene names


32331


TOF; CID

94.78

1556.64


CDC73






Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
32523	TOF; CID	62.16	1437.67	SED4




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 32729 Method TOF; CID Score 55.26 Mass 1260.66 Gene names CWH43




[10e4]




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
33007	TOF; CID	47.71	1334.56	PLB1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
33237	TOF; CID	69.28	1076.53	GIM3




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
33320	TOF; CID	70.06	1073.59	TRX3




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
33628	TOF; CID	51.11	1028.55	HMS2



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
33683	TOF; CID	64.83	1407.62	NOP16



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

33697

Method

TOF; CID

Score


71.18

Mass

1343.72


Gene names

TIP41




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan
33741Method
TOF; CIDScore
57.53Mass
1691.7Gene names
RPD3


Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
33767	TOF; CID	58.36	2642.21	VPS60



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
34096	TOF; CID	93.14	1024.49	OM14



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

34203

Method

TOF; CID

Score


47.68

Mass

1723.86

Gene names

REB1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

Method

Score

Mass

Gene names


35883

TOF; CID

106.3


1711.79

CUE1




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan
35930Method
TOF; CIDScore
56.72Mass
1020.5Gene names
SVP26


Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan: 36028
Method: TOF; CID
Score: 61.58
Mass: 938.55



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
36912	TOF; CID	42.95	1744.77	NAB2



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
37063	TOF; CID	49.47	1131.58	NCB2



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

37420

Method

TOF; CID

Score


54.81

Mass

1636.83


Gene names

RPC19




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
37507	TOF; CID	66.74	2009.96	MGR2



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
38082	TOF; CID	50.48	1133.61	AIM2



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
38992	TOF; CID	55.01	1631.84	ATP4



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
39118	TOF; CID	42.72	1153.51	YER134C




[10e4]

Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
39830	TOF; CID	57.17	1185.64	SWP1



4000
2000


Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
40348	TOF; CID	54.2	1426.72	FCY1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 40543
Method TOF; CID
Score 76.33
Mass 1473.64



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

40612

Method

TOF; CID

Score


44.67

Mass

1931.9


Gene names

NPL6




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
40902	TOF; CID	47.19	1060.56	CKA1



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan
40931Method
TOF; CIDScore
47.6Mass
970.54Gene names
UTP4

Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
41013	TOF; CID	41.99	1974.9	TLG2



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
41308	TOF; CID	72.32	1692.83	ALG6



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

41318

Method

TOF; CID

Score


101.75

Mass

1729.8


Gene names

RPB9



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan: 41320
Method: TOF; CID
Score: 47.57
Mass: 913.55
Gene names: NKPI



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

41323

Method

TOF; CID

Score


64.58


Mass

1825.91

Gene names


SMF3






Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
41995	TOF; CID	98.9	1626.63	MDM35



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
42186	TOF; CID	64.12	1260.62	ENT1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

42325

Method

TOF; CID

Score


113.25

Mass

1649.76


Gene names

TOM5




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
42371	TOF; CID	56.72	2088.93	PAM17




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
42856	TOF; CID	57.43	1488.75	MEX67




Raw file
UPS1+500ngY_90minTop17_BC4_01_358
Scan 42896 Method TOF; CID Score 66.83 Mass 1762.82 Gene names OPI3




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
43049	TOF; CID	43.85	1858.88	CNS1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
43452	TOF; CID	56.08	2085.89	MGM101



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
43576	TOF; CID	45.92	2224.94	RER1




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
44204	TOF; CID	57.15	1691.78	VT11




Raw file: UPS1+500ngY_90minTop17_BC4_01_358
 Scan: 44570 Method: TOF; CID Score: 118.73 Mass: 1545.73 Gene names: TMA7




Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
44603	TOF; CID	78.34	1298.6	PPT1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
44808	TOF; CID	63.09	1365.71	AGE2






Raw file


UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
45184	TOF; CID	61.53	1656.75	CKB2



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan
45881Method
TOF; CIDScore
54.76Mass
1937.94Gene names
YJU3



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
46575	TOF; CID	65.25	1034.54	SEC22



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

46619

Method

TOF; CID

Score


47.73


Mass

2130.9

Gene names

CCW14





Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
46838	TOF; CID	74.3	1069.53	DTD1



UPS1+500ngY_90minTop17_BC4_01_358


46891

TOF; CID

50.27


2677.18

FBP26




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 47095
Method TOF; CID
Score 67.93
Mass 2100.98




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
47117	TOF; CID	46.42	1945.01	SVL3



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
47511	TOF; CID	108.43	1350.58	YKL077W



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan 47814 Method TOF; CID Score 88.02 Mass 1318.6 Gene names VPS68



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 47890 Method TOF; CID Score 59.34 Mass 1953.99 Gene names PGC1




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
48534	TOF; CID	45	2020.94	ECM4






Raw file


UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
49510	TOF; CID	57.17	1116.64	PCC1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 49731 Method TOF; CID Score 61.26 Mass 1829.87 Gene names MET14





Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan
50129Method
TOF; CIDScore
64.27Mass
2779.27Gene names
MDE1

Raw file


UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
50644	TOF; CID	78.96	1366.75	CPD1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 50892 Method TOF; CID Score 103.31 Mass 2016.99 Gene names RPC10






Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
52006	TOF; CID	48.28	1076.55	AIM29



Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan
52600Method
TOF; CIDScore
57.59Mass
1125.55Gene names
GGC1




Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
52783	TOF; CID	39.9	2103.93	IES2






Raw file
UPS1+500ngY_90minTop17_BC4_01_358
Scan: 53158 Method: TOF; CID Score: 84.03 Mass: 2504.21 Gene names: RNQ1



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
53331	TOF; CID	77.51	1793.91	VCX1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 53421 Method TOF; CID Score 51.29 Mass 1249.67 Gene names KTII2



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 53457 Method TOF; CID Score 46.42 Mass 2317.99



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
53525	TOF; CID	70	882.49	SRP54




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 53968 Method TOF; CID Score 52.86 Mass 1941.92




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan: 54089
Method: TOF; CID
Score: 53.3
Mass: 1547.75
Gene names: CBC2




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan Method Score Mass Gene names
54294 TOF; CID 124.2 1945.96 ADE8



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan: 54635
Method: TOF; CID
Score: 83.14
Mass: 1427.71
Gene names: GLO1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
55289	TOF; CID	44.86	1121.54	TMT1




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan: 55296
Method: TOF; CID
Score: 77.51
Mass: 2089.07
Gene names: CBP4




Raw file
 UPS1+500ngY_90minTop17_BC4_01_358
 Scan: 55488 Method: TOF; CID Score: 200.29 Mass: 2408.39 Gene names: HTA2;HTA1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 55551 Method TOF; CID Score 47.77 Mass 1552.78 Gene names PPA2




	Raw file	Scan	Method	Score	Mass
peptide 1	UPS1+500ngY_90minTop17_BC4_01_358	55577	TOF; CID	52.07	1450.68
peptide 2	UPS1+500ngY_90minTop17_BC4_01_358	55577	TOF; CID	41.58	1448.72




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
56003	TOF; CID	51.45	996.62	KAP104



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 56164 Method TOF; CID Score 68.26 Mass 1579.79 Gene names FET5



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan 56312 Method TOF; CID Score 51.5 Mass 1844.89 Gene names UBP3




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
56316	TOF; CID	88.38	1913.9	TSR2



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 56508 Method TOF; CID Score 45.24 Mass 2216.99 Gene names MET12



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
56555	TOF; CID	40.14	2405.03	RPC37




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 56762 Method TOF; CID Score 48.39 Mass 1691.83 Gene names MIC14




Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 58250 Method TOF; CID Score 56.57 Mass 1440.75



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan: 58341
Method: TOF; CID
Score: 42.63
Mass: 2053.02
Gene names: NUP84






Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
58763	TOF; CID	128.01	1303.71	ERV14




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
59047	TOF; CID	70.2	1699.94	PAM18



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 59778 Method TOF; CID Score 70.78 Mass 2023 Gene names ZTA1




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
60194	TOF; CID	63.66	1321.69	GIR2







Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
60833	TOF; CID	55.31	1327.77	NOC2







Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
61086	TOF; CID	91.96	1329.74	PHO86




Raw file
UPS1+500ngY_90minTop17_BC4_01_358
Scan 61122 Method TOF; CID Score 44.79 Mass 2058.99



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass
61131	TOF; CID	44.16	2622.28




Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan 61193 Method TOF; CID Score 60.06 Mass 2030.02 Gene names RIX7







Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
61330	TOF; CID	51.29	1181.68	VPS29






Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
62110	TOF; CID	67.7	1183.66	APT2



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 62770 Method TOF; CID Score 51.31 Mass 2369.07 Gene names RCL1



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
62827	TOF; CID	70.2	1796.92	GIS1




UPS1+500ngY_90minTop17_BC4_01_358

Scan: 62912
Method: TOF; CID
Score: 52.28
Mass: 3631.66
Gene names: YIP4




UPS1+500ngY_90minTop17_BC4_01_358


62936 TOF; CID 73.14 2330.97 UGO1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 62998 Method TOF; CID Score 79.87 Mass 1385.78 Gene names PSK1






Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 63471 Method TOF; CID Score 42.63 Mass 2032.93 Gene names LSM3



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 63480 Method TOF; CID Score 71.18 Mass 1359.7 Gene names YMR31



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

Method

Score

Mass

Gene names


63566

TOF; CID

57.41


2260.02

MVP1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
64631	TOF; CID	45.62	1888.98	RXT2



Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan 65236 Method TOF; CID Score 55.44 Mass 1822.9 Gene names LAC1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan 65844 Method TOF; CID Score 45.99 Mass 2480.17 Gene names RPB10



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan

Method

Score

Mass

Gene names


66164

TOF; CID

49.59


1688.88


BUD14



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 66172 Method TOF; CID Score 48.48 Mass 1977 Gene names CLP1






Raw file

UPS1+500ngY_90minTop17_BC4_01_358


66402

TOF; CID

Score
42.71Mass
2039.98Gene names
MTQ2

UPS1+500ngY_90minTop17_BC4_01_358


67029 TOF; CID 39.8 2881.47 TAH1



Raw file


UPS1+500ngY_90minTop17_BC4_01_358


Scan 67483 Method TOF; CID Score 62.2 Mass 1823.92 Gene names NOP14




UPS1+500ngY_90minTop17_BC4_01_358

67587 TOF; CID 51.5 1817.88 HTL1









Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 68271 Method TOF; CID Score 52.86 Mass 1798.87 Gene names TRM732



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 68534 Method TOF; CID Score 46.66 Mass 2582.38 Gene names APE4



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
68541	TOF; CID	47.04	1586.85	MSH6



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 68662 Method TOF; CID Score 36.3 Mass 3302.48 Gene names HMT1



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
69317	TOF; CID	43.38	2469.21	MNS1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
69353	TOF; CID	42.06	2915.54	ATP16




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan: 69714
Method: TOF; CID
Score: 66.99
Mass: 1417.74
Gene names: FDC1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 69814 Method TOF; CID Score 47.04 Mass 1594.8 Gene names POM152



Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan 70805 Method TOF; CID Score 46.89 Mass 1803.9 Gene names RSC9



Raw file


UPS1+500ngY_90minTop17_BC4_01_358

Scan 70852 Method TOF; CID Score 59.37 Mass 2023.12 Gene names SMD1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
72382	TOF; CID	35.68	2496.13	YVH1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
72569	TOF; CID	43.79	1853.04	RKM1



Raw file
UPS1+500ngY_90minTop17_BC4_01_358
Scan 73159 Method TOF; CID Score 40.62 Mass 1881.92 Gene names POF1




Raw file
UPS1+500ngY_90minTop17_BC4_01_358
Scan 73286 Method TOF; CID Score 74.73 Mass 2024.99 Gene names CDC9




Raw file

UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
74727	TOF; CID	55.71	2559.34	KAP120






Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan 75480 Method TOF; CID Score 64.21 Mass 3412.62 Gene names VPS75






Raw file
UPS1+500ngY_90minTop17_BC4_01_358


Scan	Method	Score	Mass	Gene names
75631	TOF; CID	59.98	2335.16	COA3



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Method: TOF; CID
Scan: 77943
Score: 30.78
Mass: 2397.17
Gene names: BZZ1





UPS1+500ngY_90minTop17_BC4_01_358


78380

TOF; CID

82.61


2345.27

SEC61



Raw file
UPS1+500ngY_90minTop17_BC4_01_358

Scan 84073 Method TOF; CID Score 90.39 Mass 2166.26 Gene names TSR1



Raw file

UPS1+500ngY_90minTop17_BC4_01_358

Scan	Method	Score	Mass	Gene names
84517	TOF; CID	71.45	1111.57	DID4

