## SUPPLEMENTAL TABLES

## Table of Content:

		<u>Page</u>
Supplemental Table 1.	Basic patients characteristics of the cohort used for serum HGF	3
	measurements.	
Supplemental Table 2.	Patients characteristics of second TMA.	4
Supplemental Table 3.	Genes with significantly ( $P \le 0.05$ , absolute value of log ratio > 0.1)	6
	changed expression in tumors from ACC patients (dataset	
	GSE10927) relative to expression in normal adrenocortical tissues.	
Supplemental Table 4.	Biological processes Significantly (P<0.05) changed in tumors from	496
	ACC patients with high MET expression relative to tumors with low	
	MET expression (dataset GSE10927) as presented in Figure 2a.	
Supplemental Table 5.	Genes significantly ( $P \le 0.05$ , absolute value of log ratio > 0.1)	498
	changed in tumors from ACC patients with high MET expression	
	compared to those with low <i>MET</i> expression (dataset GSE10927).	
Supplemental Table 6.	Gene set enrichment analysis of ACC patients' cohort for genes	602
	related to cell proliferation (dataset GSE10927).	

Supplemental Table 7.	Gene set enrichment analysis of ACC patients' cohort for genes	613
	related to the negative regulation of cell apoptosis (dataset	
	GSE10927).	
Supplemental Table 8.	Gene set enrichment analysis of ACC patients' cohort for genes	616
	related to cell proliferation (dataset GSEA49278).	
Supplemental Table 9.	Gene set enrichment analysis of ACC patients' cohort for genes	626
	related to the negative regulation of cell apoptosis (dataset	
	GSEA49278).	
Supplemental Table 10.	Drug metabolism-related genes with significantly ( $P \le 0.05$ ,	629
	absolute value of log ratio > 0.1) changed expression in tumors	
	from ACC patients (dataset GSE10927) with high MET expression	
	relative to those with low MET expression.	
Supplemental Table 11.	Gene set enrichment analysis detail of ACC patients' cohort for	773
	genes associated with resistance and metabolism of cisplatin,	

etoposide and doxorubicin (dataset GSEA10927).

 Supplemental Table 12.
 Gene set enrichment analysis detail of ACC patients' cohort for
 775

 genes associated with resistance and metabolism of cisplatin,
 etoposide and doxorubicin (dataset GSEA49278).
 775