

Appendix A

Participant characteristics for individuals with aphasia.

Participant Code	Sex	Age	Dx	Fluency	WAB AQ (100)	BNT (60)	RCPM (36)	RCBA (1 st 4 subtests) (40)
107	M	59	L MCA thrombotic CVA	Nonfluent	14.2	32	36	39
108	F	56	CVA	Nonfluent	22	CNE 2° AOS	32	34
109	F	34	Brain tumor resection, with subsequent CVA	Nonfluent	53.9	6	28	34
122	M	70	CVA	Fluent	44.5	4	36	36
123	F	75	CVA	Nonfluent	34.45	15	27	31
125	M	52	CVA	Fluent	86.3	49	33	39
135	M	66	CVA	Fluent	98	59	30	37
137	F	58	CVA	Fluent	98	58	34	DNT – assumed WNL
138	F	76	Left basal ganglia parenchymal hemorrhage	Fluent	82.8	24	20	38
159	F	64	CVA	Fluent	81.3	49	36	38
160	M	58	CVA	Fluent	78.2	28	35	36
161	M	70	CVA	Fluent	68.8	38	27	34
162	M	64	CVA	Nonfluent	83.4	54	34	40
164	F	82	L MCA CVA	Fluent	87	35	29	38
165	F	44	CVA	Nonfluent	72.7	24	29	18
170	M	57	Subarachnoid hemorrhage s/p LMCA aneurysm clipping	Fluent	21.7	2	30	27
172	M	57	CVA	Nonfluent	7.4	DNT	33	7
187	M	73	L ICA occlusion	Nonfluent	68.5	31	37	30
191	M	71	CVA	Fluent	87.4	46	35	39
192	F	65	CVA	Fluent	83.8	35	31	40
194	M	29	CVA	Nonfluent	73.7	37	36	39

Note. Numbers in parentheses in the top row indicate the maximum number of points possible on the assessment.