

Supplementary Table 1

Sample collections for Exfoliation syndrome cases and controls for the GWAS, validation (Stage 1 follow up), and replication (Stage 2 follow up) phases.

| Patient Collection | N Cases | N Controls |
|------------------------------------|-------------|--------------|
| GWAS | | |
| Japan - discovery | 1484 | 1188 |
| Validation (Stage 1) | | |
| Japan - validation | 1001 | 2629 |
| Singapore | 83 | 2553 |
| Saudi Arabia | 258 | 977 |
| Greece | 214 | 483 |
| Turkey | 80 | 180 |
| Mexico | 98 | 195 |
| South African | 102 | 379 |
| United States | 577 | 1208 |
| Russia | 215 | 343 |
| Total Stage 1 (Validation) | 2628 | 8947 |
| Replication (Stage 2) | | |
| Australia | 291 | 2621 |
| India | 1064 | 3536 |
| Japan - replication | 346 | 906 |
| Germany | 1693 | 3763 |
| Italy | 510 | 496 |
| China-Beijing | 100 | 142 |
| China-Xinjiang | 50 | 49 |
| Iran | 89 | 131 |
| Poland | 88 | 98 |
| Argentina | 42 | 38 |
| Total Stage 2 (Replication) | 4273 | 11780 |
| Total all samples | 8385 | 21915 |